

## References

- [1] Susanne Albers, Naveen Garg, and Stefano Leonardi. Minimizing stall time in single and parallel disk systems. *J. ACM*, 47(6):969–986, 2000.
- [2] Eitan Altman, Bruno Gaujal, and Arie Hordijk. Balanced sequences and optimal routing. *J. ACM*, 47(4):752–775, 2000.
- [3] Sergio Antoy, Rachid Echahed, and Michael Hanus. A needed narrowing strategy. *J. ACM*, 47(4):776–822, 2000.
- [4] Roy Armoni, Amnon Ta-Shma, Avi Wigderson, and Shiyu Zhou. An  $o(\log(n)^{4/3})$  space algorithm for  $(s, t)$  connectivity in undirected graphs. *J. ACM*, 47(2):294–311, 2000.
- [5] Yair Bartal and Eddie Grove. The harmonic  $k$ -server algorithm is competitive. *J. ACM*, 47(1):1–15, 2000.
- [6] Amos Beimel, Francesco Bergadano, Nader H. Bshouty, Eyal Kushilevitz, and Stefano Varricchio. Learning functions represented as multiplicity automata. *J. ACM*, 47(3):506–530, 2000.
- [7] Michael Benedikt and Leonid Libkin. Relational queries over interpreted structures. *J. ACM*, 47(4):644–680, 2000.
- [8] Ronen I. Brafman and Moshe Tennenholtz. An axiomatic treatment of three qualitative decision criteria. *J. ACM*, 47(3):452–482, 2000.
- [9] John F. Canny and Ioannis Z. Emiris. A subdivision-based algorithm for the sparse resultant. *J. ACM*, 47(3):417–451, 2000.
- [10] Soma Chaudhuri, Maurice Herlihy, Nancy A. Lynch, and Mark R. Tuttle. Tight bounds for  $k$ -set agreement. *J. ACM*, 47(5):912–943, 2000.
- [11] Bernard Chazelle. A minimum spanning tree algorithm with inverse-ackermann type complexity. *J. ACM*, 47(6):1028–1047, 2000.
- [12] Bernard Chazelle. The soft heap: An approximate priority queue with optimal error rate. *J. ACM*, 47(6):1012–1027, 2000.

- [13] Siu-Wing Cheng, Tamal K. Dey, Herbert Edelsbrunner, Michael A. Facello, and Shang-Hua Teng. Silver exudation. *J. ACM*, 47(5):883–904, 2000.
- [14] David Cohen, Peter Jeavons, Peter Jonsson, and Manolis Koubarakis?? Building tractable disjunctive constraints. *J. ACM*, 47(5):826–853, 2000.
- [15] Edith Cohen. Polylog-time and near-linear work approximation scheme for undirected shortest paths. *J. ACM*, 47(1):132–166, 2000.
- [16] Patrick W. Dymond and Walter L. Ruzzo. Parallel rams with owned global memory and deterministic context-free language recognition. *J. ACM*, 47(1):16–45, 2000.
- [17] Thomas Eiter, Georg Gottlob, and Yuri Gurevich. Existential second-order logic over strings. *J. ACM*, 47(1):77–131, 2000.
- [18] Guy Even, Joseph (Seffi) Naor, Satish Rao, and Baruch Schieber. Divide-and-conquer approximation algorithms via spreading metrics. *J. ACM*, 47(4):585–616, 2000.
- [19] Martin Farach-Colton, Paolo Ferragina, and S. Muthukrishnan. On the sorting-complexity of suffix tree construction. *J. ACM*, 47(6):987–1011, 2000.
- [20] Matthew Franklin, Zvi Galil, and Moti Yung. Eavesdropping games: A graph-theoretic approach to privacy in distributed systems. *J. ACM*, 47(2):225–243, 2000.
- [21] Roberto Giacobazzi, Francesco Ranzato, and Francesca Scozzari. Making abstract interpretations complete. *J. ACM*, 47(2):361–416, 2000.
- [22] Leslie Ann Goldberg, Philip D. Mackenzie, Mike Paterson, and Aravind Srinivasan. Contention resolution with constant expected delay. *J. ACM*, 47(6):1048–1096, 2000.
- [23] Tao Jiang, Ming Li, and Paul Vitányi. A lower bound on the average-case complexity of shellsort. *J. ACM*, 47(5):905–911, 2000.
- [24] Bala Kalyanasundaram and Kirk Pruhs. Speed is as powerful as clairvoyance. *J. ACM*, 47(4):617–643, 2000.

- [25] David R. Karger. Minimum cuts in near-linear time. *J. ACM*, 47(1):46–76, 2000.
- [26] Juhani Karhumäki, Filippo Mignosi, and Wojciech Plandowski. The expressibility of languages and relations by word equations. *J. ACM*, 47(3):483–505, 2000.
- [27] Orna Kupferman, Moshe Y. Vardi, and Pierre Wolper. An automata-theoretic approach to branching-time model checking. *J. ACM*, 47(2):312–360, 2000.
- [28] Mirosław Kutylowski, Krzysztof Loryś, Brigitte Oesterdiekhoff, and Rolf Wanka. Periodification scheme: Constructing sorting networks with constant period. *J. ACM*, 47(5):944–967, 2000.
- [29] Martin Mundhenk, Judy Goldsmith, Christopher Lusena, and Eric Alender. Complexity of finite-horizon markov decision process problems. *J. ACM*, 47(4):681–720, 2000.
- [30] Peter W. O’Hearn and John C. Reynolds. From algol to polymorphic linear lambda-calculus. *J. ACM*, 47(1):167–223, 2000.
- [31] Benjamin C. Pierce and Davide Sangiorgi. Behavioral equivalence in the polymorphic pi-calculus. *J. ACM*, 47(3):531–584, 2000.
- [32] J.P. Rawling and S.A. Selesnick. Orthologic and quantum logic: Models and computational elements. *J. ACM*, 47(4):721–751, 2000.
- [33] Leslie G. Valiant. A neuroidal architecture for cognitive computation. *J. ACM*, 47(5):854–882, 2000.
- [34] George Varghese and Mahesh Jayaram. The fault span of crash failures. *J. ACM*, 47(2):244–293, 2000.