

References

- [1] Martín Abadi and Bogdan Warinschi. Security analysis of cryptographically controlled access to xml documents. *J. ACM*, 55(2):6: 1–29, 2008.
- [2] Heiner Ackermann, Heiko Röglin, and Berthold Vöcking. On the impact of combinatorial structure on congestion games. *J. ACM*, 55(6):25: 1–22, 2008.
- [3] Nir Ailon, Moses Charikar, and Alantha Newman. Aggregating inconsistent information: Ranking and clustering. *J. ACM*, 55(5):23: 1–27, 2008.
- [4] Noga Alon, Haim Kaplan, Gabriel Nivasch, Micha Sharir, and Shakhar Smorodinsky. Weak ϵ -nets and interval chains. *J. ACM*, 55(6):28: 1–32, 2008.
- [5] Matthew Andrews and Lisa Zhang. Almost-tight hardness of directed congestion minimization. *J. ACM*, 55(6):27: 1–20, 2008.
- [6] Marcelo Arenas and Leonid Libkin. Xml data exchange: Consistency and query answering. *J. ACM*, 55(2):7: 1–72, 2008.
- [7] Hagit Attiya and Keren Censor. Tight bounds for asynchronous randomized consensus. *J. ACM*, 55(5):20: 1–26, 2008.
- [8] Baruch Awerbuch, Israel Cidon, and Shay Kutten. Optimal maintenance of a spanning tree. *J. ACM*, 55(4):18: 1–45, 2008.
- [9] Ziv Bar-Yossef and Maxim Gurevich. Random sampling from a search engine’s index. *J. ACM*, 55(5):24: 1–74, 2008.
- [10] Michael Benedikt, Wenfei Fan, and Floris Geerts. Xpath satisfiability in the presence of dtDs. *J. ACM*, 55(2):8: 1–79, 2008.
- [11] Jianer Chen, Yang Liu, Songjian Lu, Barry O’Sullivan, and Igor Razgon. A fixed-parameter algorithm for the directed feedback vertex set problem. *J. ACM*, 55(5):21: 1–19, 2008.
- [12] Xi Chen and Xiaotie Deng. Matching algorithmic bounds for finding a brouwer fixed point. *J. ACM*, 55(3):13: 1–26, 2008.

- [13] Vladimir Deineko, Peter Jonsson, Mikael Klasson, and Andrei Krokhin. The approximability of max csp with fixed-value constraints. *J. ACM*, 55(4):16: 1–37, 2008.
- [14] Nikhil R. Devanur, Christos H. Papadimitriou, Amin Saberi, and Vijay V. Vazirani. Market equilibrium via a primal-dual algorithm for a convex program. *J. ACM*, 55(5):22: 1–18, 2008.
- [15] Yefim Dinitz, Shlomo Moran, and Sergio Rajsbaum. Bit complexity of breaking and achieving symmetry in chains and rings. *J. ACM*, 55(1):3: 1–28, 2008.
- [16] S. Flesca, F. Furfaro, and E. Masciari. On the minimization of xpath queries. *J. ACM*, 55(1):2: 1–46, 2008.
- [17] Alain Frisch, Giuseppe Castagna, and Véronique Benzaken. Semantic subtyping: Dealing set-theoretically with function, union, intersection, and negation types. *J. ACM*, 55(4):19: 1–64, 2008.
- [18] Georg Gottlob and Alan Nash. Efficient core computation in data exchange. *J. ACM*, 55(2):9: 1–49, 2008.
- [19] Joseph Y. Halpern and Vicky Weissman. A formal foundation for xhtml. *J. ACM*, 55(1):4: 1–42, 2008.
- [20] Petr Jančar and Jiří Srba. Undecidability of bisimilarity by defender’s forcing. *J. ACM*, 55(1):5: 1–26, 2008.
- [21] Richard E. Korf. Linear-time disk-based implicit graph search. *J. ACM*, 55(6):26: 1–40, 2008.
- [22] Ninghui Li and Qihua Wang. Beyond separation of duty: An algebra for specifying high-level security policies. *J. ACM*, 55(3):12: 1–46, 2008.
- [23] Wolfgang Mulzer and Günter Rote. Minimum-weight triangulation is np -hard. *J. ACM*, 55(2):11: 1–29, 2008.
- [24] Christos H. Papadimitriou and Tim Roughgarden. Computing correlated equilibria in multi-player games. *J. ACM*, 55(3):14: 1–29, 2008.
- [25] Omer Reingold. Undirected connectivity in log-space. *J. ACM*, 55(4):17: 1–24, 2008.

- [26] Benjamin Rossman. Homomorphism preservation theorems. *J. ACM*, 55(3):15: 1–53, 2008.
- [27] Gábor Tardos. Optimal probabilistic fingerprint codes. *J. ACM*, 55(2):10: 1–24, 2008.
- [28] Sergey Yekhanin. Towards 3-query locally decodable codes of subexponential length. *J. ACM*, 55(1):1: 1–16, 2008.