

References

- [1] A.V. Aho, S.C. Johnson, and J.D. Ullman. Code generation for expressions with common subexpressions. *J. ACM*, 24:146–160, 1977.
- [2] R. Attar and S. Fraenkel. Local feedback in full-text retrieval systems. *J. ACM*, 24:397–417, 1977.
- [3] B.S. Baker. An algorithm for structuring flowgraphs. *J. ACM*, 24:98–120, 1977.
- [4] A.M. Ballantyne and W.W. Bledsoe. Automatic proofs of theorems in analysis using nonstandard techniques. *J. ACM*, 24:353–374, 1977.
- [5] F.T. Boesch and J.F. Gimpel. Covering the points of a digraph with point-disjoint paths and its application to code optimization. *J. ACM*, 24:192–198, 1977.
- [6] A. Bookstein and D. Kraft. Operations research applied to document indexing and retrieval decisions. *J. ACM*, 24:418–427, 1977.
- [7] A. Brandwajn. A queueing model of multiprogrammed computer systems under full load conditions. *J. ACM*, 24:222–240, 1977.
- [8] T.D. Bui. Errata and comments on a paper by j.r. cash. *J. ACM*, 24:623, 1977.
- [9] R.M. Burstall and J. Darlington. A transformation system for developing recursive programs. *J. ACM*, 24:44–67, 1977.
- [10] K.M. Chandy, Jr. Howard, J.H., and D.F. Towsley. Product form and local balance in queueing networks. *J. ACM*, 24:250–263, 1977.
- [11] D. Comer and R. Sethi. The complexity of trie index construction. *J. ACM*, 24:428–440, 1977.
- [12] P.J. Davis. Proof, completeness, transcendentals, and sampling. *J. ACM*, 24:298–310, 1977.
- [13] D. de Champeaux and L. Sint. An improved bidirectional heuristic search algorithm. *J. ACM*, 24:177–191, 1977.

- [14] R.A. DeMillo, K. Vairavan, and E. Sycara-Cyranski. A study of schedules as models of synchronous parallel computation. *J. ACM*, 24:544–565, 1977.
- [15] G. Fayolle, E. Gelenbe, and J. Labetoulle. Stability and optimal control of the packet switching broadcast channel. *J. ACM*, 24:375–386, 1977.
- [16] C.M. Fiduccia and Y. Zalcstein. Algebras having linear multiplicative complexities. *J. ACM*, 24:311–331, 1977.
- [17] J.A. Goguen, J.W. Thatcher, E.G. Wagner, and J.B. Wright. Initial algebra semantics and continuous algebras. *J. ACM*, 24:68–97, 1977.
- [18] E.C.R. Hehner. Information content of programs and operation encoding. *J. ACM*, 24:290–297, 1977.
- [19] D.S. Hirschberg. Algorithms for the longest common subsequence problem. *J. ACM*, 24:664–675, 1977.
- [20] M. Hofri. On certain output-buffer management techniques – a stochastic model. *J. ACM*, 24:241–249, 1977.
- [21] J. Hopcroft, W. Paul, and L. Valiant. On time versus space. *J. ACM*, 24:332–337, 1977.
- [22] E.C. Horvath, S. Lam, and R. Sethi. A level algorithm for preemptive scheduling. *J. ACM*, 24:32–43, 1977.
- [23] H.B. Hunt III and D.J. Rosenkrantz. On equivalence and containment problems for formal languages. *J. ACM*, 24:387–396, 1977.
- [24] K. Hwang and S.B. Yao. Optimal batched searching of tree structured files in multiprocessor computer systems. *J. ACM*, 24:441–454, 1977.
- [25] L. Hyafil and H.T. Kung. The complexity of parallel evaluation of linear recurrences. *J. ACM*, 24:513–521, 1977.
- [26] T. Ibaraki. The power of dominance relations in branch-and-bound algorithms. *J. ACM*, 24:264–279, 1977.
- [27] O.H. Ibarra and C.E. Kim. Heuristic algorithms for scheduling independent tasks on nonidentical processors. *J. ACM*, 24:280–289, 1977.

- [28] D.B. Johnson. Efficient algorithms for shortest paths in sparse networks. *J. ACM*, 24:1–13, 1977.
- [29] N.D. Jones and S.S. Muchnick. Even simple programs are hard to analyze. *J. ACM*, 24:338–352, 1977.
- [30] B. Kinariwala and A.G. Rao. Flow switching approach to the maximum flow problem: I. *J. ACM*, 24:630–645, 1977.
- [31] L.T. Kou. On live-dead analysis for global data flow problems. *J. ACM*, 24:473–483, 1977.
- [32] S. Kumar Das. A machine representation of finite t_0 topologies. *J. ACM*, 24:676–692, 1977.
- [33] B.W.Y. Lin and R.L. Rardin. Development of a parametric generating procedure for integer programming test problems. *J. ACM*, 24:465–472, 1977.
- [34] R.J. Lipton and L. Snyder. A linear time algorithm for deciding subject security. *J. ACM*, 24:455–464, 1977.
- [35] R.J. Lipton and Y. Zalcstein. Word problems solvable in logspace. *J. ACM*, 24:522–526, 1977.
- [36] D.B. Loveman. Program improvement by source-to-source transformation. *J. ACM*, 24:121–145, 1977.
- [37] N. Lynch. Log space recognition and translation of parenthesis languages. *J. ACM*, 24:583–590, 1977.
- [38] M. Maekawa. Queueing models for computer systems connected by a communication line. *J. ACM*, 24:566–582, 1977.
- [39] K.J. Omahen. Capacity bounds for multiresource queues. *J. ACM*, 24:646–663, 1977.
- [40] J.C. Reynolds. Semantics of the domain of flow diagrams. *J. ACM*, 24:484–503, 1977.
- [41] A.L. Rosenberg and L.J. Stockmeyer. Hashing schemes for extendible arrays. *J. ACM*, 24:199–221, 1977.

- [42] S.E. Sahasrabudhe and A.D. Kulkarni. On solving fredholm integral equations of the first kind. *J. ACM*, 24:624–629, 1977.
- [43] R.E. Shostak. On the sup-inf method for proving presburger formulas. *J. ACM*, 24:529–543, 1977.
- [44] P.D. Summers. A methodology for lisp program construction from examples. *J. ACM*, 24:161–176, 1977.
- [45] B. Wegbreit. Complexity of synthesizing inductive assertions. *J. ACM*, 24:504–512, 1977.
- [46] N.C. Wilhelm. A general model for the performance of disk systems. *J. ACM*, 24:14–31, 1977.
- [47] P. Young. Optimization among provably equivalent programs. *J. ACM*, 24:693–700, 1977.
- [48] C.T. Yu and W.S. Luk. Analysis of effectiveness of retrieval in clustered files. *J. ACM*, 24:607–622, 1977.