References

[1] S. Abiteboul. Disaggregations in databases. *J. ACM*, 32(1):79–101, 1985.

[2] I. Adler and N. Meggido. A simplex algorithm whose average number of steps is bounded between two quadratic functions of the smaller dimension. *J. ACM*, 32(4):871–895, 1985.

[3] B. Awerbuch. Complexity of network synchronization. *J. ACM*, 32(4):804–823, 1985.

[4] A. Bagchi and A. Mahanti. Three approaches to heuristic search in networks. *J. ACM*, 32(1):1–27, 1985.

[5] B.S. Baker, Jr. Coffman, E.G., and D.E. Willard. Algorithms for resolving conflicts in dynamic storage allocation. *J. ACM*, 32(2):327–343, 1985.

[6] M.A. Bauer. Soundness and completeness of a synthesis algorithm based on example computations. *J. ACM*, 32(2):249–279, 1985.

[7] E.A. Bender and J.T. Butler. Enumeration of structured flowcharts. *J. ACM*, 32(3):537–548, 1985.

[8] G. Bracha and S. Toueg. Asynchronous consensus and broadcast protocols. *J. ACM*, 32(4):824–840, 1985.

[9] G.N. Buckley and A. Silberschatz. Beyond two-phase locking. *J. ACM*, 32(2):314–326, 1985.

[10] W.-L. Cao and W.J. Stewart. Iterative aggregation/disaggregation techniques for nearly uncoupled markov chains. *J. ACM*, 32(3):702–719, 1985.

[11] B. Chazelle and L. Monier. A model of computation for vlsi with related complexity results. *J. ACM*, 32(3):573–588, 1985.

[12] G. Cornuéjols, D. Naddef, and W. Pulleyblank. The traveling salesman problem in graphs with 3-edge cutsets. *J. ACM*, 32(2):383–410, 1985.

[13] W.H. Cunningham. Optimal attack and reinforcement of a network. *J. ACM*, 32(3):549–561, 1985.

[14] R. Dechter and J. Pearl. Generalized best first search strategies and the optimality of a*. *J. ACM*, 32(3):505–536, 1985.

[15] D. Dolev and R. Reischuk. Bounds on information exchange for byzantine agreement. *J. ACM*, 32(1):191–204, 1985.

[16] S. Even, A.L. Selman, and Y. Yacobi. Hard-core theorems for complexity classes. *J. ACM*, 32(1):205–217, 1985.

[17] U. Faigle. On ordered languages and the optimization of linear functions by greedy algorithms. *J. ACM*, 32(4):861–870, 1985.

[18] M.J. Fischer, N.A. Lynch, and M.S. Paterson. Impossibility of distributed consensus with one faulty process. *J. ACM*, 32(2):374–382, 1985.

[19] E.C. Freuder. A sufficient condition for backtrack-bounded search. *J. ACM*, 32(4):755–761, 1985.

[20] K. Fuchs and D. Kafura. Memory-constrained task scheduling on a network of dual processors. *J. ACM*, 32(1):102–129, 1985.

[21] H. Garcia-Molina and D. Barbara. How to assign votes in a distributed system. *J. ACM*, 32(4):841–860, 1985.

[22] M.E. Gonzalez-Smith and J.A. Storer. Parallel algorithms for data compression. *J. ACM*, 32(2):344–373, 1985.

[23] G. Gottlob and A. Leitsch. On the efficiency of subsumption algorithms. *J. ACM*, 32(2):280–295, 1985.

[24] A.G. Greenberg and S. Winograd. A lower bound on the time needed in the worst case to resolve conflicts deterministically in multiple access channels. *J. ACM*, 32(3):589–596, 1985.

[25] E.M. Gurari. Decidable problems for powerful programs. *J. ACM*, 32(2):466–483, 1985.

[26] M. Hennessy. Acceptance trees. *J. ACM*, 32(4):896–928, 1985.

[27] M. Hennessy and R. Milner. Algebraic laws for nondeterminism and concurrency. *J. ACM*, 32(1):137–161, 1985.

[28] D.S. Hochbaum and W. Maass. Approximation schemes for covering and packing problems in image processing and vlsi. *J. ACM*, 32(1):130–136, 1985.

[29] R.M. Karp and A. Wigderson. A fast parallel algorithm for the maximal independent set problem. *J. ACM*, 32(4):762–773, 1985.

[30] M.M. Klawe. A tight bound for black and white pebbles on the pyramid. *J. ACM*, 32(1):218–228, 1985.

[31] J.C. Lagarias and A.M. Odlyzko. Solving low-density subset sum problems. *J. ACM*, 32(1):229–246, 1985.

[32] L. Lamport and P.M. Melliar-Smith. Synchronizing clocks in the presence of faults. *J. ACM*, 32(1):52–78, 1985.

[33] C.C. Lee and D.T. Lee. A simple on-line packing algorithm. *J. ACM*, 32(3):562–572, 1985.

[34] A. Mahanti and A. Bagchi. And/or graph heuristic search methods. *J. ACM*, 32(1):28–51, 1985.

[35] U. Manber and M. Tompa. The complexity of problems on probabilistic, nondeterministic, and alternating decision trees. *J. ACM*, 32(3):720–732, 1985.

[36] F. Meyer auf der Heide. Lower bounds for solving linear diophantine equations on random access machines. *J. ACM*, 32(4):929–937, 1985.

[37] Shlomo Moran, Marc Snir, and Udi Manber. Applications of ramsey's theorem to decision tree complexity. *J. ACM*, 32(4):938–949, 1985.

[38] D. Saccà. Closures of database hypergraphs. *J. ACM*, 32(4):774–803, 1985.

[39] A.P. Sistla and E.M. Clarke. The complexity of propositional linear temporal logics. *J. ACM*, 32(3):733–749, 1985.

[40] S. Skyum and L.G. Valiant. A complexity theory based on boolean algebra. *J. ACM*, 32(2):484–502, 1985.

[41] D.D. Sleator and R.E. Tarjan. Self-adjusting binary search trees. *J. ACM*, 32(3):652–686, 1985.

[42] J. Staples and V.L. Nguyen. A fixpoint semantics for nondeterministic data flow. *J. ACM*, 32(2):411–444, 1985.

[43] A.N. Tantawi and D. Towsley. Optimal static load balancing in distributed computer systems. *J. ACM*, 32(2):445–465, 1985.

[44] Y.C. Tay, R. Suri, and N. Goodman. A mean value performance model for locking in databases: The no-waiting case. *J. ACM*, 32(3):618–651, 1985.

[45] H. Vantilborgh. Aggregation with an error of $o(\epsilon^2)$. *J. ACM*, 32(1):162–190, 1985.

[46] C.-C. Wang, E.L. Lloyd, and M.L. Soffa. Feedback vertex sets and cyclically reducible graphs. *J. ACM*, 32(2):296–313, 1985.

[47] D.E. Willard and G.S. Lueker. Adding range restriction capability to dynamic data structures. *J. ACM*, 32(3):597–617, 1985.

[48] M. Yannakakis. A polynomial algorithm for the min-cut linear arrangement of trees. *J. ACM*, 32(4):950–988, 1985.

[49] A.C. Yao. Uniform hashing is optimal. *J. ACM*, 32(3):687–693, 1985.

[50] D. Zerling. Generating binary trees using rotations. *J. ACM*, 32(3):694–701, 1985.