

References

- [1] R.P. Anstee and M. Farber. Characterizations of totally balanced matrices. *J. Algorithms*, 5(2):215–230, 1984.
- [2] S.F. Assmann, D.S. Johnson, D.J. Kleitman, and J.Y.-T. Leung. On a dual version of the one-dimensional bin packing problem. *J. Algorithms*, 5(4):502–525, 1984, December.
- [3] M. Boshernitzan and A.S. Fraenkel. A linear algorithm for nonhomogeneous spectra of numbers. *J. Algorithms*, 5(2):187–198, 1984.
- [4] D. Corneil and M. Goldberg. A non-factorial algorithm for canonical numbering of a graph. *J. Algorithms*, 5(3):345–362, 1984.
- [5] D. Dolev and M.K. Warmuth. Scheduling precedence graphs of bounded height. *J. Algorithms*, 5(1):48–59, 1984, March.
- [6] H.N. Gabow and R.E. Tarjan. Efficient algorithms for a family of matroid intersection problems. *J. Algorithms*, 5(1):80–131, 1984.
- [7] J.R. Gilbert, J.P. Hutchinson, and R.E. Tarjan. A separator theorem for graphs of bounded genus. *J. Algorithms*, 5(3):391–407, 1984.
- [8] G.H. Gonnet and J.I. Munro. The analysis of linear probing sort by the use of a new mathematical transform. *J. Algorithms*, 5(4):451–470, 1984.
- [9] Leo J. Guibas. Problems. *J. Algorithms*, 5:145–146, 1984.
- [10] Leo J. Guibas. Problems. *J. Algorithms*, 5:579–594, 1984.
- [11] E.M. Gurari and I.H. Sudborough. Improved dynamic programming algorithms for bandwidth minimization and the mincut linear arrangement problem. *J. Algorithms*, 5(4):531–546, 1984, December.
- [12] D. Gusfield. Bounds for naive multiple machine scheduling with release times and deadlines. *J. Algorithms*, 5(1):1–6, 1984, March.
- [13] R.H. Güting. An optimal contour algorithm for iso-oriented rectangles. *J. Algorithms*, 5(3):303–326, 1984.

- [14] S.L. Hakimi and E.F. Schmeichel. An adaptive algorithm for system level diagnosis. *J. Algorithms*, 5(4):526–530, 1984, December.
- [15] M. Hofri. A probabilistic analysis of the next-fit bin packing algorithm. *J. Algorithms*, 5(4):547–556, 1984, December.
- [16] S.-H.S. Huang and C.K. Wong. Optimal binary split trees. *J. Algorithms*, 5(1):69–79, 1984.
- [17] D.S. Johnson. The *np*-completeness column: An ongoing guide. *J. Algorithms*, 5(1):147–160, 1984.
- [18] D.S. Johnson. The *np*-completeness column: An ongoing guide. *J. Algorithms*, 5(2):284–299, 1984.
- [19] D.S. Johnson. The *np*-completeness column: An ongoing guide. *J. Algorithms*, 5(3):433–447, 1984.
- [20] D.S. Johnson. The *np*-completeness column: An ongoing guide. *J. Algorithms*, 5(5):595–609, 1984.
- [21] G.D. Knott. Direct-chaining with coalescing lists. *J. Algorithms*, 5(1):7–21, 1984, March.
- [22] P.-Å. Larson. Analysis of hashing with chaining in the prime area. *J. Algorithms*, 5(1):36–47, 1984, March.
- [23] T. Lengauer. On the solution of inequality systems relevant to ic-layout. *J. Algorithms*, 5(3):408–421, 1984, September.
- [24] J.Y.-T. Leung. Fast algorithms for generating all maximal independent sets of interval, circular-arc and chordal graphs. *J. Algorithms*, 5(1):22–35, 1984.
- [25] M.G. Main and R.J. Lorentz. An $o(n \log n)$ algorithm for finding all repetitions in a string. *J. Algorithms*, 5(3):422–432, 1984.
- [26] C.H. Papadimitriou and U.V. Vazirani. On two geometric problems related to the travelling salesman problem. *J. Algorithms*, 5(2):231–246, 1984, June.
- [27] Y. Perl. Optimum split trees. *J. Algorithms*, 5(3):367–374, 1984.

- [28] D.A. Plaisted. Heuristic matching for graphs satisfying the triangle inequality. *J. Algorithms*, 5(2):163–179, 1984.
- [29] P. Ramanan, J.S. Deogun, and C.L. Liu. A personnel assignment problem. *J. Algorithms*, 5(1):132–144, 1984, March.
- [30] P.V. Ramanan and L. Hyafil. New algorithms for selection. *J. Algorithms*, 5(5):557–578, 1984.
- [31] J.B. Remmel and R. Whitney. Multiplying schur functions. *J. Algorithms*, 5(4):471–487, 1984.
- [32] P. Rosenstiehl and R.E. Tarjan. Gauss codes, planar hamiltonian graphs, and stack-sortable permutations. *J. Algorithms*, 5(3):375–390, 1984.
- [33] I. Sembra. An efficient algorithm for generating all k -subsets ($1 \leq k \leq m \leq n$) of the set $\{1, 2, \dots, n\}$ in lexicographical order. *J. Algorithms*, 5(2):281–283, 1984.
- [34] G. Seroussi and A. Lempel. On symmetric algorithms for bilinear forms over finite fields. *J. Algorithms*, 5(3):327–344, 1984.
- [35] E. Shamir and E. Upfal. Sequential and distributed graph coloring algorithms with performance analysis in random graph spaces. *J. Algorithms*, 5(4):488–501, 1984.
- [36] E. Soisalon-Soininen and D. Wood. Optimal algorithms to compute the closure of a set of iso-rectangles. *J. Algorithms*, 5(2):199–214, 1984.
- [37] A. Tucker and D. Wilson. An $o(n^2)$ algorithm for coloring perfect planar graphs. *J. Algorithms*, 5(1):60–68, 1984.
- [38] L.G. Valiant. Short monotone formulae for the majority function. *J. Algorithms*, 5(3):363–366, 1984.
- [39] P.J. Weinberger. Finding the number of factors of a polynomial. *J. Algorithms*, 5(2):180–186, 1984.
- [40] N.C. Wormald. Generating random regular graphs. *J. Algorithms*, 5(2):247–280, 1984.