References

[1] Pankaj K. Agarwal and Micha Sharir. Ray shooting amidst convex polygons in 2d. *J. Algorithms*, 21(3):508–519, 1996.

[2] L. Babel, I.N. Ponomarenko, and G. Tinhofer. The isomorphism problem for directed path graphs and for rooted directed path graphs. *J. Algorithms*, 21(3):542–564, 1996.

[3] Bruno Becker, Paolo Giulio Franciosa, Stephan Gschwind, Stefano Leonardi, Thomas Ohler, and Peter Widmayer. Enclosing a set of objects by two minimum area rectangles. *J. Algorithms*, 21(3):520–541, 1996.

[4] Hans L. Bodlaender and Ton Kloks. Efficient and constructive algorithms for the pathwidth and treewidth of graphs. *J. Algorithms*, 21(2):358–402, 1996.

[5] Bernard Chazelle and Jiří Matoušek. On linear-time deterministic algorithms for optimization problems in fixed dimension. *J. Algorithms*, 21(3):579–597, 1996.

[6] Edith Cohen. Efficient parallel shortest-paths in digraphs with a separator decomposition. *J. Algorithms*, 21(2):331–357, 1996.

[7] Artur Czumaj. Very fast approximation of the matrix chain product problem. *J. Algorithms*, 21(1):71–79, 1996.

[8] D. Eu, E. Guévremont, and G.T. Toussaint. On envelopes of arrangements of lines. *J. Algorithms*, 21(1):111–148, 1996.

[9] Michael L. Fredman and Leonid Khachiyan. On the complexity of dualization of monotone disjunctive normal forms. *J. Algorithms*, 21(3):618–628, 1996.

[10] Alan Frieze, Mark Jerrum, Michael Molloy, Robert Robinson, and Nicholas Wormald. Generating and counting hamilton cycles in random regular graphs. *J. Algorithms*, 21(1):176–198, 1996.

[11] Anna Galluccio and Martin Loebl. Cycles of prescribed modularity in planar digraphs. *J. Algorithms*, 21(1):51–70, 1996.

[12] John Hershberger and Subhash Suri. Off-line maintenance of planar configurations. *J. Algorithms*, 21(3):453–475, 1996.

[13] Dorit S. Hochbaum and Joseph (Seffi) Naor. Approximation algorithms for network design problems on bounded subsets. *J. Algorithms*, 21(2):403–414, 1996.

[14] J.A. Hoogeveen. Single-machine scheduling to minimize a fuction of two or three maximum cost criteria. *J. Algorithms*, 21(2):415–433, 1996.

[15] Dušan Hvalica. Best first search algorithm in and/or graphs with cycles. *J. Algorithms*, 21(1):102–110, 1996.

[16] Michael Kaib and Claus P. Schnorr. The generalized gauss reduction algorithm. *J. Algorithms*, 21(3):565–578, 1996.

[17] Sampath K. Kannan, Eugene L. Lawler, and Tandy J. Warnow. Determining the evolutionary tree using experiments. *J. Algorithms*, 21(1):26–50, 1996.

[18] Goos Kant. Augmenting outerplanar graphs. *J. Algorithms*, 21(1):1–25, 1996.

[19] Samir Khuller and Balaji Raghavachari. Improved approximation algorithms for uniform connectivity problems. *J. Algorithms*, 21(2):434–450, 1996.

[20] C.J.H. McDiarmid and R.B. Hayward. Large deviations for quicksort. *J. Algorithms*, 21(3):476–507, 1996.

[21] H. Narayanan, Subir Roy, and Sachin Patkar. Approximation algorithms for min-k-overlap problems using the prinicipal lattice of partitions approach. *J. Algorithms*, 21(2):306–330, 1996.

[22] Mark H. Overmars and A. Frank van der Stappen. Range searching and point location among fat objects. *J. Algorithms*, 21(3):629–656, 1996.

[23] Marco Pellegrini. Repetitive hidden surface removal for polyhedra. *J. Algorithms*, 21(1):80–101, 1996.

[24] G. Ramalingam and Thomas Reps. An incremental algorithm for a generalization of the shortest-path problem. *J. Algorithms*, 21(2):267–305, 1996.

[25] Jiří Sgall. Randomized on-line scheduling of parallel jobs. *J. Algorithms*, 21(1):149–175, 1996.

[26] Roberto Tamassia. On-line planar graph embedding. *J. Algorithms*, 21(2):201–239, 1996.

[27] Paul Tseng and Zhi-Quan Luo. On computing the nested sums and infimal convolutions of convex piecewise-linear functions. *J. Algorithms*, 21(2):240–266, 1996.

[28] Xiao Zhou, Shin-ichi Nakano, and Takao Nishizeki. Edge-coloring partial k-trees. *J. Algorithms*, 21(3):598–617, 1996.