References

[1] Yehuda Afek, Yishay Mansour, and Zvi Ostfeld. Convergence complexity of optimistic rate-based flow-control algorithms. *J. Algorithms*, 30(1):106–143, 1999.

[2] Yehuda Afek and Eytan Weisberger. The instancy of snapshots and commuting objects. *J. Algorithms*, 30(1):68–105, 1999.

[3] Noga Alon and Benny Sudakov. On two segmentation problems. *J. Algorithms*, 33(1):173–184, 1999.

[4] Nina Amenta, Marshall Bern, and David Eppstein. Optimal point placement for mesh smoothing. *J. Algorithms*, 30(2):302–322, 1999.

[5] Arne Andersson. General balanced trees. *J. Algorithms*, 30(1):1–18, 1999.

[6] Vincenzo Auletta, Yefim Dinitz, Zeev Nutov, and Domenico Parente. A 2-approximation algorithm for finding an optimum 3-vertex-connected spanning subgraph. *J. Algorithms*, 32(1):21–30, 1999.

[7] Julien Basch, Leonidas J. Guibas, and John Hershberger. Data structures for mobile data. *J. Algorithms*, 31(1):1–28, 1999.

[8] Cristina Bazgan, Miklos Santha, and Zsolt Tuza. On the approximation of finding a(nother) hamiltonian cycle in cubic hamiltonian graphs. *J. Algorithms*, 31(1):249–268, 1999.

[9] Edward A. Bender and E. Rodney Canfield. An approximate probabilistic model for structured gaussian elimination. *J. Algorithms*, 31(2):271–290, 1999.

[10] Dimitris Bertsimas and David Gamarnik. Asymptotically optimal algorithms for job shop scheduling and packet routing. *J. Algorithms*, 33(2):296–318, 1999.

[11] Hans L. Bodlaender and Dimitrios M. Thilikos. Graphs with branchwidth at most three. *J. Algorithms*, 32(2):167–194, 1999.

[12] Paola Bonizzoni and Gianluca Della Vedova. An algorithm for the modular decomposition of hypergraphs. *J. Algorithms*, 32(2):65–86, 1999.

[13] Heather D. Booth, Rajeev Govindan, Michael A. Langston, and Siddharthan Ramachandramurthi. Fast algorithms for k_4 immersion testing. *J. Algorithms*, 30(2):344–378, 1999.

[14] Andreas Brandstädt, Victor Chepoi, and Feodor Dragan. Distance approximating trees for chordal and dually chordal graphs. *J. Algorithms*, 30(1):166–184, 1999.

[15] Nader H. Bshouty. Lower bounds for the complexity of functions in a realistic ram model. *J. Algorithms*, 32(1):1–20, 1999.

[16] Moses Charikar, Chandra Chekuri, To-yat Cheung, Zuo Dai, Ashish Goel, Sudipto Guha, and Ming Li. Approximation algorithms for directed steiner problems. *J. Algorithms*, 33(1):73–91, 1999.

[17] Wei-Mei Chen, Hsien-Kuei Hwang, and Gen-Huey Chen. The cost distribution of queue-mergesort, optimal mergesorts, and power-of-2 rules. *J. Algorithms*, 30(2):423–448, 1999.

[18] Joseph Cheriyan and Ramakrishna Thurimella. Fast algorithms for k-shredders and k-node connectivity augmentation. *J. Algorithms*, 33(1):15–50, 1999.

[19] Fabián A. Chudak and David B. Shmoys. Approximation algorithm for precedence-constrained scheduling problems on parallel machines that run at different speeds. *J. Algorithms*, 30(2):323–343, 1999.

[20] Edith Cohen and David D. Lewis. Approximating matrix multiplication for pattern recognition tasks. *J. Algorithms*, 30(2):211–252, 1999.

[21] Paul F. Dietz and Rajeev Raman. Small-rank selection in parallel, with applications to heap construction. *J. Algorithms*, 30(1):33–51, 1999.

[22] Yefim Dinitz and Zeev Nutov. A 3-approximation algorithm for finding optimum 4,5-vertex-connected spanning subgraphs. *J. Algorithms*, 32(1):31–40, 1999.

[23] Shlomi Dolev, Evangelos Kranakis, and Danny Krizanc. Baked-potato routing. *J. Algorithms*, 30(2):379–399, 1999.

[24] U. Faigle, W. Kern, and W.M. Nawijn. A greedy on-line algorithm for the k-track assignment problem. *J. Algorithms*, 31(1):196–210, 1999.

[25] Paolo Ferragina and Roberto Grossi. Improved dynamic text indexing. *J. Algorithms*, 31(2):291–319, 1999.

[26] Lisa Fleischer. Building chain and cactus representations of all minimum cuts from hao-orlin in the same asymptotic run time. *J. Algorithms*, 33(1):51–72, 1999.

[27] Greg N. Frederickson and Roberto Solis-Oba. Increasing the weight of minimum spanning trees. *J. Algorithms*, 33(2):244–266, 1999.

[28] Alan M. Frieze and Michael Molloy. Splitting an expander graph. *J. Algorithms*, 33(1):166–172, 1999.

[29] Toshihiro Fujito. Approximating node-deletion problems for matroidal properties. *J. Algorithms*, 31(1):211–227, 1999.

[30] Joseph Gil and Alon Itai. How to pack trees. *J. Algorithms*, 32(2):108–132, 1999.

[31] Manfred Göbel and Jochen Walter. Bases for polynomial invariants of conjugates of permutation groups. *J. Algorithms*, 32(1):58–61, 1999.

[32] Sudipto Guha and Samir Khuller. Greedy strikes back: Improved facility location algorithms. *J. Algorithms*, 31(1):228–248, 1999.

[33] Ming-Deh A. Huang and Ashwin J. Rao. Interpolation of sparse multivariate polynomials over large finite fields with applications. *J. Algorithms*, 33(2):204–228, 1999.

[34] William M. Kantor, Eugene M. Luks, and Peter D. Mark. Sylow subgroups in parallel. *J. Algorithms*, 31(1):132–195, 1999.

[35] Samir Khuller, Pankaj K. Agarwal, and Joseph O'Rourke. Problems — open problems presented at scg'98. *J. Algorithms*, 30(2):449–453, 1999.

[36] Nils Klarlund. An $n \log n$ algorithm for online bdd refinement. *J. Algorithms*, 32(2):133–154, 1999.

[37] Ton Kloks, Dieter Kratsch, and Haiko Müller. Approximating the bandwidth for asteroidal triple-free graphs. *J. Algorithms*, 32(1):41–57, 1999.

[38] S.O. Krumke, M.V. Marathe, H. Noltemeier, R. Ravi, S.S. Ravi, S. Sundaram, and H.-C. Wirth. Improving minimum cost spanning trees by upgrading nodes. *J. Algorithms*, 33(1):92–111, 1999.

[39] Shay Kutten and David Peleg. Fault-local distributed mending. *J. Algorithms*, 30(1):144–165, 1999.

[40] Anthony LaMarca and Richard E. Ladner. The influence of caches on the performance of sorting. *J. Algorithms*, 31(1):66–104, 1999.

[41] Ming Li and Louxin Zhang. Twist-rotation transformations of binary trees and arithmetic expressions. *J. Algorithms*, 32(2):155–166, 1999.

[42] Mario A. Lopez and Shlomo Reisner. Algorithms for polyhedral approximation of multidimensional ellipsoids. *J. Algorithms*, 33(1):140–165, 1999.

[43] Aviv Lustig and Oded Shmueli. Acyclic hypergraph projections. *J. Algorithms*, 30(2):400–422, 1999.

[44] Meena Mahajan and Venkatesh Raman. Parameterizing above guaranteed values: Maxsat and maxcut. *J. Algorithms*, 31(2):335–354, 1999.

[45] Friedhelm Meyer auf der Heide and Berthold Vöcking. Shortest-path routing in arbitrary networks. *J. Algorithms*, 31(1):105–131, 1999.

[46] Ruy Luiz Milidiú, Eduardo Sany Laber, and Artur Alves Pessoa. Bounding the compression loss of the fgk algorithm. *J. Algorithms*, 32(2):195–211, 1999.

[47] Gary L. Miller, Dafna Talmor, and Shang-Hua Teng. Optimal coarsening of unstructured meshes. *J. Algorithms*, 31(1):29–65, 1999.

[48] Hiroshi Nagamochi and Toshihide Ibaraki. Augmenting edge-connectivity over the entire range in $\tilde{O}(nm)$ time. *J. Algorithms*, 30(2):253–301, 1999.

[49] Petrişor Panaite and Andrzej Pelc. Exploring unknown undirected graphs. *J. Algorithms*, 33(2):281–295, 1999.

[50] David Pisinger. Linear time algorithms for knapsack problems with bounded weights. *J. Algorithms*, 33(1):1–14, 1999.

[51] Paul Pritchard. On computing the subset graph of a collection of sets. *J. Algorithms*, 33(2):187–203, 1999.

[52] J. Scott Provan and Roger C. Burk. Two-connected augmentation problems in planar graphs. *J. Algorithms*, 32(2):87–107, 1999.

[53] Michael Saks and Fotios Zaharoglou. Optimal space distributed order-preserving lists. *J. Algorithms*, 31(2):320–334, 1999.

[54] Ron Shamir and Dekel Tsur. Faster subtree isomorphism. *J. Algorithms*, 33(2):267–280, 1999.

[55] Hanmao Shi and Thomas H. Spencer. Time-work tradeoffs of the single-source shortest paths problem. *J. Algorithms*, 30(1):19–32, 1999.

[56] C.R. Subramanian. Minimum coloring k-coloring graphs in polynomial average time. *J. Algorithms*, 33(1):112–123, 1999.

[57] Shang-Hua Teng. Low energy and mutually distant sampling. *J. Algorithms*, 30(1):52–67, 1999.

[58] Mikkel Thorup. Decremental dynamic connectivity. *J. Algorithms*, 33(2):229–243, 1999.

[59] Javier Yáñez and Javier Montero. A poset dimension algorithm. *J. Algorithms*, 30(1):185–208, 1999.

[60] Anders Yeo. A polynomial time algorithm for finding a cycle covering a given set of vertices in a semicomplete multipartite graph. *J. Algorithms*, 33(1):124–139, 1999.