

## References

- [1] H.L. Abbott. On a conjecture of erdős and silverman in combinatorial geometry. *J. Comb. Theory Series A*, 29:380–381, 1980.
- [2] Ron Aharoni. Extreme symmetric doubly stochastic matrices. *J. Comb. Theory Series A*, 29:263–265, 1980.
- [3] Ron Aharoni. Representing matrices. *J. Comb. Theory Series A*, 29:151–165, 1980.
- [4] Miklós Ajtai, János Komlós, and Endre Szemerédi. A note on ramsey numbers. *J. Comb. Theory Series A*, 29:354–360, 1980.
- [5] Richard P. Anstee, Jr. Hall, Marshall, and John G. Thompson. Planes of order 10 do not have a collineation of order 5. *J. Comb. Theory Series A*, 29:39–58, 1980.
- [6] R.P. Anstee. Properties of  $(0,1)$ -matrices with no triangles. *J. Comb. Theory Series A*, 29:186–198, 1980.
- [7] D.S. Archdeacon, J.H. Dinitz, D.R. Stinson, and T.W. Tillson. Some new row-complete latin squares. *J. Comb. Theory Series A*, 29:395–398, 1980. see Addendum in *J. Comb. Theory Series A* 30, 116.
- [8] R.B. Bapat. A generalization of a theorem of ky fan on simplicial maps. *J. Comb. Theory Series A*, 29:32–38, 1980.
- [9] Józef Beck. A remark concerning arithmetic progressions. *J. Comb. Theory Series A*, 29:376–379, 1980.
- [10] F.E. Bennett and E. Mendelsohn. Extended  $(2,4)$ -designs. *J. Comb. Theory Series A*, 29:74–86, 1980.
- [11] F.E. Bennett, E. Mendelsohn, and N.S. Mendelsohn. Resolvable perfect cyclic designs. *J. Comb. Theory Series A*, 29:142–150, 1980.
- [12] Ethan D. Bolker and Andrew M. Gleason. Counting permutations. *J. Comb. Theory Series A*, 29:236–242, 1980.
- [13] W. Braun and H. de Graaff. Some remarks on permutation designs. *J. Comb. Theory Series A*, 29:382–384, 1980.

- [14] A.A. Bruen, B.L. Rothschild, and J.H. van Lint. On characterizing subspace. *J. Comb. Theory Series A*, 29:257–260, 1980.
- [15] F.R.K. Chung. On unimodal subsequences. *J. Comb. Theory Series A*, 29:267–279, 1980.
- [16] Thomas C. Craven. An application of pólya’s theory of counting to an enumeration problem arising in quadratic form theory. *J. Comb. Theory Series A*, 29:174–181, 1980.
- [17] Hikoe Enomoto and Masahiko Miyamoto. On maximal weights of hadamard matrices. *J. Comb. Theory Series A*, 29:94–100, 1980.
- [18] Rick Giles, T. Oyama, and Jr. Trotter, L.E. Related necessary conditions for completing partial latin squares. *J. Comb. Theory Series A*, 29:20–31, 1980.
- [19] Donald Y. Goldberg. A generalized weight for linear codes and a witt-macwilliams theorem. *J. Comb. Theory Series A*, 29:363–367, 1980.
- [20] Jacob E. Goodman and Richard Pollack. On the combinatorial classification of nondegenerate configurations in the plane. *J. Comb. Theory Series A*, 29:220–235, 1980.
- [21] Jacob E. Goodman and Richard Pollack. Proof of grünbaum’s conjecture on the stretchability of certain arrangements of pseudolines. *J. Comb. Theory Series A*, 29:385–390, 1980.
- [22] Jerrold R. Griggs, Dean Sturtevant, and Michael Saks. On chains and sperner  $k$ -families in ranked posets, ii. *J. Comb. Theory Series A*, 29:391–394, 1980.
- [23] Hans-Dietrich O.F. Gronau. On maximal antichains consisting of sets and their complements. *J. Comb. Theory Series A*, 29:370–375, 1980.
- [24] J.I. Hall. On the order of hall triple systems. *J. Comb. Theory Series A*, 29:261–262, 1980.
- [25] Paul Healey. Construction of balanced doubles schedules. *J. Comb. Theory Series A*, 29:280–286, 1980.

- [26] Katherine Heinrich. Latin squares with no proper subsquares. *J. Comb. Theory Series A*, 29:346–353, 1980.
- [27] Werner Heise and Bernhard Kowol. Il n’y a pas de  $(q + 1, 2)$  mds code cyclique d’ordre impair  $q$ . *J. Comb. Theory Series A*, 29:243, 1980.
- [28] Neil Hindman. Partitions and sums and products—two counterexamples. *J. Comb. Theory Series A*, 29:113–120, 1980.
- [29] J.W.P. Hirschfeld and X. Hubaut. Sets of even type in  $pg(3, 4)$ , alias the binary  $(85, 24)$  projective geometry code. *J. Comb. Theory Series A*, 29:101–112, 1980.
- [30] Noboru Ito. Symmetry codes over  $gf(3)$ . *J. Comb. Theory Series A*, 29:251–253, 1980.
- [31] Zvonimir Janko and Tran van Trung. On projective planes of order 12 which have a subplane of order 3 ,i. *J. Comb. Theory Series A*, 29:254–256, 1980.
- [32] S.A. Joni and G.-C. Rota. A vector space analog of permutations with restricted position. *J. Comb. Theory Series A*, 29:59–73, 1980.
- [33] Jeff Kahn. Inversive planes satisfying the bundle theorem. *J. Comb. Theory Series A*, 29:1–19, 1980.
- [34] William M. Kantor. Generalized quadrangles associated with  $g_2(q)$ . *J. Comb. Theory Series A*, 29:212–219, 1980.
- [35] Earl S. Kramer, Spyros S. Magliveras, and Dale M. Mesner. Some resolutions of  $s(5, 8, 24)$ . *J. Comb. Theory Series A*, 29:166–173, 1980.
- [36] Joseph P.S. Kung. The rédei function of a relation. *J. Comb. Theory Series A*, 29:287–296, 1980.
- [37] Christiane Lefevre-Percsy. An extension of a theorem of g. tallini. *J. Comb. Theory Series A*, 29:297–305, 1980.
- [38] Ko-Wei Lih. Sperner families over a subset. *J. Comb. Theory Series A*, 29:182–185, 1980.

- [39] Mary McLeish. On the existence of ternary quasi-groups with two or eight conjugacy classes. *J. Comb. Theory Series A*, 29:199–211, 1980.
- [40] R.C. Mullin. A generalization of the singular direct product with applications to skew room squares. *J. Comb. Theory Series A*, 29:306–318, 1980.
- [41] M.A. Ronan. A note on the  ${}^3d_4(q)$  generalized hexagons. *J. Comb. Theory Series A*, 29:249–250, 1980.
- [42] Mark A. Ronan. Semi-regular graph automorphisms and generalized quadrangles. *J. Comb. Theory Series A*, 29:319–328, 1980.
- [43] Jennifer Seberry and David Skillicorn. All directed bibds with  $k = 3$  exist. *J. Comb. Theory Series A*, 29:244–248, 1980.
- [44] B.S. Stechkin. On a surprising fact in extremal set theory. *J. Comb. Theory Series A*, 29:368–369, 1980.
- [45] J.A. Thas. Polar spaces, generalized hexagons and perfect codes. *J. Comb. Theory Series A*, 29:87–93, 1980.
- [46] J.A. Thas. A remark on the theorem of yanushka and ronan characterizing the “generalized hexagon”  $h(q)$  arising from the group  $g_2(q)$ . *J. Comb. Theory Series A*, 29:361–362, 1980.
- [47] V.D. Tonchev. On the mutual embeddability of  $(2k, k, k - 1)$  and  $(2k - 1, k, k)$  quasi-residual designs. *J. Comb. Theory Series A*, 29:329–335, 1980.
- [48] Eric Verheiden. Integral and rational completions of hadamard matrices. *J. Comb. Theory Series A*, 29:336–345, 1980.
- [49] Gérard Viennot. Une interprétation combinatoire des coefficients des développements en série entière des fonctions elliptiques de jacobi. *J. Comb. Theory Series A*, 29:121–133, 1980.
- [50] Kai Wang. On the matrix equation  $a^m = \lambda j$ . *J. Comb. Theory Series A*, 29:134–141, 1980.