References

[1] Sylvie Corteel, Carla D. Savage, Herbert S. Wilf, and Doron Zeilberger. A pentagonal number sieve. *J. Comb. Theory Series A*, 82(2):186–192, 1998.

[2] Aviezri S. Fraenkel and Jamie Simpson. How many squares can a string contain. *J. Comb. Theory Series A*, 82(1):112–120, 1998.

[3] A.M. Garsia and M. Haiman. A random q, t-hook walk and a sum of pieri coefficients. *J. Comb. Theory Series A*, 82(1):74–111, 1998.

[4] Vesselin Gasharov. On the neggers-stanley conjecture and the eulerian polynomials. *J. Comb. Theory Series A*, 82(2):134–146, 1998.

[5] David A. Gregory and Kevin N. Vander Meulen. Decompositions of complete multigraphs related to hadamard matrices. *J. Comb. Theory Series A*, 82(2):158–167, 1998.

[6] Henk D.L. Hollmann, Jack H. van Lint, Jean-Paul Linnartz, and Ludo M.G.M. Tolhuizen. On codes with the identifiable parent property. *J. Comb. Theory Series A*, 82(2):121–133, 1998.

[7] Ken Ono. Partitions into distinct parts and elliptic curves. *J. Comb. Theory Series A*, 82(2):193–201, 1998.

[8] Marc M. Paulhus. An algorithm for packing squares. *J. Comb. Theory Series A*, 82(2):147–157, 1998.

[9] Victor Reiner and Mark Shimozono. Percentage-avoiding, northwest shapes and peelable tableaux. *J. Comb. Theory Series A*, 82(1):1–73, 1998.

[10] Saharon Shelah. Erdos and rényi conjecture. *J. Comb. Theory Series A*, 82(2):179–185, 1998.

[11] Henryk Trappmann and Günter M. Ziegler. Shellability of complexes of trees. *J. Comb. Theory Series A*, 82(2):168–178, 1998.