

References

- [1] Noga Alon. An extremal problem for sets with applications to graph theory. *J. Comb. Theory Series A*, 40:82–89, 1985.
- [2] R.P. Anstee. General forbidden configuration theorems. *J. Comb. Theory Series A*, 40:108–124, 1985.
- [3] R.D. Baker and G.L. Ebert. Spreads and packings for a class of $((2^n + 1)(2^{n-1} - 1) + 1, 2^{n-1}, 1)$ -designs. *J. Comb. Theory Series A*, 40:45–54, 1985.
- [4] Janet Simpson Beissinger. The enumeration of irreducible combinatorial objects. *J. Comb. Theory Series A*, 38:143–169, 1985.
- [5] Edward A. Bender and Doron Zeilberger. Some asymptotic bijections. *J. Comb. Theory Series A*, 38:96–98, 1985.
- [6] Vasanti N. Bhat-Nayak and Anjana Wirmani-Prasad. Three new dicyclic solutions of $(21, 42, 20, 10, 9)$ -designs. *J. Comb. Theory Series A*, 40:427–428, 1985.
- [7] John Wesley Brown and E.T. Parker. A symmetric bibd with trivial automorphism group. *J. Comb. Theory Series A*, 40:1–8, 1985.
- [8] T.C. Brown. Affine and combinatorial binary m -spaces. *J. Comb. Theory Series A*, 39:25–34, 1985.
- [9] T.C. Brown. Monochromatic affine lines in finite vector spaces. *J. Comb. Theory Series A*, 39:35–41, 1985.
- [10] T.C. Brown, P. Erdős, F.R.K. Chung, and R.L. Graham. Quantitative forms of a theorem of hilbert. *J. Comb. Theory Series A*, 38:210–216, 1985.
- [11] Th. Chadjipantelis, Str. Kounias, and Chr. Moyssiadis. Construction of d -optimal designs for $n \equiv 2 \pmod{4}$ using block-circulant matrices. *J. Comb. Theory Series A*, 40:125–135, 1985.
- [12] Don Coppersmith. Each four-celled animal tiles the plane. *J. Comb. Theory Series A*, 40:444–449, 1985.

- [13] Raul Cordovil. A combinatorial perspective on the non-radon partitions. *J. Comb. Theory Series A*, 38:38–47, 1985. see Erratum in *J. Comb. Theory Series A*, Vol. 40, 194.
- [14] O. d’Antona and A. Pesci. Connecting two rings underlying the inclusion-exclusion principle. *J. Comb. Theory Series A*, 40:439–443, 1985.
- [15] Anne Delandtsheer. A characterization of certain 3-dimensional affino-projective spaces. *J. Comb. Theory Series A*, 38:58–65, 1985.
- [16] J.F. Dillon. Variations on a scheme of mcfarland for noncyclic difference sets. *J. Comb. Theory Series A*, 40:9–21, 1985.
- [17] David A. Drake. Blocking sets in block designs. *J. Comb. Theory Series A*, 40:459–462, 1985.
- [18] D.Z. Du, F.K. Hwang, and E.Y. Yao. The steiner ratio conjecture is true for five points. *J. Comb. Theory Series A*, 38:230–240, 1985.
- [19] H. Edelsbrunner and E. Welzl. On the number of line separations of a finite set in the plane. *J. Comb. Theory Series A*, 38:15–29, 1985.
- [20] Yoshimi Egawa. Association schemes of quadratic forms. *J. Comb. Theory Series A*, 38:1–14, 1985.
- [21] M.R. Emamy-Khansary. A lower bound theorem for polytope pairs. *J. Comb. Theory Series A*, 38:187–191, 1985.
- [22] Konrad Engel. A new proof of a theorem of harper on the sperner-erdős problem. *J. Comb. Theory Series A*, 39:19–24, 1985.
- [23] P. Erdős, Joel C. Fowler, Vera T. Sós, and Richard M. Wilson. On 2-designs. *J. Comb. Theory Series A*, 38:131–142, 1985.
- [24] Tuvi Etzion. On the distribution of de bruijn sequences of low complexity. *J. Comb. Theory Series A*, 38:241–253, 1985.
- [25] Michael Filaseta. A new method for solving a class of ballot problems. *J. Comb. Theory Series A*, 39:102–111, 1985.

- [26] Rolfdieter Frank. A proof of the bundle theorem for certain semimodular locally projective lattices of rank 4. *J. Comb. Theory Series A*, 39:222–225, 1985.
- [27] Peter Frankl and Zoltán Füredi. Forbidding just one intersection. *J. Comb. Theory Series A*, 39:160–176, 1985.
- [28] J. Furlinger and J. Hofbauer. q -catalan numbers. *J. Comb. Theory Series A*, 40:248–264, 1985.
- [29] S. Gallivan. Disjoint edge paths between given vertices of a convex polytope. *J. Comb. Theory Series A*, 39:112–115, 1985.
- [30] Ira Gessel and Dennis Stanton. Short proofs of saalschütz’s and dixon’s theorems. *J. Comb. Theory Series A*, 38:87–90, 1985.
- [31] I.P. Goulden and D.M. Jackson. Ballot sequences and a determinant of good’s. *J. Comb. Theory Series A*, 40:55–61, 1985.
- [32] Mohammad Q. Hailat. Unbounded symmetrysets. *J. Comb. Theory Series A*, 40:342–348, 1985.
- [33] Jr. Hall, Marshall. Steiner triple systems with a doubly transitive automorphism group. *J. Comb. Theory Series A*, 38:192–202, 1985.
- [34] Neil Hindman. Ramsey’s theorem for sums, products, and arithmetic progressions. *J. Comb. Theory Series A*, 38:82–83, 1985.
- [35] M.D. Hirschhorn and D.C. Hunt. Equilateral convex pentagons which tile the plane. *J. Comb. Theory Series A*, 39:1–18, 1985.
- [36] J.D. Horton. Resolvable path designs. *J. Comb. Theory Series A*, 39:117–131, 1985.
- [37] Zvonimir Janko and Tran van Trung. Construction of a new symmetric block design for $(78, 22, 6)$ with the help of tactical decompositions. *J. Comb. Theory Series A*, 40:451–455, 1985.
- [38] Dieter Jungnickel and Hanfried Lenz. Two remarks on affine designs with classical parameters. *J. Comb. Theory Series A*, 38:105–109, 1985.

- [39] Kevin W.J. Kadell. Weighted inversion numbers, restricted growth functions, and standard young tableaux. *J. Comb. Theory Series A*, 40:22–44, 1985.
- [40] William A. Kantor. Homogeneous designs and geometric lattices. *J. Comb. Theory Series A*, 38:66–74, 1985.
- [41] H. Kharaghani. New proof of a theorem of szekeres. *J. Comb. Theory Series A*, 40:169–170, 1985.
- [42] Fenn King and Kai Wang. On the g -circulant solutions to the matrix equation $a^m = \lambda j$, ii. *J. Comb. Theory Series A*, 38:182–186, 1985.
- [43] J. Knopfmacher. Direct factors of polynomial rings over finite fields. *J. Comb. Theory Series A*, 40:429–434, 1985.
- [44] Peter Köhler, Thomas Meixner, and Michael Wester. The 2-adic affine building of type \tilde{A}_2 and its finite projections. *J. Comb. Theory Series A*, 38:203–209, 1985.
- [45] P.V. Kumar, R.A. Scholtz, and L.R. Welch. Generalized bent functions and their properties. *J. Comb. Theory Series A*, 40:90–107, 1985.
- [46] Gilbert Labelle. éclosions combinatoires appliquées à l'inversion multidimensionnelle des séries formelles. *J. Comb. Theory Series A*, 39:52–82, 1985.
- [47] Gilbert Labelle. Une combinatoire sous-jacente au théorème des fonctions implicites. *J. Comb. Theory Series A*, 40:377–393, 1985.
- [48] J.W. Layman. Maximum zero strings of bell numbers modulo primes. *J. Comb. Theory Series A*, 40:161–168, 1985.
- [49] Nathan Linial and Michael Saks. Every poset has a central element. *J. Comb. Theory Series A*, 40:195–210, 1985.
- [50] Judith Q. Longyear. A new construction for hadamard matrices of orders $8t + 4$. *J. Comb. Theory Series A*, 38:99–104, 1985.
- [51] Rudolf Mathon and Alexander Rosa. A new strongly regular graph. *J. Comb. Theory Series A*, 38:84–86, 1985.

- [52] Francis Maurin. On incomplete orthogonal arrays. *J. Comb. Theory Series A*, 40:183–185, 1985.
- [53] Roy Meshulam. On multi-coloured lines in a linear space. *J. Comb. Theory Series A*, 40:150–155, 1985.
- [54] George Mills. Ramsey-paris-harrington numbers for graphs. *J. Comb. Theory Series A*, 38:30–37, 1985.
- [55] A.F. Mouyart and F. Sterboul. Decomposition of the complete hypergraph into delta-systems i. *J. Comb. Theory Series A*, 40:290–304, 1985.
- [56] J. Nešetřil, H.J. Prömel, V. Rödl, and B. Voigt. Canonizing ordering theorems for hales jewett structures. *J. Comb. Theory Series A*, 40:394–408, 1985.
- [57] A.M. Odlyzko and L.B. Richmond. On the number of distinct block sizes in partitions of a set. *J. Comb. Theory Series A*, 38:170–181, 1985.
- [58] John E. Olson. A balancing strategy. *J. Comb. Theory Series A*, 40:175–178, 1985.
- [59] Peter Orlik and Louis Solomon. Arrangements in unitary and orthogonal geometry over finite fields. *J. Comb. Theory Series A*, 38:217–229, 1985.
- [60] Udo Ott. On finite geometries of type b_3 . *J. Comb. Theory Series A*, 39:209–221, 1985.
- [61] Jim Owings. Tiling the unit square with squares and rectangles. *J. Comb. Theory Series A*, 40:156–160, 1985.
- [62] Manley Perkel. Rank 4 groups with a 3-transitive suborbit. *J. Comb. Theory Series A*, 39:226–240, 1985.
- [63] R. Pollack. Increasing the minimum distance of a set of points. *J. Comb. Theory Series A*, 40:450, 1985.
- [64] Hans Jürgen Prömel. Induced partition properties of combinatorial cubes. *J. Comb. Theory Series A*, 39:177–208, 1985.
- [65] Hans Jürgen Prömel and Bernd Voigt. Canonical forms of borel-measurable mappings $\delta : [\omega]^\omega \rightarrow r$. *J. Comb. Theory Series A*, 40:409–417, 1985.

- [66] Alain Quilliot. On the helly property working as a compactness criterion on graphs. *J. Comb. Theory Series A*, 40:186–193, 1985.
- [67] Christophe Reutenauer. The shuffle algebra on the factors of a word is free. *J. Comb. Theory Series A*, 38:48–57, 1985.
- [68] David R. Richman. On balanced sets mod p . *J. Comb. Theory Series A*, 40:179–182, 1985.
- [69] Christian Ronse. An isomorphism for digital images. *J. Comb. Theory Series A*, 39:132–159, 1985.
- [70] Sharad S. Sane. On extendable planes of order ten. *J. Comb. Theory Series A*, 38:91–93, 1985.
- [71] Frank W. Schmidt and Rodica Simion. Addendum to a partition identity. *J. Comb. Theory Series A*, 40:456–458, 1985.
- [72] Egon Schulte. The existence of non-tiles and non-facets in three dimensions. *J. Comb. Theory Series A*, 38:75–81, 1985.
- [73] Egon Schulte. Regular incidence-polytopes with euclidean or toroidal faces and vertex-figures. *J. Comb. Theory Series A*, 40:305–330, 1985.
- [74] P.W. Shor. A counterexample to the triangle conjecture. *J. Comb. Theory Series A*, 38:110–112, 1985.
- [75] Alan P. Sprague. Rank 3 incidence structures admitting dual-linear, linear diagram. *J. Comb. Theory Series A*, 38:254–259, 1985.
- [76] Dennis Stanton. Harmonics on posets. *J. Comb. Theory Series A*, 40:136–149, 1985.
- [77] Dennis W. Stanton and Dennis E. White. A schensted algorithm for rim hook tableaux. *J. Comb. Theory Series A*, 40:211–247, 1985.
- [78] L.A. Székely. Common origin of cubic binomial identities; a generalization of surányi’s proof on le jen shoo’s formula. *J. Comb. Theory Series A*, 40:171–174, 1985.
- [79] J.A. Thas. Characterizations of generalized quadrangles by generalized homologies. *J. Comb. Theory Series A*, 40:331–341, 1985.

- [80] D.T. Todorov. On some covering designs. *J. Comb. Theory Series A*, 39:83–101, 1985.
- [81] Vladimir D. Tonchev. Hadamard matrices of order 28 with automorphisms of order 7. *J. Comb. Theory Series A*, 40:62–81, 1985.
- [82] Lewis E. Varga. A note on the structure of pairwise balanced designs. *J. Comb. Theory Series A*, 40:435–438, 1985.
- [83] Bernd Voigt. Canonizing partition theorems: Diversification, products, and iterated versions. *J. Comb. Theory Series A*, 40:349–376, 1985.
- [84] Michelle L. Wachs. Flagged schur functions, schubert polynomials, and symmetrizing operators. *J. Comb. Theory Series A*, 40:276–289, 1985.
- [85] Michael Walker. Spreads covered by derivable partial spreads. *J. Comb. Theory Series A*, 38:113–130, 1985.
- [86] Dennis White. Orthogonality of the characters of s_n . *J. Comb. Theory Series A*, 40:265–275, 1985.
- [87] H.A. Wilbrink. A note on planar difference sets. *J. Comb. Theory Series A*, 38:94–95, 1985.
- [88] Joseph L. Yucas. Additive symmetric bijections on geometric structures. *J. Comb. Theory Series A*, 40:418–426, 1985.
- [89] Julia E. Zerbe and Stanley P. Gudder. Additivity of integrals on generalized measure spaces. *J. Comb. Theory Series A*, 39:42–51, 1985.