References

[1] Aaron Abrams, Rod Canfield, and Andrew Granville. The number of possibilities for random dating. *J. Comb. Theory Series A*, 115(7):1265–1271, 2008.

[2] B.M. Ábrego, J. Balogh, S. Fernández-Merchant, J. Leaños, and G. Salazar. An extended lower bound on the number of $(\leq k)$-edges to generalized configurations of points and the pseudolinear crossing number of k_n. *J. Comb. Theory Series A*, 115(7):1257–1264, 2008.

[3] Sukumar Das Adhikari and Yong-Gao Chen. Davenport constant with weights and some related questions, ii. *J. Comb. Theory Series A*, 115(1):178–184, 2008.

[4] Oswin Aichholzer, David Orden, Francisco Santos, and Bettina Speckmann. On the number of pseudo-triangulations of certain point sets. *J. Comb. Theory Series A*, 115(2):254–278, 2008.

[5] Edward E. Allen, Miranda C. Marion, and Gregory S. Warrington. Bitableau bases for garsia-haiman modules of hollow type. *J. Comb. Theory Series A*, 115(7):1127–1155, 2008.

[6] Tewodros Amdeberhan, Dante Manna, and Victor H. Moll. The 2-adic valuation of a sequence arising from a rational integral. *J. Comb. Theory Series A*, 115(8):1474–1486, 2008.

[7] José María Amigó, Sergi Elizalde, and Matthew B. Kennel. Forbidden patterns and shift systems. *J. Comb. Theory Series A*, 115(3):485–504, 2008.

[8] Christos A. Athanasiadis and Myrto Kallipoliti. The absolute order on the symmetric group, constructible partially ordered sets and cohen-macaulay complexes. *J. Comb. Theory Series A*, 115(7):1286–1295, 2008.

[9] Bhaskar Bagchi and Basudeb Datta. Minimal triangulations of sphere bundles over the circle. *J. Comb. Theory Series A*, 115(5):737–752, 2008.

[10] Simeon Ball, András Gács, and Peter Sziklai. On the number of directions determined by a pair of functions over a prime field. *J. Comb. Theory Series A*, 115(3):505–516, 2008.

[11] József Balogh and Dhruv Mubayi. A new short proof of a theorem of ahlswede and khachatrian. *J. Comb. Theory Series A*, 115(2):326–330, 2008.

[12] Jason Bandlow and Gregg Musiker. A new characterization for the m-quasiinvariants of s_n and explicit basis for two row hook shapes. *J. Comb. Theory Series A*, 115(8):1333–1357, 2008.

[13] Matthias Beck, Steven V. Sam, and Kevin M. Woods. Maximal periods of (ehrhart) quasi-polynomials. *J. Comb. Theory Series A*, 115(3):517–525, 2008.

[14] Yael Ben-Haim, Sylvain Gravier, Antoine Lobstein, and Julien Moncel. Adaptive identification in graphs. *J. Comb. Theory Series A*, 115(7):1114–1126, 2008.

[15] M. Biliotti, V. Jha, N.L. Johnson, and A. Montinaro. Two-transitive groups on a hyperbolic unital. *J. Comb. Theory Series A*, 115(3):526–533, 2008.

[16] Simon R. Blackburn, Tuvi Etzion, Douglas R. Stinson, and Gregory M. Zaverucha. A bound on the size of separating hash families. *J. Comb. Theory Series A*, 115(7):1246–1256, 2008.

[17] Francesco Brenti, Victor Reiner, and Yuval Roichman. Alternating subgroups of coxeter groups. *J. Comb. Theory Series A*, 115(5):845–877, 2008.

[18] Emmanuel Briand, Mercedes Rosas, and Mike Zabrocki. On the s_n-module structure of the noncommutative harmonics. *J. Comb. Theory Series A*, 115(6):1077–1085, 2008.

[19] Robert Brignall, Sophie Huczynska, and Vincent Vatter. Simple permutations and algebraic generating functions. *J. Comb. Theory Series A*, 115(3):423–441, 2008.

[20] J.R. Britnell, A. Evseev, R.M. Guralnick, P.E. Holmes, and A. Maróti. Sets of elements that pairwise generate a linear group. *J. Comb. Theory Series A*, 115(3):442–465, 2008. see Corrigendum in J. Comb. Theory Series A, Vol. 118, 2011, No. 3, 1152-1153.

[21] Andries E. Brouwer, Gerhard F. Post, and Gerhard J. Woeginger. Tight bounds for break minimization in tournament scheduling. *J. Comb. Theory Series A*, 115(6):1065–1068, 2008.

[22] Tom Brown, Bruce M. Landman, and Aaron Robertson. Bounds on some van der waerden numbers. *J. Comb. Theory Series A*, 115(7):1304–1309, 2008.

[23] E. Rodney Canfield, Catherine Greenhill, and Brendan D. McKay. Asymptotic enumeration of dense 0-1 matrices with specified line sums. *J. Comb. Theory Series A*, 115(1):32–66, 2008.

[24] E. Rodney Canfield and Herbert S. Wilf. Counting permutations by their alternating runs. *J. Comb. Theory Series A*, 115(2):213–225, 2008.

[25] Ilaria Cardinali and Guglielmo Lunardon. A geometric description of the spin-embedding of symplectic dual polar spaces of rank 3. *J. Comb. Theory Series A*, 115(6):1056–1064, 2008.

[26] Nicholas Cavenagh and Petr Lisoněk. Planar eulerian triangulations are equivalent to spherical latin bitrades. *J. Comb. Theory Series A*, 115(1):193–197, 2008.

[27] William Y.C. Chen, Ira M. Gessel, Catherine H. Yan, and Arthur L.B. Yang. A major index for matchings and set partitions. *J. Comb. Theory Series A*, 115(6):1069–1076, 2008.

[28] Wenchang Chu and Cangzhi Jia. Abel's method on summation by parts and theta hypergeometric series. *J. Comb. Theory Series A*, 115(5):815–844, 2008.

[29] Kris Coolsaet and Aleksandar Jurišić. Using equality in the krein conditions to prove nonexistence of certain distance-regular graphs. *J. Comb. Theory Series A*, 115(6):1086–1095, 2008.

[30] Antonio Cossidente and Tim Penttila. Segre's hemisystem and mclaughlin's graph. *J. Comb. Theory Series A*, 115(4):686–692, 2008.

[31] Bart De Bruyn. Two classes of hyperplanes of dual polar spaces without subquadrangular quads. *J. Comb. Theory Series A*, 115(5):893–902, 2008.

[32] Francois Descouens. Ribbon tableaux, ribbon rigged configurations and hall-littlewood functions at roots of unity. *J. Comb. Theory Series A*, 115(3):361–375, 2008.

[33] Alice Devillers, Michael Giudici, Cai Heng Li, and Cheryl E. Praeger. Primitive decompositions of johnson graphs. *J. Comb. Theory Series A*, 115(6):925–966, 2008.

[34] Xun Dong. The bounded complex of a uniform affine oriented matroid is a ball. *J. Comb. Theory Series A*, 115(4):651–661, 2008.

[35] Theresia Eisenkölbl. A schur function identity related to the (-1)-enumeration of self-complementary plane partitions. *J. Comb. Theory Series A*, 115(2):199–212, 2008.

[36] Sen-Peng Eu and Tung-Shan Fu. Lattice paths and generalized cluster complexes. *J. Comb. Theory Series A*, 115(7):1183–1210, 2008.

[37] Anna Felikson and Pavel Tumarkin. On hyperbolic coxeter polytopes with mutually intersecting facets. *J. Comb. Theory Series A*, 115(1):121–146, 2008.

[38] Tao Feng, Yanxun Chang, and Lijun Ji. Constructions for strictly cyclic 3-designs and applications to optimal oocs with $\lambda = 2$. *J. Comb. Theory Series A*, 115(8):1527–1551, 2008.

[39] Tao Feng and Qing Xiang. Semi-regular relative difference sets with large forbidden subgroups. *J. Comb. Theory Series A*, 115(8):1456–1473, 2008.

[40] Frank Fiedler, Jonathan Jedwab, and Matthew G. Parker. A multi-dimensional approach to the construction and enumeration of golay complementary sequences. *J. Comb. Theory Series A*, 115(5):753–776, 2008.

[41] Dominique Foata and Guo-Niu Han. Fix-mahonian calculus — ii. further statistics. *J. Comb. Theory Series A*, 115(5):726–736, 2008.

[42] Jacob Fox and Benny Sudakov. Unavoidable patterns. *J. Comb. Theory Series A*, 115(8):1561–1569, 2008.

[43] Christopher A. Francisco and Huy Tài Hà. Whiskers and sequentially cohen-macaulay graphs. *J. Comb. Theory Series A*, 115(2):304–316, 2008.

[44] Zoltan Füredi, Dhruv Mubayi, and Oleg Pikhurko. Quadruple systems with independent neighborhoods. *J. Comb. Theory Series A*, 115(8):1552–1560, 2008.

[45] Ira M. Gessel, Lun Lv, Guoce Xin, and Yue Zhou. A unified elementary approach to the dyson, morris, aomoto, and forrester constant term identities. *J. Comb. Theory Series A*, 115(8):1417–1435, 2008.

[46] E. Ghorbani, G.B. Khosrovshahi, Ch. Maysoori, and M. Mohammad-Noori. Inclusion matrices and chains. *J. Comb. Theory Series A*, 115(5):878–887, 2008.

[47] Ron Graham and Nan Zang. Enumerating split-pair arrangements. *J. Comb. Theory Series A*, 115(2):293–303, 2008.

[48] Jr. Griess, Robert L. Few-cosine spherical codes and barnes-wall lattices. *J. Comb. Theory Series A*, 115(7):1211–1234, 2008.

[49] Jerrold R. Griggs and Gyula O.H. Katona. No four subsets forming an n. *J. Comb. Theory Series A*, 115(4):677–685, 2008.

[50] Song Guo and Zhi-Wei Sun. Determination of the two-color rado number for $a_1 x_1 + \cdots + a_m x_m = x_0$. *J. Comb. Theory Series A*, 115(2):345–353, 2008.

[51] Christian Haase and Benjamin Nill. Lattices generated by skeletons of reflexive polytopes. *J. Comb. Theory Series A*, 115(2):340–344, 2008.

[52] John T. Hall and Jeffrey B. Remmel. Counting descent pairs with prescribed tops and bottoms. *J. Comb. Theory Series A*, 115(5):693–725, 2008.

[53] Y.O. Hamidoune, A.S. Lladó, and O. Serra. On complete subsets of the cyclic group. *J. Comb. Theory Series A*, 115(7):1279–1285, 2008.

[54] Akihide Hanaki. Nilpotent schemes and group-like schemes. *J. Comb. Theory Series A*, 115(2):226–236, 2008.

5

[55] Michael I. Hartley and Dimitri Leemans. A new petrie-like construction for abstract polytopes. *J. Comb. Theory Series A*, 115(6):997–1007, 2008.

[56] Pooya Hatami and Peter W. Shor. A lower bound for the length of a partial transversal in a latin square. *J. Comb. Theory Series A*, 115(7):1103–1113, 2008.

[57] Norbert Hegyvári. On additive and multiplicative hilbert cubes. *J. Comb. Theory Series A*, 115(2):354–360, 2008.

[58] Stephan Hell. Tverberg's theorem with constraints. *J. Comb. Theory Series A*, 115(8):1402–1416, 2008.

[59] Marcel Herzog, Gil Kaplan, and Arieh Lev. Covering the alternating groups by products of cycle classes. *J. Comb. Theory Series A*, 115(7):1235–1245, 2008.

[60] Gábor Hetyei. Tchebyshev triangulations of stable simplicial complexes. *J. Comb. Theory Series A*, 115(4):569–592, 2008.

[61] Alexander E. Holroyd. Partition identities and the coin exchange problem. *J. Comb. Theory Series A*, 115(6):1096–1101, 2008.

[62] Ben Howard, John Millson, Andrew Snowden, and Ravi Vakil. A description of the outer automorphism of s_6, and the invariants of six points in projective space. *J. Comb. Theory Series A*, 115(7):1296–1303, 2008.

[63] Jakob Jonsson. Exact sequences for the homology of the matching complex. *J. Comb. Theory Series A*, 115(8):1504–1526, 2008.

[64] Daniel J. Katz and Joshua Zahl. Bounds on degrees of p-adic separating polynomials. *J. Comb. Theory Series A*, 115(7):1310–1319, 2008.

[65] Kazufumi Kimoto and Masato Wakayama. Invariant theory for singular α-determinants. *J. Comb. Theory Series A*, 115(1):1–31, 2008.

[66] Menachem Kojman, Gyesik Lee, Eran Omri, and Andreas Weiermann. Sharp thresholds for the phase transition between primitive recursive and ackermannian ramsey numbers. *J. Comb. Theory Series A*, 115(6):1036–1055, 2008.

[67] Cheng Yeaw Ku and David Renshaw. Erdős-ko-rado theorems for permutations and set partitions. *J. Comb. Theory Series A*, 115(6):1008–1020, 2008.

[68] Thomas Lam. Signed differential posets and sign-imbalance. *J. Comb. Theory Series A*, 115(3):466–484, 2008.

[69] Heisook Lee and Yoonjin Lee. Construction of self-dual codes over finite rings $z_p m$. *J. Comb. Theory Series A*, 115(3):407–422, 2008.

[70] Ka Hin Leung, Siu Lun Ma, and Bernhard Schmidt. Proper partial geometries with singer groups and pseudogeometric partial difference sets. *J. Comb. Theory Series A*, 115(1):147–177, 2008.

[71] Ji Li. Prime graphs and exponential composition of species. *J. Comb. Theory Series A*, 115(8):1374–1401, 2008.

[72] Guglielmo Lunardon, Giuseppe Marino, Olga Polverino, and Rocco Trombetti. Translation dual of a semifield. *J. Comb. Theory Series A*, 115(8):1321–1332, 2008.

[73] Kurt W. Luoto. A matroid-friendly basis for the quasisymmetric functions. *J. Comb. Theory Series A*, 115(5):777–798, 2008.

[74] Ricard Martí and Enric Nart. Orbits of rational n-sets of projective spaces under the action of the linear group. *J. Comb. Theory Series A*, 115(4):547–568, 2008.

[75] Jeremy L. Martin, Matthew Morin, and Jennifer D. Wagner. On distinguishing trees by their chromatic symmetric functions. *J. Comb. Theory Series A*, 115(2):237–253, 2008.

[76] Frédéric Meunier. A combinatorial proof of a theorem of freund. *J. Comb. Theory Series A*, 115(2):317–325, 2008.

[77] Suho Oh, Alexander Postnikov, and Hwanchul Yoo. Bruhat order, smooth schubert varieties, and hyperplane arrangements. *J. Comb. Theory Series A*, 115(7):1156–1166, 2008.

[78] Pablo A. Parrilo, Aaron Robertson, and Dan Saracino. On the asymptotic minimum number of monochromatic 3-term arithmetic progressions. *J. Comb. Theory Series A*, 115(1):185–192, 2008.

7

[79] Thane E. Plambeck and Aaron N. Siegel. Misère quotients for impartial games. *J. Comb. Theory Series A*, 115(4):593–622, 2008.

[80] A. Rattan. Stanley's character polynomials and coloured factorisations in the symmetric group. *J. Comb. Theory Series A*, 115(4):535–546, 2008.

[81] Guyan Robertson. Invariant boundary distributions for finite graphs. *J. Comb. Theory Series A*, 115(7):1272–1278, 2008.

[82] Hjalmar Rosengren. Schur q-polynomials, multiple hypergeometric series and enumeration of marked shifted tableaux. *J. Comb. Theory Series A*, 115(3):376–406, 2008.

[83] Alex Samorodnitsky. An upper bound for permanents of nonnegative matrices. *J. Comb. Theory Series A*, 115(2):279–292, 2008.

[84] Carla D. Savage and Ae Ja Yee. Euler's partition theorem and the combinatorics of l-sequences. *J. Comb. Theory Series A*, 115(6):967–996, 2008.

[85] Gilles Schaeffer and Ekaterina Vassilieva. A bijective proof of jackson's formula for the number of factorizations of a cycle. *J. Comb. Theory Series A*, 115(6):903–924, 2008.

[86] Csaba Schneider and Hendrik Van Maldeghem. Primitive flag-transitive generalized hexagons and octagons. *J. Comb. Theory Series A*, 115(8):1436–1455, 2008.

[87] Carsten Schultz. Small models of graph colouring manifolds and the stiefel manifolds hom(c_5, k_n). *J. Comb. Theory Series A*, 115(1):84–104, 2008.

[88] Andrew V. Sills. A partition bijection related to the rogers-selberg identities and gordon's theorem. *J. Comb. Theory Series A*, 115(1):67–83, 2008.

[89] C.L. Stewart. On sets of integers whose shifted products are powers. *J. Comb. Theory Series A*, 115(4):662–673, 2008.

[90] D.R. Stinson, R. Wei, and K. Chen. On generalized separating hash families. *J. Comb. Theory Series A*, 115(1):105–120, 2008.

[91] Konrad J. Swanepoel. A new proof of vázsonyi's conjecture. *J. Comb. Theory Series A*, 115(5):888–892, 2008.

[92] Peter Sziklai. On small blocking sets and their linearity. *J. Comb. Theory Series A*, 115(7):1167–1182, 2008.

[93] E.J. Janse van Rensburg, T. Prellberg, and A. Rechnitzer. Partially directed paths in a wedge. *J. Comb. Theory Series A*, 115(4):623–650, 2008.

[94] Adam Van Tuyl and Rafael H. Villarreal. Shellable graphs and sequentially cohen-macaulay bipartite graphs. *J. Comb. Theory Series A*, 115(5):799–814, 2008.

[95] Sundar Vishwanathan. A polynomial space proof of the graham-pollak theorem. *J. Comb. Theory Series A*, 115(4):674–676, 2008.

[96] Adam J. Wolfe. The existence of 5-sparse steiner triple systems of order $n \equiv 3 \mod 6, n \notin \{9, 15\}$. *J. Comb. Theory Series A*, 115(8):1487–1503, 2008.

[97] Chaoping Xing. Dense packings from quadratic fields and codes. *J. Comb. Theory Series A*, 115(6):1021–1035, 2008.

[98] Bangteng Xu. Characters of table algebras and applications to association schemes. *J. Comb. Theory Series A*, 115(8):1358–1373, 2008.

[99] Yevhen Zelenyuk. Partitions and sums with inverses in abelian groups. *J. Comb. Theory Series A*, 115(2):331–339, 2008.