References

[1] J.H. Ahrens. Paving the chessboard. *J. Comb. Theory Series A*, 31:277–288, 1981.

[2] R.P. Anstee. Properties of $(0, 1)$-matrices without certain configurations. *J. Comb. Theory Series A*, 31:256–269, 1981.

[3] Louis J. Billera and Carl W. Lee. A proof of the sufficiency of mcmullen's conditions for f-vectors of simplicial convex polytopes. *J. Comb. Theory Series A*, 31:237–255, 1981.

[4] William G. Bridges, Jr. Hall, Marshall, and John L. Hayden. Codes and designs. *J. Comb. Theory Series A*, 31:155–174, 1981.

[5] Ching-Shui Cheng. A family of pseudo youden designs with row size less than the number of symbols. *J. Comb. Theory Series A*, 31:219–221, 1981.

[6] Daniel I.A. Cohen. Pie-sums: A combinatorial tool for partition theory. *J. Comb. Theory Series A*, 31:223–236, 1981.

[7] Yoshimi Egawa. Characterization of $h(n, q)$ by the parameters. *J. Comb. Theory Series A*, 31:108–125, 1981.

[8] K.J. Falconer. The realization of distances in measurable subsets covering r^n. *J. Comb. Theory Series A*, 31:184–189, 1981.

[9] Aviezri S. Fraenkel and David Lichtenstein. Computing a perfect strategy for $n \times n$ chess requires time exponential in n. *J. Comb. Theory Series A*, 31:199–214, 1981.

[10] A.M. Garsia and S.C. Milne. A rogers-ramanujan bijection. *J. Comb. Theory Series A*, 31:289–339, 1981.

[11] Jacob E. Goodman and Richard Pollack. Three points do not determine a (pseudo-)plane. *J. Comb. Theory Series A*, 31:215–218, 1981.

[12] R.L. Graham, Weng-Ching Winnie Li, and J.L. Paul. Homogeneous collinear sets in partitions of z^n. *J. Comb. Theory Series A*, 31:21–32, 1981.

[13] K.J. Harrison and W.E. Longstaff. Subalgebras of incidence algebras determined by equivalence relations. *J. Comb. Theory Series A*, 31:94–97, 1981.

[14] Noburo Ito, Jeffrey S. Leon, and Judith Q. Longyear. Classification of $3-(24,12,5)$ designs and 24-dimensional hadamard matrices. *J. Comb. Theory Series A*, 31:66–93, 1981.

[15] John Konvalina. On the number of combinations without unit separation. *J. Comb. Theory Series A*, 31:101–107, 1981.

[16] G. Korchmáros. Example of a chain of circles on an elleptic quadric of $pg(3,q)$, $q = 7, 11$. *J. Comb. Theory Series A*, 31:98–100, 1981.

[17] Tony T. Lee. Order-preserving representations of the partitions on the finite set. *J. Comb. Theory Series A*, 31:136–145, 1981.

[18] Christiane Lefevre-Percsy. Classification d'une famille d'ensembles de classe. *J. Comb. Theory Series A*, 31:270–276, 1981.

[19] V. Lifschitz and B. Pittel. The number of increasing subsequences of the random permutation. *J. Comb. Theory Series A*, 31:1–20, 1981.

[20] Norman Lindquist and Gerard Sierksma. Extensions of set partitions. *J. Comb. Theory Series A*, 31:190–198, 1981.

[21] Michael Mörs. A new result on the problem of zarankiewicz. *J. Comb. Theory Series A*, 31:126–130, 1981.

[22] Don Rawlings. The r-major index. *J. Comb. Theory Series A*, 31:175–183, 1981.

[23] Richard P. Stanley. Two combinatorial applications of the aleksandrov-fenchel inequalities. *J. Comb. Theory Series A*, 31:56–65, 1981.

[24] Robert A. Sulanke. A generalized q-multinomial vandermonde convolution. *J. Comb. Theory Series A*, 31:33–42, 1981.

[25] Keisuke Uchimura. An identify for the divisor generating function arising from sorting theory. *J. Comb. Theory Series A*, 31:131–135, 1981.

[26] D.C. van Leijenhorst. Orbits on the projective line. *J. Comb. Theory Series A*, 31:146–154, 1981.

[27] Gérard Viennot. Equidistribution des permutations ayant une forme donnée selon les avances et coavances. *J. Comb. Theory Series A*, 31:43–55, 1981.