

References

- [1] A.T. Balaban. A trivalent graph of girth ten. *J. Comb. Theory Series B*, 12:1–5, 1972.
- [2] Ruth A. Bari. Regular major maps of at most 19 regions and their q -chromials. *J. Comb. Theory Series B*, 12:132–142, 1972.
- [3] N.L. Biggs, R.M. Damerell, and D.A. Sands. Recursive families of graphs. *J. Comb. Theory Series B*, 12:123–131, 1972.
- [4] J.A. Bondy. Induced subsets. *J. Comb. Theory Series B*, 12:201–202, 1972.
- [5] I.Z. Bouwer. On edge but not vertex transitive regular graphs. *J. Comb. Theory Series B*, 12:32–40, 1972.
- [6] W.G. Bridges. The regularity of x^3 -graphs. *J. Comb. Theory Series B*, 12:174–176, 1972.
- [7] Richard A. Brualdi and George W. Dinolt. Characterizations of transversal matroids and their presentations. *J. Comb. Theory Series B*, 12:268–286, 1972.
- [8] V. Chvátal. On hamilton's ideals. *J. Comb. Theory Series B*, 12:163–168, 1972.
- [9] R.H. Cowen. A short proof of rado's lemma. *J. Comb. Theory Series B*, 12:299–300, 1972.
- [10] D.Ž. Djokevič. On regular graphs. ii. *J. Comb. Theory Series B*, 12:252–259, 1972.
- [11] R.C. Entringer and C.C. Harner. Maximal component-complete subgraphs. *J. Comb. Theory Series B*, 12:245–251, 1972.
- [12] J. Fisher, R.L. Graham, and F. Harary. A simpler counter-example to the reconstruction conjecture for denumerable graphs. *J. Comb. Theory Series B*, 12:203–204, 1972.
- [13] D.R. Fulkerson. Anti-blocking polyhedra. *J. Comb. Theory Series B*, 12:50–71, 1972.

- [14] P.R. Goodey. Hamiltonian paths on 3-polytopes. *J. Comb. Theory Series B*, 12:143–152, 1972.
- [15] M. Herzog and J. Schönheim. The b_r property and chromatic numbers of generalized graphs. *J. Comb. Theory Series B*, 12:41–49, 1972.
- [16] Paul C. Kainen. A lower bound for crossing numbers of graphs with applications to k_n , $k_{p,q}$, and $q(d)$. *J. Comb. Theory Series B*, 12:287–298, 1972.
- [17] G.O.H. Katona. A generalization of some generalizations of sperner’s theorem. *J. Comb. Theory Series B*, 12:72–81, 1972.
- [18] H. Levinson. On the genera of group presentations. ii. *J. Comb. Theory Series B*, 12:205–225, 1972.
- [19] Shen Lin. On ramsey numbers and k_r -coloring of graphs. *J. Comb. Theory Series B*, 12:82–92, 1972.
- [20] W. Mader. Wohlquasigeordnete klassen endlicher graphen. *J. Comb. Theory Series B*, 12:105–122, 1972.
- [21] Martin Milgram. Irreducible graphs. *J. Comb. Theory Series B*, 12:6–31, 1972.
- [22] Abbe Mowshowitz. The characteristic polynomial of a graph. *J. Comb. Theory Series B*, 12:177–193, 1972.
- [23] E.A. Nordhaus, R.D. Ringeisen, B.M. Stewart, and A.T. White. A kuratowski-type thoerem for the maximum genus of a graph. *J. Comb. Theory Series B*, 12:260–267, 1972.
- [24] Richard D. Ringeisen. Determining all compact orientable 2-manifolds upon which $k_{m,n}$ has 2-cell imbeddings. *J. Comb. Theory Series B*, 12:101–104, 1972.
- [25] Neil Robertson and J.A. Zimmer. Automorphism of subgraphs obtained by deleting a pendant vertex. *J. Comb. Theory Series B*, 12:169–173, 1972.
- [26] M. Rosenfeld. Antidirected hamiltonian paths in tournaments. *J. Comb. Theory Series B*, 12:93–99, 1972.

- [27] J. Sheehan. Fixing subgraphs. *J. Comb. Theory Series B*, 12:226–244, 1972. see Erratum in *J. Comb. Theory Series B*, Vol. 17, 312.
- [28] J.M. Simões Pereira. A note on the cycle multiplicity of line-graphs and total graphs. *J. Comb. Theory Series B*, 12:194–200, 1972.
- [29] Alan Tucker. A structure theorem for the consecutive 1's property. *J. Comb. Theory Series B*, 12:153–162, 1972.