

## References

- [1] B. Bank, M. Giusti, J. Heintz, and L.M. Pardo. Generalized polar varieties: Geometry and algorithms. *J. Complexity*, 21(4):377–412, 2005.
- [2] Carlos A. Berenstein, Alekos Vidras, and Alain Yger. Analytic residues along algebraic cycles. *J. Complexity*, 21(1):5–42, 2005.
- [3] Markus Bläser. On the number of multiplications needed to invert a monic power series over fields of characteristic two. *J. Complexity*, 21(4):413–419, 2005.
- [4] Alin Bostan and Éric Schost. Polynomial evaluation and interpolation on special sets of points. *J. Complexity*, 21(4):420–446, 2005.
- [5] Thomas Brihaye and Christian Michaux. On the expressiveness and decidability of  $\sigma$ -minimal hybrid systems. *J. Complexity*, 21(4):447–478, 2005. see Erratum in *J. Complexity*, Vol. 22, No. 3, 2006, 431-434.
- [6] Hui Cao. Discretized tikhonov-phillips regularization for a naturally linearized parameter identification problem. *J. Complexity*, 21(6):864–877, 2005.
- [7] Dennis Cheung and Felipe Cucker. A note on level-2 condition numbers. *J. Complexity*, 21(3):314–319, 2005.
- [8] Michel Coste, Tomás Lajous-Loeza, Henri Lombardi, and Marie-Françoise Roy. Generalized budan-fourier theorem and virtual roots. *J. Complexity*, 21(4):479–486, 2005.
- [9] S.B. Damelin and V. Maymeskul. On point energies, separation radius and mesh norm for  $s$ -extremal configurations on compact sets in  $r^n$ . *J. Complexity*, 21(6):845–863, 2005.
- [10] M. De Leo, E. Dratman, and G. Matera. Numeric vs. symbolic homotopy algorithms in polynomial system solving: A case study. *J. Complexity*, 21(4):502–531, 2005.
- [11] Jean-Pierre Dedieu and Dmitry Nowicki. Symplectic methods for the approximation of the exponential map and the newton iteration on riemannian submanifolds. *J. Complexity*, 21(4):487–501, 2005.

- [12] Josef Dick and Friedrich Pillichshammer. Multivariate integration in weighted hilbert spaces based on walsh functions and weighted sobolev spaces. *J. Complexity*, 21(2):149–195, 2005.
- [13] Benjamin Doerr, Michael Gnewuch, and Anand Srivastav. Bounds and constructions for the star-discrepancy via  $\delta$ -covers. *J. Complexity*, 21(5):691–709, 2005.
- [14] Ioannis Z. Emiris and Victor Y. Pan. Improved algorithms for computing determinants and resultants. *J. Complexity*, 21(1):43–71, 2005.
- [15] Gensun Fang, Fred J. Hickernell, and Huan Li. Approximation on anisotropic besov classes with mixed norms by standard information. *J. Complexity*, 21(3):294–313, 2005.
- [16] Kai-Tai Fang, Yu Tang, and Jianxing Yin. Lower bounds for wrap-around  $l_2$ -discrepancy and constructions of symmetrical uniform designs. *J. Complexity*, 21(5):757–771, 2005.
- [17] Xiutao Feng, Quanlong Wang, and Zongduo Dai. Multi-sequences with  $d$ -perfect property. *J. Complexity*, 21(2):230–242, 2005.
- [18] Fang-Wei Fu, Harald Niederreiter, and Ming Su. The expectation and variance of the joint linear complexity of random periodic multi-sequences. *J. Complexity*, 21(6):804–822, 2005.
- [19] Fang Gensun and Li Xuehua. Optimal quadrature problem on hardy-sobolev classes. *J. Complexity*, 21(5):722–739, 2005.
- [20] Dima Grigoriev. Weak bézout inequality for  $d$ -modules. *J. Complexity*, 21(4):532–542, 2005.
- [21] Sebastian Heinz. Complexity of integer quasiconvex polynomial optimization. *J. Complexity*, 21(4):543–556, 2005.
- [22] Armin Hemmerling.  $p = np$  for some structures over the binary words. *J. Complexity*, 21(4):557–578, 2005.
- [23] Kerstin Hesse and Ian H. Sloan. Optimal lower bounds for cubature error on the sphere  $s^2$ . *J. Complexity*, 21(6):790–803, 2005.

- [24] Claude-Pierre Jeannerod and Gilles Villard. Essentially optimal computation of the inverse of generic polynomial matrices. *J. Complexity*, 21(1):72–86, 2005.
- [25] Bolesław Kacewicz. Improved bounds on the randomized and quantum complexity of initial-value problems. *J. Complexity*, 21(5):740–756, 2005.
- [26] Mark Kon and Leszek Plaskota. Information-based nonlinear approximation: An average case setting. *J. Complexity*, 21(2):211–229, 2005.
- [27] Frances Y. Kuo and Ian H. Sloan. Quasi-monte carlo methods can be efficient for integration over products of spheres. *J. Complexity*, 21(2):196–210, 2005.
- [28] Věra Kůrková and Marcello Sanguinetti. Learning with generalization capability by kernel methods of bounded complexity. *J. Complexity*, 21(3):350–367, 2005.
- [29] D. Leviatan and V.N. Temlyakov. Simultaneous greedy approximation in banach spaces. *J. Complexity*, 21(3):275–293, 2005.
- [30] Wilfried Meidl and Arne Winterhof. On the joint linear complexity profile of explicit inversive multisequences. *J. Complexity*, 21(3):324–336, 2005.
- [31] Tim Pillards and Ronald Cools. A note on e. thiémond’s algorithm to compute bounds for the star discrepancy. *J. Complexity*, 21(3):320–323, 2005.
- [32] Mihai Prunescu. Two situations with unit-cost: Ordered abelian semi-groups and some commutative rings. *J. Complexity*, 21(4):579–592, 2005.
- [33] J. Maurice Rojas and Yinyu Ye. On solving univariate sparse polynomials in logarithmic time. *J. Complexity*, 21(1):87–110, 2005.
- [34] Claus Scheiderer. Non-existence of degree bounds for weighted sums of squares representations. *J. Complexity*, 21(6):823–844, 2005.

- [35] Andrew J. Sommese, Jan Verschelde, and Charles W. Wampler. An intrinsic homotopy for intersecting algebraic varieties. *J. Complexity*, 21(4):593–608, 2005.
- [36] Arne Storjohann. The shifted number system for fast linear algebra on integer matrices. *J. Complexity*, 21(4):609–650, 2005.
- [37] Hongwei Sun. Mercer theorem for rkhs on noncompact sets. *J. Complexity*, 21(3):337–349, 2005.
- [38] Shu Tezuka. On the necessity of low-effective dimension. *J. Complexity*, 21(5):710–721, 2005.
- [39] Gennadi Vainikko, Andi Kivinukk, and Jüri Lippus. Fast solvers of integral equations of the second kind: Wavelet methods. *J. Complexity*, 21(2):243–273, 2005.
- [40] Mario Wschebor. On the kostlan-shub-smale model for random polynomial systems. variance of the number of roots. *J. Complexity*, 21(6):773–789, 2005.
- [41] J.-C. Yakoubsohn. Numerical analysis of a bisection-exclusion method to find zeros of univariate analytic functions. *J. Complexity*, 21(5):652–690, 2005.
- [42] Y. Yomdin. Semialgebraic complexity of functions. *J. Complexity*, 21(1):111–148, 2005.