

References

- [1] Manindra Agrawal. $dspace(n) \stackrel{?}{=} nspace(n)$: A degree theoretic characterization. *J. Comput. Syst. Sci.*, 54(3):383–392, 1997.
- [2] Noga Alon, Zvi Galil, and Oded Margalit. On the exponent of the all pairs shortest path problem. *J. Comput. Syst. Sci.*, 54(2):255–262, 1997.
- [3] Sanjeev Arora, László Babai, Jacques Stern, and Z. Sweedyk. The hardness of approximate optima in lattices, codes, and systems of linear equations. *J. Comput. Syst. Sci.*, 54(2):317–331, 1997.
- [4] Catriel Beeri and Tova Milo. Comparison of functional and predicative query paradigms. *J. Comput. Syst. Sci.*, 54(1):3–33, 1997.
- [5] Amir M. Ben-Amram and Zvi Galil. When can we sort in $o(n \log n)$ time? *J. Comput. Syst. Sci.*, 54(2):345–370, 1997.
- [6] Yosi Ben-Asher and Ilan Newman. Geometric approach for optimal routing on a mesh with buses. *J. Comput. Syst. Sci.*, 54(3):475–486, 1997.
- [7] Avrim L. Blum and Ravindran Kannan. Learning an intersection of a constant number of halfspaces over a uniform distribution. *J. Comput. Syst. Sci.*, 54(2):371–380, 1997.
- [8] Anthony J. Bonner and Tomasz Imielinski. Reusing and modifying rule-bases by predicate substitution. *J. Comput. Syst. Sci.*, 54(1):136–166, 1997.
- [9] Harry Buhrman and Elvira Mayordomo. An excursion to the kolmogorov random strings. *J. Comput. Syst. Sci.*, 54(3):393–399, 1997.
- [10] Liming Cai and Jianer Chen. On fixed-parameter tractability and approximability of np optimization problems. *J. Comput. Syst. Sci.*, 54(3):465–474, 1997.
- [11] Surajit Chaudhuri and Moshe Y. Vardi. On the equivalence of recursive and nonrecursive datalog programs. *J. Comput. Syst. Sci.*, 54(1):61–78, 1997.

- [12] Kousha Etessami. Counting quantifiers, successor relations, and logarithmic space. *J. Comput. Syst. Sci.*, 54(3):400–411, 1997.
- [13] Uriel Feige. A spectrum of time-space trade-offs for undirected $s - t$ connectivity. *J. Comput. Syst. Sci.*, 54(2):305–316, 1997.
- [14] Zvi Galil and Oded Margalit. All pairs shortest paths for graphs with small integer length edges. *J. Comput. Syst. Sci.*, 54(2):243–254, 1997.
- [15] Gösta Grahne, Alberto O. Mendelzon, and Peter Z. Revesz. Knowledge-base transformations. *J. Comput. Syst. Sci.*, 54(1):98–112, 1997.
- [16] Donald B. Johnson and Panagiotis Metaxas. Connected components in $o(\log^{3/2} n)$ parallel time for the crew pram. *J. Comput. Syst. Sci.*, 54(2):227–242, 1997.
- [17] Marek Karpinski and Angus Macintyre. Polynomial bounds for vc dimension of sigmoidal and general pfaffian neural networks. *J. Comput. Syst. Sci.*, 54(1):169–176, 1997.
- [18] Pascal Koiran. A weak version of the blum, shub, and smale model. *J. Comput. Syst. Sci.*, 54(1):177–189, 1997.
- [19] Pascal Koiran and Eduardo D. Sontag. Neural networks with quadratic vc dimension. *J. Comput. Syst. Sci.*, 54(1):190–198, 1997.
- [20] Dror Lapidot and Adi Shamir. Fully parallelized multi-prover protocols for nexp-time. *J. Comput. Syst. Sci.*, 54(2):215–220, 1997.
- [21] Tom Leighton, Yuan Ma, and C. Greg Plaxton. Breaking the $\theta(n \log^2 n)$ barrier for sorting with faults. *J. Comput. Syst. Sci.*, 54(2):265–304, 1997.
- [22] Charles E. Leiserson, Satish Rao, and Sivan Toledo. Efficient out-of-core algorithms for linear relaxation using blocking covers. *J. Comput. Syst. Sci.*, 54(2):332–344, 1997.
- [23] H. David Mathias. A model of interactive teaching. *J. Comput. Syst. Sci.*, 54(3):487–501, 1997.

- [24] Karl Meinke. A completeness theorem for the expressive power of higher-order algebraic specifications. *J. Comput. Syst. Sci.*, 54(3):502–519, 1997.
- [25] Christos H. Papadimitriou and Mihalis Yannakakis. Tie-breaking semantics and structural totality. *J. Comput. Syst. Sci.*, 54(1):48–60, 1997.
- [26] Jaikumar Radhakrishnan. Better lower bounds for monotone threshold formulas. *J. Comput. Syst. Sci.*, 54(2):221–226, 1997.
- [27] John Rogers. The isomorphism conjecture holds and one-way functions exist relative to an oracle. *J. Comput. Syst. Sci.*, 54(3):412–423, 1997.
- [28] Kenneth A. Ross and Yehoshua Sagiv. Monotonic aggregation in deductive databases. *J. Comput. Syst. Sci.*, 54(1):79–97, 1997.
- [29] James S. Royer. Semantics vs syntax vs computations: Machine models for type-2 polynomial-time bounded functionals. *J. Comput. Syst. Sci.*, 54(3):424–436, 1997.
- [30] Domenico Saccà. The expressive powers of stable models for bound and unbound datalog queries. *J. Comput. Syst. Sci.*, 54(3):441–464, 1997.
- [31] Nicholas Tran. On p -immunity of exponential time complete sets. *J. Comput. Syst. Sci.*, 54(3):437–440, 1997.
- [32] György Turán and Farrokh Vatan. On the computation of boolean functions by analog circuits of bounded fan-in. *J. Comput. Syst. Sci.*, 54(1):199–212, 1997.
- [33] Jan van den Bussche and Dirk van Gucht. A semideterministic approach to object creation and nondeterminism in database queries. *J. Comput. Syst. Sci.*, 54(1):34–47, 1997.
- [34] Ron van der Meyden. The complexity of querying indefinite data about linearly ordered domains. *J. Comput. Syst. Sci.*, 54(1):113–135, 1997.