

References

- [1] Sivan Albagli, Rachel Ben-Eliyahu-Zohary, and Solomon E. Shimony. Markov network based ontology matching. *J. Comput. Syst. Sci.*, 78(1):105–118, 2012.
- [2] Krzysztof R. Apt, Frank S. de Boer, Ernst-Rüdiger Olderog, and Stijn de Gouw. Verification of object-oriented programs: A transformational approach. *J. Comput. Syst. Sci.*, 78(3):823–852, 2012.
- [3] Alessandro Armando, Enrico Giunchiglia, Marco Maratea, and Serena Elisa Ponta. An action-based approach to the formal specification and automatic analysis of business processes under authorization constraints. *J. Comput. Syst. Sci.*, 78(1):119–141, 2012.
- [4] Pablo Arrighi and Jonathan Grattage. Intrinsically universal n -dimensional quantum cellular automata. *J. Comput. Syst. Sci.*, 78(6):1883–1898, 2012.
- [5] Ittai Balaban, Amir Pnueli, Yaniv Sa’ar, and Lenore D. Zuck. Verification of multi-linked heaps. *J. Comput. Syst. Sci.*, 78(3):853–876, 2012.
- [6] Nicolas Bedon and Chloé Rispal. Schützenberger and eilenberg theorems for words on linear orderings. *J. Comput. Syst. Sci.*, 78(2):517–536, 2012.
- [7] Amos Beimel, Yeow Meng Chee, Huaxiong Wang, and Liang Feng Zhang. Communication-efficient distributed oblivious transfer. *J. Comput. Syst. Sci.*, 78(4):1142–1157, 2012.
- [8] Albert Benveniste, Timothy Bourke, Benoît Caillaud, and Marc Pouzet. Non-standard semantics of hybrid systems modelers. *J. Comput. Syst. Sci.*, 78(3):877–910, 2012.
- [9] Henrik Björklund and Wim Martens. The tractability frontier for nfa minimization. *J. Comput. Syst. Sci.*, 78(1):198–210, 2012.
- [10] Roderick Bloem, Barbara Jobstmann, Nir Piterman, Amir Pnueli, and Yaniv Sa’ar. Synthesis of reactive(1) designs. *J. Comput. Syst. Sci.*, 78(3):911–938, 2012.

- [11] Matthijs Bomhoff, Walter Kern, and Georg Still. On bounded block decomposition problems for under-specified systems of equations. *J. Comput. Syst. Sci.*, 78(1):336–347, 2012.
- [12] Egon Börger, Antonio Cisternino, and Vincenzo Gervasi. Ambient abstract state machines with applications. *J. Comput. Syst. Sci.*, 78(3):939–959, 2012.
- [13] Vladimir Braverman, Rafail Ostrovsky, and Carlo Zaniolo. Optimal sampling from sliding windows. *J. Comput. Syst. Sci.*, 78(1):260–272, 2012.
- [14] Andrei Bulatov, Martin Dyer, Leslie Ann Goldberg, Markus Jalsenius, Mark Jerrum, and David Richerby. The complexity of weighted and unweighted $\#csp$. *J. Comput. Syst. Sci.*, 78(2):681–688, 2012.
- [15] Andrei A. Bulatov, Víctor Dalmau, Martin Grohe, and Dániel Marx. Enumerating homomorphisms. *J. Comput. Syst. Sci.*, 78(2):638–650, 2012.
- [16] Wojciech Buszkowski, Zhe Lin, and Katarzyna Moroz. Pregroup grammars with letter promotions: Complexity and context-freeness. *J. Comput. Syst. Sci.*, 78(6):1899–1909, 2012.
- [17] Diego Calvanese, Giuseppe De Giacomo, Maurizio Lenzerini, and Riccardo Rosati. View-based query answering in description logics: Semantics and complexity. *J. Comput. Syst. Sci.*, 78(1):26–46, 2012.
- [18] Lorenzo Carlucci, Sanjay Jain, and Frank Stephan. Learning with ordinal-bounded memory from positive data. *J. Comput. Syst. Sci.*, 78(5):1623–1636, 2012.
- [19] Nicolò Cesa-Bianchi and Gábor Lugosi. Combinatorial bandits. *J. Comput. Syst. Sci.*, 78(5):1404–1422, 2012.
- [20] David W. Chadwick and Kaniz Fatema. A privacy preserving authorisation system for the cloud. *J. Comput. Syst. Sci.*, 78(5):1359–1373, 2012.
- [21] Krishnendu Chatterjee and Thomas A. Henzinger. A survey of stochastic ω -regular games. *J. Comput. Syst. Sci.*, 78(2):394–413, 2012.

- [22] Prasad Chebolu, Leslie Ann Goldberg, and Russell Martin. The complexity of approximately counting stable roommate assignments. *J. Comput. Syst. Sci.*, 78(5):1579–1605, 2012.
- [23] Hong Chen, Xiaokang Zhou, and Qun Jin. Socialized ubiquitous personal study: Toward an individualized information portal. *J. Comput. Syst. Sci.*, 78(6):1775–1792, 2012.
- [24] Jianer Chen, Jia-Hao Fan, Iyad Kanj, Yang Liu, and Fenghui Zhang. Multicut in trees viewed through the eyes of vertex cover. *J. Comput. Syst. Sci.*, 78(5):1637–1650, 2012.
- [25] Jianer Chen and Jie Meng. A $2k$ kernel for the cluster editing problem. *J. Comput. Syst. Sci.*, 78(1):211–220, 2012.
- [26] Zhi-Zhong Chen, Bin Ma, and Lusheng Wang. A three-string approach to the closest string problem. *J. Comput. Syst. Sci.*, 78(1):164–178, 2012.
- [27] Vincent Conitzer and Tuomas Sandholm. Computing optimal outcomes under an expressive representation of settings with externalities. *J. Comput. Syst. Sci.*, 78(1):2–14, 2012.
- [28] Stefano Crespi Reghizzi and Dino Mandrioli. Operator precedence and the visibly pushdown property. *J. Comput. Syst. Sci.*, 78(6):1837–1867, 2012.
- [29] M. Crochemore, C.S. Iliopoulos, M. Kubica, J. Radoszewski, W. Rytter, and T. Waleń. The maximal number of cubic runs in a word. *J. Comput. Syst. Sci.*, 78(6):1828–1836, 2012.
- [30] A.S. Dalalyan and A.B. Tsybakov. Sparse regression learning by aggregation and langevin monte-carlo. *J. Comput. Syst. Sci.*, 78(5):1423–1443, 2012.
- [31] Jürgen Dassow and Tomáš Masopust. On restricted context-free grammars. *J. Comput. Syst. Sci.*, 78(1):293–304, 2012.
- [32] Samir Datta, Raghav Kulkarni, Raghunath Tewari, and N.V. Vinodchandran. Space complexity of perfect matching in bounded genus bipartite graphs. *J. Comput. Syst. Sci.*, 78(3):765–779, 2012.

- [33] Daniel Deutch and Tova Milo. A structural/temporal query language for business processes. *J. Comput. Syst. Sci.*, 78(2):583–609, 2012.
- [34] Emilio Di Giacomo, Walter Didimo, Giuseppe Liotta, and Henk Meijer. Drawing a tree as a minimum spanning tree approximation. *J. Comput. Syst. Sci.*, 78(2):491–503, 2012.
- [35] Shahar Dobzinski, Noam Nisan, and Michael Schapira. Truthful randomized mechanisms for combinatorial auctions. *J. Comput. Syst. Sci.*, 78(1):15–25, 2012.
- [36] Tadashi Dohi and Toshikazu Uemura. An adaptive mode control algorithm of a scalable intrusion tolerant architecture. *J. Comput. Syst. Sci.*, 78(6):1751–1774, 2012.
- [37] Frederic Dorn, Fedor V. Fomin, and Dimitrios M. Thilikos. Catalan structures and dynamic programming in h -minor-free graphs. *J. Comput. Syst. Sci.*, 78(5):1606–1622, 2012.
- [38] Bruno Durand, Andrei Romashchenko, and Alexander Shen. Fixed-point tile sets and their applications. *J. Comput. Syst. Sci.*, 78(3):731–764, 2012.
- [39] Magdalini Eirinaki, Shamita Pital, and Japinder Singh. Feature-based opinion mining and ranking. *J. Comput. Syst. Sci.*, 78(4):1175–1184, 2012.
- [40] Thomas Eiter, Magdalena Ortiz, and Mantas Šimkus. Conjunctive query answering in the description logic \mathcal{SH} using knots. *J. Comput. Syst. Sci.*, 78(1):47–85, 2012.
- [41] Xinxin Fan, Mingchu Li, Jianhua Ma, Yizhi Ren, Hui Zhao, and Zhiyuan Su. Behavior-based reputation management in p2p file-sharing networks. *J. Comput. Syst. Sci.*, 78(6):1737–1750, 2012.
- [42] Moran Feldman, Guy Kortsarz, and Zeev Nutov. Improved approximation algorithms for directed steiner forest. *J. Comput. Syst. Sci.*, 78(1):279–292, 2012.
- [43] Vitaly Feldman. A complete characterization of statistical query learning with applications to evolvability. *J. Comput. Syst. Sci.*, 78(5):1444–1459, 2012.

- [44] Michael R. Fellows, Fedor V. Fomin, Daniel Lokshtanov, Frances Rosamond, Saket Saurabh, and Yngve Villanger. Local search: Is brute-force avoidable? *J. Comput. Syst. Sci.*, 78(3):707–719, 2012.
- [45] G. Fenza, D. Furno, and V. Loia. Hybrid approach for context-aware service discovery in healthcare domain. *J. Comput. Syst. Sci.*, 78(4):1232–1247, 2012.
- [46] Fedor V. Fomin, Daniel Lokshtanov, Venkatesh Raman, Saket Saurabh, and B.V. Raghavendra Rao. Faster algorithms for finding and counting subgraphs. *J. Comput. Syst. Sci.*, 78(3):698–706, 2012.
- [47] Nissim Francez. When are different type-logical semantic definitions defining equivalent meanings? *J. Comput. Syst. Sci.*, 78(3):960–969, 2012.
- [48] Anahí Gajardo, Jarkko Kari, and Andrés Moreira. On time-symmetry in cellular automata. *J. Comput. Syst. Sci.*, 78(4):1115–1126, 2012.
- [49] Serge Gaspers and Gregory B. Sorkin. A universally fastest algorithm for max 2-sat, max 2-csp, and everything in between. *J. Comput. Syst. Sci.*, 78(1):305–335, 2012.
- [50] Jonathan Gemmell, Thomas Schimoler, Bamshad Mobasher, and Robin Burke. Resource recommendation in social annotation systems: A linear-weighted hybrid approach. *J. Comput. Syst. Sci.*, 78(4):1160–1174, 2012.
- [51] Adam Grzywaczewski and Rahat Iqbal. Task-specific information retrieval systems for software engineers. *J. Comput. Syst. Sci.*, 78(4):1204–1218, 2012.
- [52] Gregory Gutin, Leo van Iersel, Matthias Mnich, and Anders Yeo. Every ternary permutation constraint satisfaction problem parameterized above average has a kernel with a quadratic number of variables. *J. Comput. Syst. Sci.*, 78(1):151–163, 2012.
- [53] David Harel and Itai Segall. Synthesis from scenario-based specifications. *J. Comput. Syst. Sci.*, 78(3):970–980, 2012.

- [54] Jing He, Yanchun Zhang, Guangyan Huang, Yong Shi, and Jie Cao. Distributed data possession checking for securing multiple replicas in geographically-dispersed clouds. *J. Comput. Syst. Sci.*, 78(5):1345–1358, 2012.
- [55] Keijo Heljanko, Misa Keinänen, Martin Lange, and Ilkka Niemelä. Solving parity games by a reduction to sat. *J. Comput. Syst. Sci.*, 78(2):430–440, 2012.
- [56] Marko Hölbl, Tatjana Welzer, and Boštjan Brumen. An improved two-party identity-based authenticated key agreement protocol using pairings. *J. Comput. Syst. Sci.*, 78(1):142–150, 2012.
- [57] Dag Hovland. The inclusion problem for regular expressions. *J. Comput. Syst. Sci.*, 78(6):1795–1813, 2012.
- [58] Daniel Hsu, Sham M. Kakade, and Tong Zhang. A spectral algorithm for learning hidden markov models. *J. Comput. Syst. Sci.*, 78(5):1460–1480, 2012.
- [59] Florentin Ipate. Learning finite cover automata from queries. *J. Comput. Syst. Sci.*, 78(1):221–244, 2012.
- [60] Kashif Iqbal, Michael O. Odetayo, and Anne James. Content-based image retrieval approach for biometric security using colour, texture and shape features controlled by fuzzy heuristics. *J. Comput. Syst. Sci.*, 78(4):1258–1277, 2012.
- [61] Sanjay Jain, Qinglong Luo, and Frank Stephan. Learnability of automatic classes. *J. Comput. Syst. Sci.*, 78(6):1910–1927, 2012.
- [62] Klaus Jansen and Hu Zhang. Scheduling malleable tasks with precedence constraints. *J. Comput. Syst. Sci.*, 78(1):245–259, 2012.
- [63] Jesper Jansson, Kunihiro Sadakane, and Wing-Kin Sung. Ultra-succinct representation of ordered trees with applications. *J. Comput. Syst. Sci.*, 78(2):619–631, 2012.
- [64] Minghui Jiang. Approximability of constrained lcs. *J. Comput. Syst. Sci.*, 78(3):689–697, 2012.

- [65] Barbara Jobstmann, Stefan Staber, Andreas Griesmayer, and Roderick Bloem. Finding and fixing faults. *J. Comput. Syst. Sci.*, 78(2):441–460, 2012.
- [66] Charles Jordan and Thomas Zeugmann. Testable and untestable classes of first-order formulae. *J. Comput. Syst. Sci.*, 78(5):1557–1578, 2012.
- [67] Shinsuke Kajioka, Naoki Wakamiya, and Masayuki Murata. Autonomous and adaptive resource allocation among multiple nodes and multiple applications in heterogeneous wireless networks. *J. Comput. Syst. Sci.*, 78(6):1673–1685, 2012.
- [68] Adam Tauman Kalai, Varun Kanade, and Yishay Mansour. Reliable agnostic learning. *J. Comput. Syst. Sci.*, 78(5):1481–1495, 2012.
- [69] Christos Kapoutsis, Richard Kráľovič, and Tobias Mömke. Size complexity of rotating and sweeping automata. *J. Comput. Syst. Sci.*, 78(2):537–558, 2012.
- [70] Jonathan Katz, Philip MacKenzie, Gelareh Taban, and Virgil Gligor. Two-server password-only authenticated key exchange. *J. Comput. Syst. Sci.*, 78(2):651–669, 2012.
- [71] Ken-ichi Kawarabayashi and Yusuke Kobayashi. A linear time algorithm for the induced disjoint paths problem in planar graphs. *J. Comput. Syst. Sci.*, 78(2):670–680, 2012.
- [72] Jürg Kohlas, Marc Pouly, and Cesar Schneuwly. Generic local computation. *J. Comput. Syst. Sci.*, 78(1):348–369, 2012.
- [73] Eitaro Kohno, Tomoya Okazaki, Mario Takeuchi, Tomoyuki Ohta, Yoshiaki Kakuda, and Masaki Aida. Improvement of assurance including security for wireless sensor networks using dispersed data transmission. *J. Comput. Syst. Sci.*, 78(6):1703–1715, 2012.
- [74] Samory Kpotufe and Sanjoy Dasgupta. A tree-based regressor that adapts to intrinsic dimension. *J. Comput. Syst. Sci.*, 78(5):1496–1515, 2012.

- [75] Orna Kupferman, Amir Pnueli, and Moshe Y. Vardi. Once and for all. *J. Comput. Syst. Sci.*, 78(3):981–996, 2012.
- [76] Martin Kutrib and Andreas Malcher. Reversible pushdown automata. *J. Comput. Syst. Sci.*, 78(6):1814–1827, 2012.
- [77] Pedro Lara, Fábio Borges, Renato Portugal, and Nadia Nedjah. Parallel modular exponentiation using load balancing without precomputation. *J. Comput. Syst. Sci.*, 78(2):575–582, 2012.
- [78] Alessandro Lazaric and Rémi Munos. Learning with stochastic inputs and adversarial outputs. *J. Comput. Syst. Sci.*, 78(5):1516–1537, 2012.
- [79] Chi Lin, Guowei Wu, Feng Xia, Mingchu Li, Lin Yao, and Zhongyi Pei. Energy efficient ant colony algorithms for data aggregation in wireless sensor networks. *J. Comput. Syst. Sci.*, 78(6):1686–1702, 2012.
- [80] Guohui Lin, Randy Goebel, Zhong Li, and Lusheng Wang. An improved approximation algorithm for the complementary maximal strip recovery problem. *J. Comput. Syst. Sci.*, 78(3):720–730, 2012.
- [81] Tianrong Lin. Another approach to the equivalence of measure-many one-way quantum finite automata and its application. *J. Comput. Syst. Sci.*, 78(3):807–821, 2012.
- [82] Sebastian Link. Characterisations of multivalued dependency implication over undetermined universes. *J. Comput. Syst. Sci.*, 78(4):1026–1044, 2012.
- [83] Markus Lohrey. Model-checking hierarchical structures. *J. Comput. Syst. Sci.*, 78(2):461–490, 2012.
- [84] Markus Lohrey, Sebastian Maneth, and Manfred Schmidt-Schauß. Parameter reduction and automata evaluation for grammar-compressed trees. *J. Comput. Syst. Sci.*, 78(5):1651–1669, 2012.
- [85] Xiaowen Lou and Daming Zhu. A new approximation algorithm for cut-and-paste sorting of unsigned circular permutations. *J. Comput. Syst. Sci.*, 78(4):1099–1114, 2012.

- [86] Fabrizio Marozzo, Domenico Talia, and Paolo Trunfio. P2p-mapreduce: Parallel data processing in dynamic cloud environments. *J. Comput. Syst. Sci.*, 78(5):1382–1402, 2012.
- [87] Luke Mathieson and Stefan Szeider. Editing graphs to satisfy degree constraints: A parameterized approach. *J. Comput. Syst. Sci.*, 78(1):179–191, 2012.
- [88] Benedek Nagy and Friedrich Otto. On cd-systems of stateless deterministic r-automata with window size one. *J. Comput. Syst. Sci.*, 78(3):780–806, 2012.
- [89] D. Pearce and A. Valverde. Synonymous theories and knowledge representations in answer set programming. *J. Comput. Syst. Sci.*, 78(1):86–104, 2012.
- [90] Yung-Hsing Peng, Chang-Biau Yang, Chiou-Ting Tseng, and Chiou-Yi Hor. A new efficient indexing algorithm for one-dimensional real scaled patterns. *J. Comput. Syst. Sci.*, 78(1):273–278, 2012.
- [91] Alberto Policriti, Alexandru I. Tomescu, and Francesco Vezi. A randomized numerical aligner (rna). *J. Comput. Syst. Sci.*, 78(6):1868–1882, 2012.
- [92] Franco P. Preparata. Accurate and precise aggregation counting. *J. Comput. Syst. Sci.*, 78(1):192–197, 2012.
- [93] Lianyong Qi, Wanchun Dou, Xuyun Zhang, and Jinjun Chen. A qos-aware composition method supporting cross-platform service invocation in cloud environment. *J. Comput. Syst. Sci.*, 78(5):1316–1329, 2012.
- [94] Pir Abdul Rasool Qureshi and Nasrullah Memon. Hybrid model of content extraction. *J. Comput. Syst. Sci.*, 78(4):1248–1257, 2012.
- [95] Fazilatur Rahman and Jawed Siddiqi. Semantic annotation of digital music. *J. Comput. Syst. Sci.*, 78(4):1219–1231, 2012.
- [96] Prakash Ramanan. Rewriting xpath queries using materialized xpath views. *J. Comput. Syst. Sci.*, 78(4):1006–1025, 2012.

- [97] Zehui Shao, Fei Deng, Meilian Liang, and Xiaodong Xu. On sets without k -term arithmetic progression. *J. Comput. Syst. Sci.*, 78(2):610–618, 2012.
- [98] Haifeng Shen and Mark Reilly. Personalized multi-user view and content synchronization and retrieval in real-time mobile social software applications. *J. Comput. Syst. Sci.*, 78(4):1185–1203, 2012.
- [99] Sharon Shoham and Orna Grumberg. Multi-valued model checking games. *J. Comput. Syst. Sci.*, 78(2):414–429, 2012.
- [100] Amir Talaei-Khoei, Terje Solvoll, Pradeep Ray, and Nandan Parameshwaran. Maintaining awareness using policies; enabling agents to identify relevance of information. *J. Comput. Syst. Sci.*, 78(1):370–391, 2012.
- [101] Jing Tian and Xianzhong Zhao. Representations of commutative asynchronous automata. *J. Comput. Syst. Sci.*, 78(2):504–516, 2012.
- [102] Rafael Tolosana-Calasan, José Ángel Bañares, Congduc Pham, and Omer F. Rana. Enforcing qos in scientific workflow systems enacted over cloud infrastructures. *J. Comput. Syst. Sci.*, 78(5):1300–1315, 2012.
- [103] David Villegas, Norman Bobroff, Ivan Rodero, Javier Delgado, Yanbin Liu, Aditya Devarakonda, Liana Fong, S. Masoud Sadjadi, and Manish Parashar. Cloud federation in a layered service model. *J. Comput. Syst. Sci.*, 78(5):1330–1344, 2012.
- [104] M.W. Vincent, J. Liu, and M. Mohania. The implication problem for “closest node” functional dependencies in complete xml documents. *J. Comput. Syst. Sci.*, 78(4):1045–1098, 2012.
- [105] Agustinus Borgy Waluyo, David Taniar, Wenny Rahayu, Ailixier Aikebaier, Makoto Takizawa, and Bala Srinivasan. Trustworthy-based efficient data broadcast model for p2p interaction in resource-constrained wireless environments. *J. Comput. Syst. Sci.*, 78(6):1716–1736, 2012.
- [106] Chunfu Wei, Zheng Pei, and Huamin Li. An induced owa operator in coal mine safety evaluation. *J. Comput. Syst. Sci.*, 78(4):997–1005, 2012.

- [107] Mathias Weller, Christian Komusiewicz, Rolf Niedermeier, and Johannes Uhlmann. On making directed graphs transitive. *J. Comput. Syst. Sci.*, 78(2):559–574, 2012.
- [108] Yicheng Wen and Asok Ray. Vector space formulation of probabilistic finite state automata. *J. Comput. Syst. Sci.*, 78(4):1127–1141, 2012.
- [109] Linlin Wu, Saurabh Kumar Garg, and Rajkumar Buyya. Sla-based admission control for a software-as-a-service provider in cloud computing environments. *J. Comput. Syst. Sci.*, 78(5):1280–1299, 2012.
- [110] Yisong Yue, Josef Broder, Robert Kleinberg, and Thorsten Joachims. The k -armed dueling bandits problem. *J. Comput. Syst. Sci.*, 78(5):1538–1556, 2012.
- [111] Raphael Yuster. Approximate shortest paths in weighted graphs. *J. Comput. Syst. Sci.*, 78(2):632–637, 2012.
- [112] Gaofeng Zhang, Yun Yang, and Jinjun Chen. A historical probability based noise generation strategy for privacy protection in cloud computing. *J. Comput. Syst. Sci.*, 78(5):1374–1381, 2012.