References

[1] Manindra Agrawal. On the isomorphism conjecture for weak reducibilities. *J. Comput. Syst. Sci.*, 53(2):267–282, 1996. see also Ninth Annual Conference on Structure in Complexity Theory 1994.

[2] Manindra Agrawal and Somenath Biswas. Polynomial-time isomorphism of 1-l-complete sets. *J. Comput. Syst. Sci.*, 53(2):155–160, 1996. see also Eighth Annual Conference on Structure in Complexity Theory 1993.

[3] Amihood Amir, Gary Benson, and Martin Farach. Let sleeping files lie: Pattern matching in z-compressed files. *J. Comput. Syst. Sci.*, 52(2):299–307, 1996.

[4] Marc Andries and Jan Paredaens. On instance-completeness for database query languages involving object creation. *J. Comput. Syst. Sci.*, 52(2):357–373, 1996.

[5] Egidio Astesiano and Elena Zucca. A free construction of dynamic terms. *J. Comput. Syst. Sci.*, 52(1):143–156, 1996.

[6] Brenda S. Baker. Parameterized pattern matching: Algorithms and applications. *J. Comput. Syst. Sci.*, 52(1):28–42, 1996.

[7] Ganesh Baliga and John Case. Learnability: Admissible, co-finite, and hypersimple languages. *J. Comput. Syst. Sci.*, 53(1):26–32, 1996.

[8] Peter L. Bartlett, Philip M. Long, and Robert C. Williamson. Fat-shattering and the learnability of real-valued functions. *J. Comput. Syst. Sci.*, 52(3):434–452, 1996.

[9] Jean R.S. Blair and Errol L. Lloyd. River routing with a generalized model. *J. Comput. Syst. Sci.*, 53(3):525–544, 1996. see also 1994 ACM Symposium on Parallel Algorithms and Architectures.

[10] Nader H. Bshouty, Richard Cleve, Ricard Gavaldà, Sampath Kannan, and Christino Tamon. Oracles and queries that are sufficient for exact learning. *J. Comput. Syst. Sci.*, 52(3):421–433, 1996.

[11] Nader H. Bshouty, Sally A. Goldman, Thomas R. Hancock, and Sleiman Matar. Asking questions to minimize errors. *J. Comput. Syst. Sci.*, 52(2):268–286, 1996.

[12] Harry Buhrman and Pekka Orponen. Random strings make hard instances. *J. Comput. Syst. Sci.*, 53(2):261–266, 1996. see also Ninth Annual Conference on Structure in Complexity Theory 1994.

[13] Harry Buhrman and Leen Torenvliet. -selective self-reducible sets: A new characterization of . *J. Comput. Syst. Sci.*, 53(2):210–217, 1996. see also Eighth Annual Conference on Structure in Complexity Theory 1993.

[14] Richard Chang. On the query complexity of clique size and maximum satisfiability. *J. Comput. Syst. Sci.*, 53(2):298–313, 1996. see also Ninth Annual Conference on Structure in Complexity Theory 1994.

[15] Suresh Chari and Pankaj Rohatgi. On completeness under random reductions. *J. Comput. Syst. Sci.*, 53(3):545–555, 1996. see also 1994 ACM Symposium on Parallel Algorithms and Architectures.

[16] Tsong Yueh Chen. On the structural properties of the set of fixpoints for nondeterministic recursive definitions. *J. Comput. Syst. Sci.*, 52(1):80–86, 1996.

[17] Alessandra Cherubini and Pierluigi San Pietro. A polynomial-time parsing algorithm for k-depth languages. *J. Comput. Syst. Sci.*, 52(1):61–79, 1996.

[18] Kevin J. Compton and Erich Grädel. Logical definability of counting functions. *J. Comput. Syst. Sci.*, 53(2):283–297, 1996. see also Ninth Annual Conference on Structure in Complexity Theory 1994.

[19] Paul F. Dietz. A space efficient variant of path copying for partially persistent sorted sets. *J. Comput. Syst. Sci.*, 53(1):148–152, 1996.

[20] David P. Dobkin, Dimitrios Gunopulos, and Wolfgang Maass. Computing the maximum bichromatic discrepancy, with applications to computer graphics and machine learning. *J. Comput. Syst. Sci.*, 52(3):453–470, 1996.

[21] Frank Drewes. Language theoretic and algorithmic properties of d-dimensional collages and patterns in a grid. *J. Comput. Syst. Sci.*, 53(1):33–60, 1996.

[22] Patrick W. Dymond, Faith E. Fich, Naomi Nishimura, Prabhakar Ragde, and Walter L. Ruzzo. Pointers versus arithmetic in prams. *J. Comput. Syst. Sci.*, 53(2):218–232, 1996. see also Eighth Annual Conference on Structure in Complexity Theory 1993.

[23] Andrzej Ehrenfeucht, Joost Engelfriet, and Grzegorz Rozenberg. Finite languages for the representation of finite graphs. *J. Comput. Syst. Sci.*, 52(1):170–184, 1996.

[24] Thomas Eiter and Georg Gottlob. The complexity of nested counterfactuals and iterated knowledge base revisions. *J. Comput. Syst. Sci.*, 53(3):497–512, 1996. see also 1994 ACM Symposium on Parallel Algorithms and Architectures.

[25] Joost Engelfriet and Vincent van Oostrom. Regular description of context-free graph languages. *J. Comput. Syst. Sci.*, 53(3):556–574, 1996. see also 1994 ACM Symposium on Parallel Algorithms and Architectures.

[26] David Eppstein, Zvi Galil, Giuseppe F. Italiano, and Thomas H. Spencer. Separator based sparsification — i. planarity testing and minimum spanning trees. *J. Comput. Syst. Sci.*, 52(1):3–27, 1996.

[27] Shao C. Fang and Santosh S. Venkatesh. Learning binary perceptrons perfectly efficiently. *J. Comput. Syst. Sci.*, 52(2):374–389, 1996.

[28] Faith E. Fich, Russell Impagliazzo, Bruce Kapron, Valerie King, and Mirosław Kutyłowski. Limits on the power of parallel random access machines with weak forms of write conflict resolution. *J. Comput. Syst. Sci.*, 53(1):104–111, 1996.

[29] Lance Fortnow and Tomoyuki Yamakami. Generic separations. *J. Comput. Syst. Sci.*, 52(1):191–197, 1996.

[30] Michael Frazier, Sally Goldman, Nina Mishra, and Leonard Pitt. Learning from a consistently ignorant teacher. *J. Comput. Syst. Sci.*, 52(3):471–492, 1996.

[31] Harold N. Gabow and Ying Xu. Efficient theoretic and practical algorithms for linear matroid intersection problems. *J. Comput. Syst. Sci.*, 53(1):129–147, 1996.

[32] Feng Gao. Towards structured parallel computing on architecture-independent parallel algorithm design for distributed-memory architectures. *J. Comput. Syst. Sci.*, 53(1):112–128, 1996.

[33] Bhaskar Ghosh and S. Muthukrishnan. Dynamic load balancing by random matchings. *J. Comput. Syst. Sci.*, 53(3):357–370, 1996. see also 1994 ACM Symposium on Parallel Algorithms and Architectures.

[34] Phillip B. Gibbons, Yossi Matias, and Vijaya Ramachandran. Efficient low-contention parallel algorithms. *J. Comput. Syst. Sci.*, 53(3):417–442, 1996. see also 1994 ACM Symposium on Parallel Algorithms and Architectures.

[35] Gavin J. Gibson. Exact classification with two-layer neural nets. *J. Comput. Syst. Sci.*, 52(2):349–356, 1996.

[36] Andreas Goerdt. A threshold for unsatisfiability. *J. Comput. Syst. Sci.*, 53(3):469–486, 1996. see also 1994 ACM Symposium on Parallel Algorithms and Architectures.

[37] Sally A. Goldman and H. David Mathias. Teaching a smarter learner. *J. Comput. Syst. Sci.*, 52(2):255–267, 1996.

[38] Stéphane Grumbach and Tova Milo. Towards tractable algebras for bags. *J. Comput. Syst. Sci.*, 52(3):570–588, 1996.

[39] Jerzy W. Grzymala-Busse and Soe Than. Partition triples: A tool for reduction of data sets. *J. Comput. Syst. Sci.*, 53(3):575–582, 1996. see also 1994 ACM Symposium on Parallel Algorithms and Architectures.

[40] Peter J. Haas, Jeffrey F. Naughton, S. Seshadri, and Arun N. Swami. Selectivity and cost estimation for joins based on random sampling. *J. Comput. Syst. Sci.*, 52(3):550–569, 1996.

[41] Shay Halperin and Uri Zwick. An optimal randomised logarithmic time connectivity algorithm for the erew pram. *J. Comput. Syst. Sci.*, 53(3):395–416, 1996. see also 1994 ACM Symposium on Parallel Algorithms and Architectures.

[42] Edith Hemaspaandra, Ashish V. Naik, Mitsunori Ogihara, and Alan L. Selman. -selective sets and reducing search to decision vs self-reducibility. *J. Comput. Syst. Sci.*, 53(2):194–209, 1996. see also Eighth Annual Conference on Structure in Complexity Theory 1993.

[43] Tirza Hirst and David Harel. Completeness results for recursive data bases. *J. Comput. Syst. Sci.*, 52(3):522–536, 1996.

[44] Tirza Hirst and David Harel. Taking it to the limit: On infinite variants of *np*-complete problems. *J. Comput. Syst. Sci.*, 53(2):180–193, 1996. see also Eighth Annual Conference on Structure in Complexity Theory 1993.

[45] Juha Honkala. On parik slender languages and power series. *J. Comput. Syst. Sci.*, 52(1):185–190, 1996.

[46] Sanjay Jain. Program synthesis in the presence of infinite number of inaccuracies. *J. Comput. Syst. Sci.*, 53(3):583–591, 1996. see also 1994 ACM Symposium on Parallel Algorithms and Architectures.

[47] Sanjay Jain and Arun Sharma. The intrinsic complexity of language identification. *J. Comput. Syst. Sci.*, 52(3):393–402, 1996.

[48] Tao Jiang and Ming Li. k one-way heads cannot do string-matching. *J. Comput. Syst. Sci.*, 53(3):513–524, 1996. see also 1994 ACM Symposium on Parallel Algorithms and Architectures.

[49] Paris Kanellakis, Sridhar Ramaswamy, Darren E. Vengroff, and Jeffrey Scott Vitter. Indexing for data models with constraints and classes. *J. Comput. Syst. Sci.*, 52(3):589–612, 1996.

[50] Lila Kari and Gabriel Thierrin. Maximal and minimal solutions to language equations. *J. Comput. Syst. Sci.*, 53(3):487–496, 1996. see also 1994 ACM Symposium on Parallel Algorithms and Architectures.

[51] Steven M. Kautz and Peter Bro Miltersen. Relative to a random oracle, *np* is not small. *J. Comput. Syst. Sci.*, 53(2):235–250, 1996. see also Ninth Annual Conference on Structure in Complexity Theory 1994.

[52] Ravi Krishnamurthy, Raghu Ramakrishnan, and Oded Shmueli. A framework for testing safety and effective computability. *J. Comput. Syst. Sci.*, 52(1):100–124, 1996.

[53] Ajay D. Kshemkalyani. Temporal interactions of intervals in distributed systems. *J. Comput. Syst. Sci.*, 52(2):287–298, 1996.

[54] Martin Kummer and Frank Stephan. Inclusion problems in parallel learning and games. *J. Comput. Syst. Sci.*, 52(3):403–420, 1996.

[55] Martin Kummer and Frank Stephan. On the structure of degrees of inferability. *J. Comput. Syst. Sci.*, 52(2):214–238, 1996.

[56] Han La Poutré. Lower bounds for the union-find and the split-find problem on pointer machines. *J. Comput. Syst. Sci.*, 52(1):87–99, 1996.

[57] Steffen Lange and Thomas Zeugmann. Incremental learning from positive data. *J. Comput. Syst. Sci.*, 53(1):88–103, 1996.

[58] M. Leoncini. On the parallel complexity of gaussian elimination with pivoting. *J. Comput. Syst. Sci.*, 53(3):380–394, 1996. see also 1994 ACM Symposium on Parallel Algorithms and Architectures.

[59] Leonid Libkin and Limsoon Wong. Semantic representations and query languages for or-sets. *J. Comput. Syst. Sci.*, 52(1):125–142, 1996.

[60] Carlo Meghini and Costantino Thanos. An optimal predicate locking scheduler. *J. Comput. Syst. Sci.*, 53(3):443–468, 1996. see also 1994 ACM Symposium on Parallel Algorithms and Architectures.

[61] Michael Mitzenmacher. Bounds on the greedy routing algorithm for array networks. *J. Comput. Syst. Sci.*, 53(3):317–327, 1996. see also 1994 ACM Symposium on Parallel Algorithms and Architectures.

[62] Shlomo Moran, Gadi Taubenfeld, and Irit Yadin. Concurrent counting. *J. Comput. Syst. Sci.*, 53(1):61–78, 1996.

[63] Shinichi Morishita. An extension of van gelder's alternating fixpoint to magic programs. *J. Comput. Syst. Sci.*, 52(3):506–521, 1996.

[64] Noam Nisan and David Zuckerman. Randomness is linear in space. *J. Comput. Syst. Sci.*, 52(1):43–52, 1996.

[65] Mitsunori Ogihara, Thomas Thierauf, Seinosuke Toda, and Osamu Watanabe. On clusure properties of # in the context of $pf \circ \#$. *J. Comput. Syst. Sci.*, 53(2):171–179, 1996. see also Eighth Annual Conference on Structure in Complexity Theory 1993.

[66] Christos H. Papadimitriou and Mihalis Yannakakis. On limited nondeterminism and the complexity of the v-c dimension. *J. Comput. Syst. Sci.*, 53(2):161–170, 1996. see also Eighth Annual Conference on Structure in Complexity Theory 1993.

[67] Nicholas Pippenger. Self-routing superconcentrators. *J. Comput. Syst. Sci.*, 52(1):53–60, 1996.

[68] Margaret Reid-Miller. List ranking and list scan on the cray c90. *J. Comput. Syst. Sci.*, 53(3):344–356, 1996. see also 1994 ACM Symposium on Parallel Algorithms and Architectures.

[69] Robert E. Schapire and Linda M. Sellie. Learning sparse multivariate polynomials over a field with queries and counterexamples. *J. Comput. Syst. Sci.*, 52(2):201–213, 1996.

[70] Rainer Schuler and Tomoyuki Yamakami. Structural average case complexity. *J. Comput. Syst. Sci.*, 52(2):308–327, 1996.

[71] Eric J. Schwabe and Ian M. Sutherland. Improved parity-declustered layouts for disk arrays. *J. Comput. Syst. Sci.*, 53(3):328–343, 1996. see also 1994 ACM Symposium on Parallel Algorithms and Architectures.

[72] Jeffrey Shallit and Yuri Breitbart. Automaticity i: Properties of a measure of descriptional complexity. *J. Comput. Syst. Sci.*, 53(1):10–25, 1996.

[73] Detlef Sieling. New lower bounds and hierarchy results for restricted branching programs. *J. Comput. Syst. Sci.*, 53(1):79–87, 1996.

[74] Hans Ulrich Simon. General bounds on the number of examples needed for learning probabilistic concepts. *J. Comput. Syst. Sci.*, 52(2):239–254, 1996.

[75] Hisao Tamaki. Construction of the mesh and the torus tolerating a large number of faults. *J. Comput. Syst. Sci.*, 53(3):371–379, 1996. see also 1994 ACM Symposium on Parallel Algorithms and Architectures.

[76] Gábor Tardos. Multi-prover encoding schemes and three-prover proof systems. *J. Comput. Syst. Sci.*, 53(2):251–260, 1996. see also Ninth Annual Conference on Structure in Complexity Theory 1994.

[77] Vijay K. Vaishnavi. On k-dimensional balanced binary trees. *J. Comput. Syst. Sci.*, 52(2):328–348, 1996.

[78] Jan Van den Bussche, Dirk van Gucht, and Gottfried Vossen. Reflective programming in the relational algebra. *J. Comput. Syst. Sci.*, 52(3):537–549, 1996.

[79] Narayan Vikas. An $o(n)$ algorithm for abelian p-group isomorphism and an $o(n \log n)$ algorithm for abelian group isomorphism. *J. Comput. Syst. Sci.*, 53(1):1–9, 1996.

[80] Dan E. Willard. Applications of range query theory to relational data base join and selection operations. *J. Comput. Syst. Sci.*, 52(1):157–169, 1996.

[81] Limsoon Wong. Normal forms and conservative extension properties for query languages over collection types. *J. Comput. Syst. Sci.*, 52(3):495–505, 1996.