

## References

- [1] Beatrice Amrhein, Oliver Gloor, and Roman E. Maeder. Visualizations for mathematics courses based on a computer algebra system. *J. Symbolic Computation*, 23(5-6):447–452, 1997.
- [2] Enrique Arrondo, Juana Sendra, and J. Rafael Sendra. Parametric generalized offsets to hypersurfaces. *J. Symbolic Computation*, 23(2-3):267–285, 1997.
- [3] Chandrajit L. Bajaj and Guoliang Xu. Spline approximations of real algebraic surfaces. *J. Symbolic Computation*, 23(2-3):315–333, 1997.
- [4] Nigel Boston. A use of computers to teach group theory and introduce students to research. *J. Symbolic Computation*, 23(5-6):453–458, 1997.
- [5] Adel Bouhoula. Automated theorem proving by test set induction. *J. Symbolic Computation*, 23(1):47–77, 1997.
- [6] B.M. Brown, M.S.P. Eastham, and D.K.R. McCormack. A new algorithm for computing the asymptotic solutions of a class of linear differential systems. *J. Symbolic Computation*, 23(1):119–131, 1997.
- [7] John Cannon and Catherine Playoust. Using the magma computer algebra system in abstract algebra courses. *J. Symbolic Computation*, 23(5-6):459–484, 1997.
- [8] R.M. Corless, D.J. Jeffrey, M.B. Monagan, and Pratibha. Two perturbation calculations in fluid mechanics using large-expression management. *J. Symbolic Computation*, 23(4):427–443, 1997.
- [9] Robert M. Corless and David J. Jeffery. Scientific computing: One part of the revolution. *J. Symbolic Computation*, 23(5-6):485–495, 1997.
- [10] Rida T. Farouki. Conic approximation of conic offsets. *J. Symbolic Computation*, 23(2-3):301–313, 1997.
- [11] Amy Felty and Laurent Théry. Interactive theorem proving with temporal logic. *J. Symbolic Computation*, 23(4):367–397, 1997.
- [12] Alfons Geser. Omega-termination is undecidable for totally terminating term rewriting systems. *J. Symbolic Computation*, 23(4):399–411, 1997.

- [13] Laureano Gonzalez-Vega. Implicitization of parametric curves and surfaces by using multidimensional newton formulae. *J. Symbolic Computation*, 23(2-3):137–151, 1997.
- [14] Christoph M. Hoffmann and Robert Joan-Arinyo. Symbolic constraints in constructive geometric constraint solving. *J. Symbolic Computation*, 23(2-3):287–299, 1997.
- [15] Hoon Hong. Implicitization of nested circular curves. *J. Symbolic Computation*, 23(2-3):177–189, 1997.
- [16] Hoon Hong. Subresultants under composition. *J. Symbolic Computation*, 23(4):355–365, 1997.
- [17] David P. Jacobs. A course in computational nonassociative algebra. *J. Symbolic Computation*, 23(5-6):497–502, 1997.
- [18] Yuichi Kaji, Toru Fujiwara, and Tadao Kasami. Solving a unification problem under constrained substitutions using tree automata. *J. Symbolic Computation*, 23(1):79–117, 1997.
- [19] Erich Kaltofen. Teaching computational abstract algebra. *J. Symbolic Computation*, 23(5-6):503–515, 1997.
- [20] Eugene M. Luks, Ferenc Rákóczi, and Charles R.B. Wright. Some algorithms for nilpotent permutation groups. *J. Symbolic Computation*, 23(4):335–354, 1997.
- [21] Christopher Lynch. Oriented equational logic programming is complete. *J. Symbolic Computation*, 23(1):23–45, 1997.
- [22] Elizabeth L. Mansfield and Peter A. Clarkson. Applications of the differential algebra package diffgrob2 to classical symmetries of differential equations. *J. Symbolic Computation*, 23(5-6):517–533, 1997.
- [23] Michal Mňuk. An algebraic approach to computing adjoint curves. *J. Symbolic Computation*, 23(2-3):229–240, 1997.
- [24] Michael B. Monagan. Worksheets and notebooks: Can we teach mathematical algorithms with them? *J. Symbolic Computation*, 23(5-6):535–549, 1997.

- [25] Robert Nieuwenhuis and Albert Rubio. Paramodulation with built-in ac-theories and symbolic constraints. *J. Symbolic Computation*, 23(1):1–21, 1997.
- [26] Martin Peternell and Helmut Pottmann. Computing rational parametrizations of canal surfaces. *J. Symbolic Computation*, 23(2-3):255–266, 1997.
- [27] Tomas Recio and J. Rafael Sendra. Real reparametrizations of real curves. *J. Symbolic Computation*, 23(2-3):241–254, 1997.
- [28] Nicolas Robidoux. Computer algebra and interpolation: A lesson plan. *J. Symbolic Computation*, 23(5-6):551–576, 1997.
- [29] Tom Sederberg, Ron Goldman, and Hang Du. Implicitizing rational curves by the method of moving algebraic curves. *J. Symbolic Computation*, 23(2-3):153–175, 1997.
- [30] J. Rafael Sendra and Franz Winkler. Parametrization of algebraic curves over optimal field extensions. *J. Symbolic Computation*, 23(2-3):191–207, 1997.
- [31] Gary J. Sherman. Trying to do group theory with undergraduates and computers. *J. Symbolic Computation*, 23(5-6):577–587, 1997.
- [32] William Y. Sit. Mathematica notebooks for a conventional differential equations course. *J. Symbolic Computation*, 23(5-6):589–623, 1997.
- [33] Mark van Hoeij. Rational parametrizations of algebraic curves using a cononical divisor. *J. Symbolic Computation*, 23(2-3):209–227, 1997.
- [34] Sébastien Veigneau. Sp, a package for schubert polynomials realized with the computer algebra system maple. *J. Symbolic Computation*, 23(4):413–425, 1997.