

References

- [1] J.S. Aitken, P. Gray, T. Melham, and M. Thomas. Interactive theorem proving: An empirical study of user activity. *J. Symbolic Computation*, 25(2):263–284, 1998.
- [2] Joachim Apel. The theory of involutive divisions and an application to hilbert function computation. *J. Symbolic Computation*, 25(6):683–704, 1998.
- [3] Yves Bertot and Laurent Théry. A generic approach to building user interfaces for theorem provers. *J. Symbolic Computation*, 25(2):161–194, 1998.
- [4] Jean-Camille Birget. Infinite string rewrite systems and complexity. *J. Symbolic Computation*, 25(6):759–793, 1998.
- [5] Hubert Comon. Completion of rewrite systems with membership constraints — part i: Deduction rules. *J. Symbolic Computation*, 25(4):397–419, 1998.
- [6] Hubert Comon. Completion of rewrite systems with membership constraints — part ii: Constraint solving. *J. Symbolic Computation*, 25(4):421–453, 1998.
- [7] Elie Compoint. Differential equations and algebraic relations. *J. Symbolic Computation*, 25(6):705–725, 1998.
- [8] Wolfram Decker, Agnes Eileen Heydtmann, and Frank-Olaf Schreyer. Generating a noetherian normalization of the invariant ring of a finite group. *J. Symbolic Computation*, 25(6):727–731, 1998.
- [9] Simon Gray, Norbert Kajler, and Paul W. Wang. Design and implementation of mp, a protocol for efficient exchange of mathematical expressions. *J. Symbolic Computation*, 25(2):213–237, 1998.
- [10] L. Hajdu and T. Herendi. Explicit bounds for the solutions of elliptic equations with rational coefficients. *J. Symbolic Computation*, 25(3):361–366, 1998.

- [11] Michael B. Hayden and Edmund A. Lamagna. Newton: An interactive environment for exploring mathematics. *J. Symbolic Computation*, 25(2):195–212, 1998.
- [12] Claus Hintermeier, Claude Kirchner, and H el ene Kirchner. Dynamically typed computations for order-sorted equational presentations. *J. Symbolic Computation*, 25(4):455–526, 1998.
- [13] Hoon Hong. Bounds for absolute positiveness of multivariate polynomials. *J. Symbolic Computation*, 25(5):571–585, 1998.
- [14] Hoon Hong. Groebner basis under composition i. *J. Symbolic Computation*, 25(5):643–663, 1998.
- [15] Ming-Deh Huang and Doug Ierardi. Counting points on curves over finite fields. *J. Symbolic Computation*, 25(1):1–21, 1998.
- [16] Jon Jones, N.P. Karampetakis, and A.C. Pugh. The computation and application of the generalized inverse via maple. *J. Symbolic Computation*, 25(1):99–124, 1998.
- [17] Norbert Kajler and Neil Soiffer. A survey of user interfaces for computer algebra systems. *J. Symbolic Computation*, 25(2):127–159, 1998.
- [18] Ladislav Kocbach and Richard Liska. Generation and verification of algorithms for symbolic-numeric processing. *J. Symbolic Computation*, 25(3):367–382, 1998.
- [19] Eddie H. Lo. Finding intersections and normalizers in finitely generated nilpotent groups. *J. Symbolic Computation*, 25(1):45–59, 1998.
- [20] Eddie H. Lo. A polycyclic quotient algorithm. *J. Symbolic Computation*, 25(1):61–97, 1998.
- [21] Helen Lowe, Alan Bundy, and Duncan McLean. The use of proof planning for co-operative theorem proving. *J. Symbolic Computation*, 25(2):239–261, 1998.
- [22] Klaus Madlener and Birgit Reinert. A generalization of gr obner basis algorithms to polycyclic group rings. *J. Symbolic Computation*, 25(1):23–43, 1998.

- [23] Aart Middeldorp and Satoshi Okui. A deterministic lazy narrowing calculus. *J. Symbolic Computation*, 25(6):733–757, 1998.
- [24] Raphael Nauheim. Systems of algebraic equations with bad reduction. *J. Symbolic Computation*, 25(5):619–641, 1998.
- [25] M.F. Newman, Werner Nickel, and Alice C. Niemeyer. Descriptions of groups of prime-power order. *J. Symbolic Computation*, 25(5):665–682, 1998.
- [26] B. Paternoster and M. Cafaro. Computation of the interval of stability of runge-kutta-nyström methods. *J. Symbolic Computation*, 25(3):383–394, 1998.
- [27] L.J. Rylands and D.E. Taylor. Matrix generators for the orthogonal groups. *J. Symbolic Computation*, 25(3):351–360, 1998.
- [28] Bruno Salvy and John Shackell. Symbolic asymptotics: Functions of two variables, implicit functions. *J. Symbolic Computation*, 25(3):329–349, 1998.
- [29] Jan Snellman. Gröbner bases and normal forms in a subring of the power series ring on countably many variables. *J. Symbolic Computation*, 25(3):315–328, 1998.
- [30] Alexei Yu. Uteshev and Timofei M. Cherkasov. The search for the maximum of a polynomial. *J. Symbolic Computation*, 25(5):587–618, 1998.
- [31] Dongming Wang. Decomposing polynomial systems into simple systems. *J. Symbolic Computation*, 25(3):295–314, 1998.
- [32] Andreas Werner. A semantic approach to order-sorted rewriting. *J. Symbolic Computation*, 25(4):527–569, 1998.
- [33] Thomas Yan. The geobucket data structure for polynomials. *J. Symbolic Computation*, 25(3):285–293, 1998.