

## References

- [1] Paolo Aluffi. Computing characteristic classes of projective schemes. *J. Symbolic Computation*, 35(1):3–19, 2003.
- [2] Elizabeth A. Arnold. Modular algorithms for computing gröbner bases. *J. Symbolic Computation*, 35(4):403–419, 2003.
- [3] Rosemary Baines and Peter Vámos. An algorithm to compute the set of characteristics of a system of polynomial equations over the integers. *J. Symbolic Computation*, 35(3):269–279, 2003.
- [4] Thomas Bayer. An algorithm for computing invariants of linear actions of algebraic groups up to a given degree. *J. Symbolic Computation*, 35(4):441–449, 2003.
- [5] Peter A. Brooksbank. Constructive recognition of classical groups in their natural representation. *J. Symbolic Computation*, 35(2):195–239, 2003.
- [6] Ronald Brown and Christopher D. Wensley. Computation and homotopical applications of induced crossed modules. *J. Symbolic Computation*, 35(1):59–72, 2003.
- [7] Serge Burckel. A result on braids via the investigation of a rewriting system. *J. Symbolic Computation*, 35(2):169–175, 2003.
- [8] M.R. Bush, M. Leeming, and R.F.C. Walters. Computing left kan extensions. *J. Symbolic Computation*, 35(2):107–126, 2003.
- [9] John J. Cannon and Derek F. Holt. Automorphism group computation and isomorphism testing in finite groups. *J. Symbolic Computation*, 35(3):241–267, 2003.
- [10] Hans de Nivelles and Maarten de Rijke. Deciding the guarded fragments by resolution. *J. Symbolic Computation*, 35(1):21–58, 2003.
- [11] M’hammed El Kahoui. An elementary approach to subresultants theory. *J. Symbolic Computation*, 35(3):281–292, 2003.
- [12] Michael Fleming, Ryan Gunther, and Robert Rosebrugh. A database of categories. *J. Symbolic Computation*, 35(2):127–135, 2003.

- [13] Karin Gatermann. Applications of sagbi-bases in dynamics. *J. Symbolic Computation*, 35(5):543–575, 2003.
- [14] Amparo Gil and Javier Segura. A combined symbolic and numerical algorithm for the computation of zeros of orthogonal polynomials and special functions. *J. Symbolic Computation*, 35(5):465–485, 2003.
- [15] A. Jacquemard and M.A. Teixeira. Computer analysis of periodic orbits of discontinuous vector fields. *J. Symbolic Computation*, 35(5):617–636, 2003.
- [16] Abdul Salam Jarrah, Reinhard Laubenbacher, and Valery Romanovski. The sibirsky component of the center variety of polynomial differential systems. *J. Symbolic Computation*, 35(5):577–589, 2003.
- [17] Alain Lascoux and Piotr Pragacz. Double sylvester sums for subresultants and multi-schur functions. *J. Symbolic Computation*, 35(6):689–710, 2003.
- [18] François Lemaire. An orderly linear pde system with analytic initial conditions with a non-analytic solution. *J. Symbolic Computation*, 35(5):487–498, 2003.
- [19] John B. Little, David Ortiz, Ricardo Ortiz-Rosado, Rebecca Pablo, and Karen Ríos-Soto. Some remarks on fitzpatrick and flynn’s gröbner basis technique for padé approximation. *J. Symbolic Computation*, 35(4):451–461, 2003.
- [20] Jinwang Liu, Zhuojun Liu, and Mingsheng Wang. The term orderings which are compatible with composition ii. *J. Symbolic Computation*, 35(2):153–168, 2003.
- [21] Maurice Mignotte and Doru Ştefănescu. Linear recurrent sequences and polynomial roots. *J. Symbolic Computation*, 35(6):637–649, 2003.
- [22] Teo Mora and Massimiliano Sala. On the gröbner bases of some symmetric systems and their application to coding theory. *J. Symbolic Computation*, 35(2):177–194, 2003.
- [23] T. Mulders and A. Storjohann. On lattice reduction for polynomial matrices. *J. Symbolic Computation*, 35(4):377–401, 2003.

- [24] Susan B. Niefeld. Implementing finite structures in mathematica via a skeletal topos of finite sets. *J. Symbolic Computation*, 35(2):137–151, 2003.
- [25] Aurora Olivieri and Ángel del Río. An algorithm to compute the primitive central idempotents and the wedderburn decomposition of a rational group algebra. *J. Symbolic Computation*, 35(6):673–687, 2003.
- [26] Axel Riese.  $q$ -multisum — a package for proving  $q$ -hypergeometric multiple summation identities. *J. Symbolic Computation*, 35(3):349–376, 2003.
- [27] Colva M. Roney-Dougal and William R. Unger. The affine primitive permutation groups of degree less than 1000. *J. Symbolic Computation*, 35(4):421–439, 2003.
- [28] Marc Rybowicz. On the normalization of numbers and functions defined by radicals. *J. Symbolic Computation*, 35(6):651–672, 2003.
- [29] Wolfgang Schreiner, Christian Mittermaier, and Karoly Bosa. Distributed maple: Parallel computer algebra in networked environments. *J. Symbolic Computation*, 35(3):305–347, 2003.
- [30] Miroslav N. Velev and Randal E. Bryant. Effective use of boolean satisfiability procedures in the formal verification of superscalar and vliw microprocessors. *J. Symbolic Computation*, 35(2):73–106, 2003.
- [31] Uli Walther. Cohomology, stratifications and parametric gröbner bases in characteristic zero. *J. Symbolic Computation*, 35(5):527–542, 2003.
- [32] Thomas Wolf. The integration of systems of linear pdes using conservation laws of syzygies. *J. Symbolic Computation*, 35(5):499–526, 2003.
- [33] Pei Yu and Yuan Yuan. A matching pursuit technique for computing the simplest normal forms of vector fields. *J. Symbolic Computation*, 35(5):591–615, 2003.
- [34] Bao-Yin Zhang. A new elementary algorithm for proving  $q$ -hypergeometric identities. *J. Symbolic Computation*, 35(3):293–303, 2003.