

## References

- [1] S.A. Abramov, J.J. Carette, K.O. Geddes, and H.Q. Le. Telescoping in the context of symbolic summation in maple. *J. Symbolic Computation*, 38(4):1303–1326, 2004.
- [2] S.A. Abramov and M. Petkovšek. Erratum to "rational normal forms and minimal decompositions of hypergeometric terms". *J. Symbolic Computation*, 38(3):1165–1165, 2004. Originally in *Journal of Symbolic Computation*, Vol. 33, 2002, No. 5, 521-543.
- [3] Nicoletă Bila and Jitse Niesen. On a new procedure for finding nonclassical symmetries. *J. Symbolic Computation*, 38(6):1523–1533, 2004.
- [4] Cristina Blanco, Gabriela Jeronimo, and Pablo Solernó. Computing generators of the ideal of a smooth affine algebraic variety. *J. Symbolic Computation*, 38(1):843–872, 2004.
- [5] Arnaud Bodin. Computation of milnor numbers and critical values at infinity. *J. Symbolic Computation*, 38(5):1417–1427, 2004.
- [6] Rikard Bøgvad and Thomas Meyer. On algorithmically checking whether a hilbert series comes from a complete intersection. *J. Symbolic Computation*, 38(6):1487–1506, 2004.
- [7] Marco Bozzano and Giorgio Delzanno. Automatic verification of secrecy properties for linear logic specifications of cryptographic protocols. *J. Symbolic Computation*, 38(5):1375–1415, 2004.
- [8] M. Caboara, M. Kreuzer, and L. Robbiano. Efficiently computing minimal sets of critical pairs. *J. Symbolic Computation*, 38(4):1169–1190, 2004.
- [9] John J. Cannon, Bettina Eick, and Charles R. Leedham-Green. Special polycyclic generating sequences for finite soluble groups. *J. Symbolic Computation*, 38(5):1445–1460, 2004.
- [10] A.D. Chtcherba and D. Kapur. Resultants for unmixed bivariate polynomial systems produced using the dixon formulation. *J. Symbolic Computation*, 38(2):915–958, 2004.

- [11] Arthur D. Chtcherba and Deepak Kapur. Constructing sylvester-type resultant matrices using the dixon formulation. *J. Symbolic Computation*, 38(1):777–814, 2004.
- [12] Thomas Cluzeau and Mark van Hoeij. A modular algorithm for computing the exponential solutions of a linear differential operator. *J. Symbolic Computation*, 38(3):1043–1076, 2004.
- [13] George E. Collins. Single-factor coefficient bounds. *J. Symbolic Computation*, 38(6):1507–1521, 2004.
- [14] J.A. de Loera, D. Haws, R. Hemmecke, P. Huggins, B. Sturmfels, and R. Yoshida. Short rational functions for toric algebra and applications. *J. Symbolic Computation*, 38(2):959–973, 2004.
- [15] Jesús A. de Loera, Raymond Hemmecke, Jeremiah Tauzer, and Ruriko Yoshida. Effective lattice point counting in rational convex polytopes. *J. Symbolic Computation*, 38(4):1273–1302, 2004.
- [16] Haibao Duan, Xu-an Zhao, and Xuezhi Zhao. The cartan matrix and enumerative calculus. *J. Symbolic Computation*, 38(3):1119–1144, 2004.
- [17] Graham Ellis. Computing group resolutions. *J. Symbolic Computation*, 38(3):1077–1118, 2004.
- [18] Claus Fieker. Minimizing representations over number fields. *J. Symbolic Computation*, 38(1):833–842, 2004.
- [19] E. Fortuna, P. Gianni, and D. Luminati. Algorithmical determination of the topology of a real algebraic surface. *J. Symbolic Computation*, 38(6):1551–1567, 2004.
- [20] Anne Fredet. Linear differential equations in exponential extensions. *J. Symbolic Computation*, 38(2):975–1002, 2004.
- [21] Anne Frühbis-Krüger. Partial standard bases as a tool for studying families of singularities. *J. Symbolic Computation*, 38(4):1191–1205, 2004.
- [22] Komei Fukuda. From the zonotope construction to the minkowski addition of convex polytopes. *J. Symbolic Computation*, 38(4):1261–1272, 2004.

- [23] Shuhong Gao, Erich Kaltofen, and Alan G.B. Lauder. Deterministic distinct-degree factorization of polynomials over finite fields. *J. Symbolic Computation*, 38(6):1461–1470, 2004.
- [24] Lenwood S. Heath and Nicholas A. Loehr. New algorithms for generating conway polynomials over finite fields. *J. Symbolic Computation*, 38(2):1003–1024, 2004.
- [25] Clemens Heuberger, Alain Togbé, and Volker Ziegler. Automatic solution of families of thue equations and an example of degree 8. *J. Symbolic Computation*, 38(3):1145–1163, 2004.
- [26] Lê Tuân Hoa and Eero Hyry. Castelnuovo-mumford regularity of initial ideals. *J. Symbolic Computation*, 38(5):1327–1341, 2004.
- [27] Michael Joswig and Gunter M. Ziegler. Convex hulls, oracles, and homology. *J. Symbolic Computation*, 38(4):1247–1259, 2004.
- [28] Peter Kirschenhofer and Jorg M. Thuswaldner. Elements of small norm in shanks’ cubic extensions of imaginary quadratic fields. *J. Symbolic Computation*, 38(6):1471–1486, 2004.
- [29] Anton Leykin. Algorithmic proofs of two theorems of stafford. *J. Symbolic Computation*, 38(6):1535–1550, 2004.
- [30] Yong-Bin Li. Applications of the theory of weakly nondegenerate conditions to zero decomposition for polynomial systems. *J. Symbolic Computation*, 38(1):815–832, 2004.
- [31] Claude Marché and Xavier Urbain. Modular and incremental proofs of  $ac$ -termination. *J. Symbolic Computation*, 38(1):873–897, 2004.
- [32] Thom Mulders. Certified sparse linear system solving. *J. Symbolic Computation*, 38(5):1343–1373, 2004.
- [33] Masayuki Noro and Kazuhiro Yokoyama. Implementation of prime decomposition of polynomial ideals over small finite fields. *J. Symbolic Computation*, 38(4):1227–1246, 2004.
- [34] María-Jesús Pisabarro. Computing lattice ideals of unions of monomial curves. *J. Symbolic Computation*, 38(2):1025–1042, 2004.

- [35] Xavier-François Roblot. Polynomial factorization algorithms over number fields. *J. Symbolic Computation*, 38(5):1429–1443, 2004.
- [36] Mathias Schulze. A normal form algorithm for the brieskorn lattice. *J. Symbolic Computation*, 38(4):1207–1225, 2004.
- [37] Dongming Wang. A simple method for implicitizing rational curves and surfaces. *J. Symbolic Computation*, 38(1):899–914, 2004.