

References

- [1] Min-Ho Ahn and Gwang-Il Kim. Retraction notice to "characterization of pythagorean curves and pythagoreanization using a rational transform". *J. Symbolic Computation*, 41(1):122–122, 2006. Originally in J. Symbolic Computation, Vol. 37, 2004, No. 3, 377–389.
- [2] Elizabeth S. Allman and John A. Rhodes. Phylogenetic invariants for stationary base composition. *J. Symbolic Computation*, 41(2):138–150, 2006.
- [3] Josep Àlvarez Montaner and Anton Leykin. Computing the support of local cohomology modules. *J. Symbolic Computation*, 41(12):1328–1344, 2006.
- [4] Matthias Baaz and Alexander Leitsch. Towards a clausal analysis of cut-elimination. *J. Symbolic Computation*, 41(3-4):381–410, 2006.
- [5] Jamil Baddoura. Integration in finite terms with elementary functions and dilogarithms. *J. Symbolic Computation*, 41(8):909–942, 2006.
- [6] Saugata Basu. Computing the first few betti numbers of semi-algebraic sets in single exponential time. *J. Symbolic Computation*, 41(10):1125–1154, 2006.
- [7] Bernhard Beckermann, Howard Cheng, and George Labahn. Fraction-free row reduction of matrices of ore polynomials. *J. Symbolic Computation*, 41(5):513–543, 2006.
- [8] Bernhard Beckermann, George Labahn, and Gilles Villard. Normal forms for general polynomial matrices. *J. Symbolic Computation*, 41(6):708–737, 2006.
- [9] G. Belitskii and R. Lipyanski. The unification type of the pythagorean equation in varieties of nilpotent rings. *J. Symbolic Computation*, 41(1):67–79, 2006.
- [10] Martin Bendersky and Richard C. Churchill. Normal forms in a cyclically graded lie algebra. *J. Symbolic Computation*, 41(6):633–662, 2006.

- [11] A. Bérczes, A. Pethő, and V. Ziegler. Parameterized norm form equations with arithmetic progressions. *J. Symbolic Computation*, 41(7):790–810, 2006.
- [12] Isabel Bermejo, Philippe Gimenez, and Marcel Morales. Castelnuovo-mumford regularity of projective monomial varieties of codimension two. *J. Symbolic Computation*, 41(10):1105–1124, 2006.
- [13] Thomas Beth, Jörn Müller-Quade, and Rainer Steinwandt. Computing restrictions of ideals in finitely generated k -algebras by means of buchberger’s algorithm. *J. Symbolic Computation*, 41(3-4):372–380, 2006.
- [14] Giandomenico Boffi and Fabio Rossi. Lexicographic gröbner bases for transportation problems of format $r \times 3 \times 3$. *J. Symbolic Computation*, 41(3-4):336–356, 2006.
- [15] Leonid Bokut and Andrei Vesnin. Gröbner-shirshov bases for some braid groups. *J. Symbolic Computation*, 41(3-4):357–371, 2006.
- [16] Alin Bostan, Philippe Flajolet, Bruno Salvy, and Éric Schost. Fast computation of special resultants. *J. Symbolic Computation*, 41(1):1–29, 2006.
- [17] Martin Bright. Brauer groups of diagonal quartic surfaces. *J. Symbolic Computation*, 41(5):544–558, 2006.
- [18] Christopher W. Brown, M’hammed El Kahoui, Dominik Novotni, and Andreas Weber. Algorithmic methods for investigating equilibria in epidemic modeling. *J. Symbolic Computation*, 41(11):1157–1173, 2006.
- [19] Ronald Brown, Neil Ghani, Anne Heyworth, and Christopher D. Wensley. String rewriting for double coset systems. *J. Symbolic Computation*, 41(5):573–590, 2006.
- [20] Bruno Buchberger. Bruno buchberger’s phd thesis 1965: An algorithm for finding the basis elements of the residue class ring of a zero dimensional polynomial ideal. *J. Symbolic Computation*, 41(3-4):475–511, 2006.
- [21] Max-Louis G. Buot and Donald St.P. Richards. Counting and locating the solutions of polynomial systems of maximum likelihood equations, i. *J. Symbolic Computation*, 41(2):234–244, 2006.

- [22] Domenico Cantone, Gianluca Cincotti, and Giovanni Gallo. Decision algorithms for fragments of real analysis. i. continuous functions with strict convexity and concavity predicates. *J. Symbolic Computation*, 41(7):763–789, 2006.
- [23] Giuseppa Carrá Ferro. Erratum to "ideals, bifiltered modules and bivariate hilbert polynomials". *J. Symbolic Computation*, 41(5):619–619, 2006. Originally in J. Symbolic Computation, Vol. 41, 2006, No. 1, 112-121.
- [24] Giuseppa Carrá Ferro. Ideals, bifiltered modules and bivariate hilbert polynomials. *J. Symbolic Computation*, 41(1):112–121, 2006. see Erratum in J. Symbolic Computation, Vol. 41, 2006, No. 5, 619-619.
- [25] F.J. Castro-Jiménez and J.M. Ucha-Enríquez. Gröbner bases and logarithmic d -modules. *J. Symbolic Computation*, 41(3-4):317–335, 2006.
- [26] Guillaume Chèze and André Galligo. From an approximate to an exact absolute polynomial factorization. *J. Symbolic Computation*, 41(6):682–696, 2006.
- [27] S.C. Coutinho and L. Menasché Schechter. Algebraic solutions of holomorphic foliations: An algorithmic approach. *J. Symbolic Computation*, 41(5):603–618, 2006.
- [28] Jesús A. De Loera and Shmuel Onn. Markov bases of three-way tables are arbitrarily complicated. *J. Symbolic Computation*, 41(2):173–181, 2006.
- [29] Persi Diaconis and Nicholas Eriksson. Markov bases for noncommutative fourier analysis of ranked data. *J. Symbolic Computation*, 41(2):182–195, 2006.
- [30] Gema M. Diaz-Toca. Galois theory, splitting fields and computer algebra. *J. Symbolic Computation*, 41(11):1174–1186, 2006.
- [31] Vesselin Drensky and Roberto la Scala. Gröbner bases of ideals invariant under endomorphisms. *J. Symbolic Computation*, 41(7):835–846, 2006.
- [32] Mathias Drton. Computing all roots of the likelihood equations of seemingly unrelated regressions. *J. Symbolic Computation*, 41(2):245–254, 2006.

- [33] Nicholas Eriksson, Stephen E. Fienberg, Alessandro Rinaldo, and Seth Sullivant. Polyhedral conditions for the nonexistence of the mle for hierarchical log-linear models. *J. Symbolic Computation*, 41(2):222–233, 2006.
- [34] Bálint Felszeghy, Balázs Ráth, and Lajos Rónyai. The lex game and some applications. *J. Symbolic Computation*, 41(6):663–681, 2006.
- [35] Ruyong Feng and Xiao-Shan Gao. A polynomial time algorithm for finding rational general solutions of first order autonomous odes. *J. Symbolic Computation*, 41(7):739–762, 2006.
- [36] Mario Fioravanti, Laureano Gonzalez-Vega, and Ioana Necula. Computing the intersection of two ruled surfaces by using a new algebraic approach. *J. Symbolic Computation*, 41(11):1187–1205, 2006.
- [37] Isaac A. García, Jaume Giné, and Maite Grau. A necessary condition in the monodromy problem for analytic differential equations on the plane. *J. Symbolic Computation*, 41(9):943–958, 2006.
- [38] Lothar Gerritzen. Tree polynomials and non-associative gröbner bases. *J. Symbolic Computation*, 41(3-4):297–316, 2006.
- [39] Oleg Golubitsky. Gröbner fan and universal characteristic sets of prime differential ideals. *J. Symbolic Computation*, 41(10):1091–1104, 2006.
- [40] Armin Größlinger, Martin Griebl, and Christian Lengauer. Quantifier elimination in automatic loop parallelization. *J. Symbolic Computation*, 41(11):1206–1221, 2006.
- [41] Jaime Gutierrez and David Sevilla. Computation of unirational fields. *J. Symbolic Computation*, 41(11):1222–1244, 2006.
- [42] Ingólfur B. Hallgrímsdóttir and Bernd Sturmfels. Resultants in genetic linkage analysis. *J. Symbolic Computation*, 41(2):125–137, 2006.
- [43] Werner Heiß, Ulrich Oberst, and Franz Pauer. On inverse systems and squarefree decomposition of zero-dimensional polynomial ideals. *J. Symbolic Computation*, 41(3-4):261–284, 2006.

- [44] Richard Henderson, Todd Macedo, and Sam Nelson. Symbolic computation with finite quandles. *J. Symbolic Computation*, 41(7):811–817, 2006.
- [45] Clemens Heuberger. All solutions to thomas’ family of thue equations over imaginary quadratic number fields. *J. Symbolic Computation*, 41(9):980–998, 2006.
- [46] Freyja Hreinsdóttir. An improved term ordering for the ideal of commuting matrices. *J. Symbolic Computation*, 41(9):999–1003, 2006.
- [47] John W. Jones and David P. Roberts. A database of local fields. *J. Symbolic Computation*, 41(1):80–97, 2006.
- [48] Masaaki Kanno and Malcolm C. Smith. Validated numerical computation of the l_∞ -norm for linear dynamical systems. *J. Symbolic Computation*, 41(6):697–707, 2006.
- [49] Manuel Kauers. Sumcracker: A package for manipulating symbolic sums and related objects. *J. Symbolic Computation*, 41(9):1039–1057, 2006.
- [50] Werner Krandick and Kurt Mehlhorn. New bounds for the descartes method. *J. Symbolic Computation*, 41(1):49–66, 2006.
- [51] Eric H. Kuo. Viterbi sequences and polytopes. *J. Symbolic Computation*, 41(2):151–163, 2006.
- [52] Micah J. Leamer. Gröbner finite path algebras. *J. Symbolic Computation*, 41(1):98–111, 2006.
- [53] Montserrat Manubens and Antonio Montes. Improving the dispgr algorithm using the discriminant ideal. *J. Symbolic Computation*, 41(11):1245–1263, 2006.
- [54] Manfred Minimair. Resultants of partially composed polynomials. *J. Symbolic Computation*, 41(5):591–602, 2006.
- [55] A.D. Myasnikov and R.M. Haralick. A hybrid search algorithm for the whitehead minimization problem. *J. Symbolic Computation*, 41(7):818–834, 2006.

- [56] Koji Nakagawa. Logicographic symbols. *J. Symbolic Computation*, 41(3–4):411–434, 2006.
- [57] Giovanni Pistone and Henry P. Wynn. Cumulant varieties. *J. Symbolic Computation*, 41(2):210–221, 2006.
- [58] Andrea Previtali. Irreducible constituents of monomial representations. *J. Symbolic Computation*, 41(12):1345–1359, 2006.
- [59] Liqun Qi. Rank and eigenvalues of a supersymmetric tensor, the multivariate homogeneous polynomial and the algebraic hypersurface it defines. *J. Symbolic Computation*, 41(12):1309–1327, 2006.
- [60] Saeed Rajaei. Non-associative gröbner bases. *J. Symbolic Computation*, 41(8):887–904, 2006.
- [61] Fabio Rapallo. Markov bases and structural zeros. *J. Symbolic Computation*, 41(2):164–172, 2006.
- [62] Birgit Reinert. Gröbner bases in function rings — a guide for introducing reduction relations to algebraic structures. *J. Symbolic Computation*, 41(11):1264–1294, 2006.
- [63] A. Romero, J. Rubio, and F. Sergeraert. Computing spectral sequences. *J. Symbolic Computation*, 41(10):1059–1079, 2006.
- [64] Arnold Schönhage. Polynomial root separation examples. *J. Symbolic Computation*, 41(10):1080–1090, 2006.
- [65] Aleksandra B. Slavkovic and Seth Sullivant. The space of compatible full conditionals is a unimodular toric variety. *J. Symbolic Computation*, 41(2):196–209, 2006.
- [66] Adam W. Strzeboński. Cylindrical algebraic decomposition using validated numerics. *J. Symbolic Computation*, 41(9):1021–1038, 2006.
- [67] Ibolya Szilágyi, Bert Jüttler, and Josef Schicho. Local parametrization of cubic surfaces. *J. Symbolic Computation*, 41(1):30–48, 2006.
- [68] Thorsten Theobald. On the frontiers of polynomial computations in tropical geometry. *J. Symbolic Computation*, 41(12):1360–1375, 2006.

- [69] William N. Traves. Differential operators on orbifolds. *J. Symbolic Computation*, 41(12):1295–1308, 2006.
- [70] W.R. Unger. Computing the character table of a finite group. *J. Symbolic Computation*, 41(8):847–862, 2006.
- [71] Joris van der Hoeven. Counterexamples to witness conjectures. *J. Symbolic Computation*, 41(9):959–963, 2006.
- [72] Joris van der Hoeven and John Shackell. Complexity bounds for zero-test algorithms. *J. Symbolic Computation*, 41(9):1004–1020, 2006.
- [73] Vincent Vatter. Finitely labeled generating trees and restricted permutations. *J. Symbolic Computation*, 41(5):559–572, 2006.
- [74] Takashi Wada and Hidefumi Ohsugi. Gröbner bases of hilbert ideals of alternating groups. *J. Symbolic Computation*, 41(8):905–908, 2006.
- [75] Zhendong Wan. An algorithm to solve integer linear systems exactly using numerical methods. *J. Symbolic Computation*, 41(6):621–632, 2006.
- [76] Volker Weispfenning. Comprehensive gröbner bases and regular rings. *J. Symbolic Computation*, 41(3-4):285–296, 2006.
- [77] Annegret Weng. Computing generators of the tame kernel of a global function field. *J. Symbolic Computation*, 41(9):964–979, 2006.
- [78] Wolfgang Windsteiger. An automated prover for zermelo-fraenkel set theory in theorema. *J. Symbolic Computation*, 41(3-4):435–470, 2006.
- [79] Guangxing Zeng. Determination of the tangents for a real plane algebraic curve. *J. Symbolic Computation*, 41(8):863–886, 2006.