

## References

- [1] Aharon Abadi, Alexander Rabinovich, and Mooly Sagiv. Decidable fragments of many-sorted logic. *J. Symbolic Computation*, 45(2):153–172, 2010.
- [2] Hirotachi Abo. On non-defectivity of certain segre-veronese varieties. *J. Symbolic Computation*, 45(12):1254–1269, 2010.
- [3] S.A. Abramov and M. Petkovšek. Polynomial ring automorphisms, rational  $(w, \sigma)$ -canonical forms, and the assignment problem. *J. Symbolic Computation*, 45(6):684–708, 2010.
- [4] M. Emilia Alonso and Henri Lombardi. Local bézout theorem. *J. Symbolic Computation*, 45(10):975–985, 2010.
- [5] Sergio Antoy. Programming with narrowing: A tutorial. *J. Symbolic Computation*, 45(5):501–522, 2010.
- [6] François Apéry. Subresultants of two hermite-laurent series. *J. Symbolic Computation*, 45(4):443–461, 2010.
- [7] J. Araújo, P.V. Bünaeu, J.D. Mitchell, and M. Neunhöffer. Computing automorphisms of semigroups. *J. Symbolic Computation*, 45(3):373–392, 2010.
- [8] Rouchdi Bahloul and Toshinori Oaku. Local bernstein-sato ideals: Algorithm and examples. *J. Symbolic Computation*, 45(1):46–59, 2010.
- [9] Saugata Basu and Marie-Françoise Roy. Bounding the radii of balls meeting every connected component of semi-algebraic sets. *J. Symbolic Computation*, 45(12):1270–1279, 2010.
- [10] Prashant Batra and Vikram Sharma. Bounds on absolute positiveness of multivariate polynomials. *J. Symbolic Computation*, 45(6):617–628, 2010.
- [11] Peter Beelen and Kristian Brander. Key equations for list decoding of reed-solomon codes and how to solve them. *J. Symbolic Computation*, 45(7):773–786, 2010.

- [12] Cristina Bertone, Guillaume Chèze, and André Galligo. Modular las vegas algorithms for polynomial absolute factorization. *J. Symbolic Computation*, 45(12):1280–1295, 2010.
- [13] Maria Paola Bonacina and Mnacho Echenim. Theory decision by decomposition. *J. Symbolic Computation*, 45(2):229–260, 2010.
- [14] Nigel Boston and Gary McGuire. The weight distributions of cyclic codes with two zeros and zeta functions. *J. Symbolic Computation*, 45(7):723–733, 2010.
- [15] François Boulier, François Lemaire, and Marc Moreno Maza. Computing differential characteristic sets by change of ordering. *J. Symbolic Computation*, 45(1):124–149, 2010.
- [16] Andries E. Brouwer and Mihaela Popoviciu. The invariants of the binary decimic. *J. Symbolic Computation*, 45(8):837–843, 2010.
- [17] Andries E. Brouwer and Mihaela Popoviciu. The invariants of the binary nonic. *J. Symbolic Computation*, 45(6):709–720, 2010.
- [18] L.X. Châu Ngô and Franz Winkler. Rational general solutions of first order non-autonomous parametrizable odes. *J. Symbolic Computation*, 45(12):1426–1441, 2010.
- [19] Liang Chen and Michael Monagan. Algorithms for solving linear systems over cyclotomic fields. *J. Symbolic Computation*, 45(9):902–917, 2010.
- [20] Horatiu Cirstea, Claude Kirchner, Radu Kopetz, and Pierre-Etienne Moreau. Anti-patterns for rule-based languages. *J. Symbolic Computation*, 45(5):523–550, 2010.
- [21] Drue Coles and Emma Previato. Decoding by rank-2 bundles over plane quartics. *J. Symbolic Computation*, 45(7):757–772, 2010.
- [22] Thierry Coquand, Henri Lombardi, and Claude Quitté. Curves and coherent prüfer rings. *J. Symbolic Computation*, 45(12):1378–1390, 2010.
- [23] María Angélica Cueto, Enrique A. Tobis, and Josephine Yu. An implicitization challenge for binary factor analysis. *J. Symbolic Computation*, 45(12):1296–1315, 2010.

- [24] Alberto Damiano, Graziano Gentili, and Daniele Struppa. Computations in the ring of quaternionic polynomials. *J. Symbolic Computation*, 45(1):38–45, 2010.
- [25] G.M. Diaz-Toca and H. Lombardi. Dynamic galois theory. *J. Symbolic Computation*, 45(12):1316–1329, 2010.
- [26] Christian Eder and John Perry. F5c: A variant of faugère’s f5 algorithm with reduced gröbner bases. *J. Symbolic Computation*, 45(12):1442–1458, 2010.
- [27] Bettina Eick. Some new simple lie algebras in characteristic 2. *J. Symbolic Computation*, 45(9):943–951, 2010.
- [28] Bahman Engheta. A bound on the projective dimension of three cubics. *J. Symbolic Computation*, 45(1):60–73, 2010.
- [29] Rida T. Farouki and Takis Sakkalis. Rational rotation-minimizing frames on polynomial space curves of arbitrary degree. *J. Symbolic Computation*, 45(8):844–856, 2010.
- [30] Claudia Fassino. Almost vanishing polynomials for sets of limited precision points. *J. Symbolic Computation*, 45(1):19–37, 2010.
- [31] Ruyong Feng, Michael F. Singer, and Min Wu. An algorithm to compute liouvillian solutions of prime order linear difference-differential equations. *J. Symbolic Computation*, 45(3):306–323, 2010.
- [32] Ruyong Feng, Michael F. Singer, and Min Wu. Liouvillian solutions of linear difference-differential equations. *J. Symbolic Computation*, 45(3):287–305, 2010.
- [33] W. Fish, J.D. Key, and E. Mwambene. Binary codes from the line graph of the  $n$ -cube. *J. Symbolic Computation*, 45(7):800–812, 2010.
- [34] Adrià Gascón, Guillem Godoy, Manfred Schmidt-Schauß, and Ashish Tiwari. Context unification with one context variable. *J. Symbolic Computation*, 45(2):173–193, 2010.
- [35] Volker Gebhardt and Juan González-Meneses. Solving the conjugacy problem in garside groups by cyclic sliding. *J. Symbolic Computation*, 45(6):629–656, 2010.

- [36] Thomas Genet and Vlad Rusu. Equational approximations for tree automata completion. *J. Symbolic Computation*, 45(5):574–597, 2010.
- [37] Gert-Martin Greuel, Santiago Laplagne, and Frank Seelisch. Normalization of rings. *J. Symbolic Computation*, 45(9):887–901, 2010.
- [38] Sunghyu Han and Jon-Lark Kim. Formally self-dual additive codes over  $F_4$ . *J. Symbolic Computation*, 45(7):787–799, 2010.
- [39] Amir Hashemi and Gwéno le Ars. Extended  $f_5$  criteria. *J. Symbolic Computation*, 45(12):1330–1340, 2010.
- [40] Tetsuo Ida and Hidekazu Takahashi. Origami fold as algebraic graph rewriting. *J. Symbolic Computation*, 45(4):393–413, 2010.
- [41] Nathan Owen Ilten and Hendrik S   . Algebraic geometry codes from polyhedral divisors. *J. Symbolic Computation*, 45(7):734–756, 2010.
- [42] Gabriela Jeronimo and Daniel Perrucci. On the minimum of a positive polynomial over the standard simplex. *J. Symbolic Computation*, 45(4):434–442, 2010.
- [43] Xiaohong Jia, Haohao Wang, and Ron Goldman. Set-theoretic generators of rational space curves. *J. Symbolic Computation*, 45(4):414–433, 2010.
- [44] Stefan Kauer and J  rgen F.H. Winkler. Mechanical inference of invariants for for-loops. *J. Symbolic Computation*, 45(11):1101–1113, 2010.
- [45] Igor V. Konnov and Vladimir A. Zakharov. An invariant-based approach to the verification of asynchronous parameterized networks. *J. Symbolic Computation*, 45(11):1144–1162, 2010.
- [46] P.-V. Koseleff, D. Pecker, and F. Rouillier. The first rational chebyshev knots. *J. Symbolic Computation*, 45(12):1341–1358, 2010.
- [47] Temur Kutsia, Jordi Levy, and Mateu Villaret. On the relation between context and sequence unification. *J. Symbolic Computation*, 45(1):74–95, 2010.
- [48] J.M. Landsberg.  $p$  versus  $np$  and geometry. *J. Symbolic Computation*, 45(12):1359–1377, 2010.

- [49] Huishi Li. Looking for gröbner basis theory for (almost) skew 2-nomial algebras. *J. Symbolic Computation*, 45(9):918–942, 2010.
- [50] Chenguang Luo, Florin Craciun, Shengchao Qin, Guanhua He, and Weingan Chin. Verifying pointer safety for programs with unknown calls. *J. Symbolic Computation*, 45(11):1163–1183, 2010.
- [51] Carsten Lutz and Frank Wolter. Deciding inseparability and conservative extensions in the description logic  $\uparrow\downarrow$ . *J. Symbolic Computation*, 45(2):194–228, 2010.
- [52] C. Martínez, R. Beivide, C. Camarero, E. Stafford, and E.M. Gabidulin. Quotients of gaussian graphs and their application to perfect codes. *J. Symbolic Computation*, 45(7):813–824, 2010.
- [53] Inmaculada Medina-Bulo, Francisco Palomo-Lozano, and José-Luis Ruiz-Reina. A verified COMMON LISP implementation of buchberger’s algorithm in acl2. *J. Symbolic Computation*, 45(1):96–123, 2010.
- [54] Kurt Mehlhorn and Saurabh Ray. Faster algorithms for computing hong’s bound on absolute positiveness. *J. Symbolic Computation*, 45(6):677–683, 2010.
- [55] Joël Merker. Application of computational invariant theory to kobayashi hyperbolicity and to green-griffiths algebraic degeneracy. *J. Symbolic Computation*, 45(10):986–1074, 2010.
- [56] Marc Mezzarobba and Bruno Salvy. Effective bounds for  $p$ -recursive sequences. *J. Symbolic Computation*, 45(10):1075–1096, 2010.
- [57] Preda Mihăilescu and Victor Vuletescu. Elliptic gauss sums and applications to point counting. *J. Symbolic Computation*, 45(8):825–836, 2010.
- [58] Ali Mili, Shir Aharon, Chaitanya Nadkarni, Lamia Labed Jilani, Asma Louhichi, and Olfa Mraïhi. Reflexive transitive invariant relations: A basis for computing loop functions. *J. Symbolic Computation*, 45(11):1114–1143, 2010.
- [59] Antonio Montes and Michael Wibmer. Gröbner bases for polynomial systems with parameters. *J. Symbolic Computation*, 45(12):1391–1425, 2010.

- [60] Yannick Moy and Claude Marché. Modular inference of subprogram contracts for safety checking. *J. Symbolic Computation*, 45(11):1184–1211, 2010.
- [61] Masaki Nakamura, Kazuhiro Ogata, and Kokichi Futatsugi. Reducibility of operation symbols in term rewriting systems and its application to behavioral specifications. *J. Symbolic Computation*, 45(5):551–573, 2010.
- [62] Kenta Nishiyama and Masayuki Noro. Stratification associated with local  $b$ -functions. *J. Symbolic Computation*, 45(4):462–480, 2010.
- [63] Martin Peternell. Rational two-parameter families of spheres and rational offset surfaces. *J. Symbolic Computation*, 45(1):1–18, 2010.
- [64] Sonia L. Rueda and J. Rafael Sendra. Linear complete differential resultants and the implicitization of linear dppes. *J. Symbolic Computation*, 45(3):324–341, 2010.
- [65] Andrey Rybalchenko and Viorica Sofronie-Stokkermans. Constraint solving for interpolation. *J. Symbolic Computation*, 45(11):1212–1233, 2010.
- [66] Eduardo Sáenz-de Cabezón. Computing the support of monomial iterated mapping cones. *J. Symbolic Computation*, 45(10):953–964, 2010.
- [67] Masahiko Sato and Randy Pollack. External and internal syntax of the  $\lambda$ -calculus. *J. Symbolic Computation*, 45(5):598–616, 2010.
- [68] Peter Scheiblechner. On a generalization of stickelberger’s theorem. *J. Symbolic Computation*, 45(12):1459–1470, 2010.
- [69] Meera Sitharam, Jörg Peters, and Yong Zhou. Optimized parametrization of systems of incidences between rigid bodies. *J. Symbolic Computation*, 45(4):481–498, 2010.
- [70] Allan K. Steel. Computing with algebraically closed fields. *J. Symbolic Computation*, 45(3):342–372, 2010.
- [71] Ștefan O. Tohăneanu. On the de boer-pelikaan method for computing minimum distance. *J. Symbolic Computation*, 45(10):965–974, 2010.

- [72] Duc-Khanh Tran, Christophe Ringeissen, Silvio Ranise, and Hélène Kirchner. Combination of convex theories: Modularity, deduction completeness, and explanation. *J. Symbolic Computation*, 45(2):261–286, 2010.
- [73] Joris van der Hoeven. Newton’s method and fft trading. *J. Symbolic Computation*, 45(8):857–878, 2010.
- [74] Joachim von zur Gathen, Maurice Mignotte, and Igor E. Shparlinski. Approximate polynomial gcd: Small degree and small height perturbations. *J. Symbolic Computation*, 45(8):879–886, 2010.
- [75] Jan Vršek and Miroslav Lávička. On convolutions of algebraic curves. *J. Symbolic Computation*, 45(6):657–676, 2010.
- [76] Bican Xia and Zhihai Zhang. Termination of linear programs with non-linear constraints. *J. Symbolic Computation*, 45(11):1234–1249, 2010.