

## References

- [1] S.A. Abramov, M.A. Barkatou, M. van Hoeij, and M. Petkovšek. Sub-analytic solutions of linear difference equations and multidimensional hypergeometric sequences. *J. Symbolic Computation*, 46(11):1205–1228, 2011.
- [2] Danko Adrovic and Jan Verschelde. Tropical algebraic geometry in maple: A preprocessing algorithm for finding common factors for multivariate polynomials with approximate coefficients. *J. Symbolic Computation*, 46(7):755–772, 2011.
- [3] Paraskevas Alvanos and Dimitrios Poulakis. Solving genus zero diophantine equations over number fields. *J. Symbolic Computation*, 46(1):54–69, 2011.
- [4] Alberto Arri and John Perry. The f5 criterion revised. *J. Symbolic Computation*, 46(9):1017–1029, 2011.
- [5] D.H. Bailey and J.M. Borwein. High-precision numerical integration: Progress and challenges. *J. Symbolic Computation*, 46(7):741–754, 2011.
- [6] Paolo Baldan, Filippo Bonchi, Andrea Corradini, Tobias Heindel, and Barbara König. A lattice-theoretical perspective on adhesive categories. *J. Symbolic Computation*, 46(3):222–245, 2011.
- [7] Federico Banti, Rosario Pugliese, and Francesco Tiezzi. An accessible verification environment for uml models of services. *J. Symbolic Computation*, 46(2):119–149, 2011.
- [8] Moulay A. Barkatou, Thomas Cluzeau, and Carole El Bacha. Simple forms of higher-order linear differential systems and their applications in computing regular solutions. *J. Symbolic Computation*, 46(6):633–658, 2011.
- [9] Jesse Beder, Jason McCullough, Luis Núñez-Betancourt, Alexandra Seceleanu, Bart Snapp, and Branden Stone. Ideals with larger projective dimension and regularity. *J. Symbolic Computation*, 46(10):1105–1113, 2011.

- [10] Alessandra Bernardi, Alessandro Gimigliano, and Monica Idà. Computing symmetric rank for symmetric tensors. *J. Symbolic Computation*, 46(1):34–53, 2011.
- [11] A.M. Bigatti, M. Caboara, and L. Robbiano. Computing inhomogeneous gröbner bases. *J. Symbolic Computation*, 46(5):498–510, 2011.
- [12] Nicoleta Bîlă. On a new method for finding generalized equivalence transformations for differential equations involving arbitrary functions. *J. Symbolic Computation*, 46(6):659–671, 2011.
- [13] Rocío Blanco and Santiago Encinas. Embedded desingularization of toric varieties. *J. Symbolic Computation*, 46(11):1229–1241, 2011.
- [14] Víctor Blanco and Justo Puerto. Some algebraic methods for solving multiobjective polynomial integer programs. *J. Symbolic Computation*, 46(5):511–533, 2011.
- [15] Alin Bostan, Muhammad F.I. Chowdhury, Joris van der Hoeven, and Éric Schost. Homotopy techniques for multiplication modulo triangular sets. *J. Symbolic Computation*, 46(12):1378–1402, 2011.
- [16] Benjamin Braatz, Ulrike Golas, and Thomas Soboll. How to delete categorically — two pushout complement constructions. *J. Symbolic Computation*, 46(3):246–271, 2011.
- [17] Alain Bretto and Alain Faisant. Cayley graphs and  $g$ -graphs: Some applications. *J. Symbolic Computation*, 46(12):1403–1412, 2011.
- [18] Massimo Caboara, Fabrizio Caruso, and Carlo Traverso. Lattice polly cracker cryptosystems. *J. Symbolic Computation*, 46(5):534–549, 2011.
- [19] Mari Castle, Victoria Powers, and Bruce Reznick. Pólya’s theorem with zeros. *J. Symbolic Computation*, 46(9):1039–1048, 2011.
- [20] Wouter Castryck and Frederik Vercauteren. Toric forms of elliptic curves and their arithmetic. *J. Symbolic Computation*, 46(8):943–966, 2011.
- [21] L.X. Châu Ngô and Franz Winkler. Rational general solutions of planar rational systems of autonomous odes. *J. Symbolic Computation*, 46(10):1173–1186, 2011.

- [22] Francesca Cioffi and Margherita Roggero. Flat families by strongly stable ideals and a generalization of gröbner bases. *J. Symbolic Computation*, 46(9):1070–1084, 2011.
- [23] L. D’Alfonso, G. Jeronimo, F. Ollivier, A. Sedoglavic, and P. Solernó. A geometric index reduction method for implicit systems of differential algebraic equations. *J. Symbolic Computation*, 46(10):1114–1138, 2011.
- [24] Willem A. de Graaf. Computing representatives of nilpotent orbits of  $\theta$ -groups. *J. Symbolic Computation*, 46(4):438–458, 2011.
- [25] Jesús A. De Loera, Jon Lee, Peter N. Malkin, and Susan Margulies. Computing infeasibility certificates for combinatorial problems through hilbert’s nullstellensatz. *J. Symbolic Computation*, 46(11):1260–1283, 2011.
- [26] Mahdi Dehghani Darmian, Amir Hashemi, and Antonio Montes. Erratum to “a new algorithm for discussing gröbner bases with parameters”. *J. Symbolic Computation*, 46(10):1187–1188, 2011. Originally in *J. Symbolic Computation*, Vol. 33, 2002, No. 1, 183-208.
- [27] Sandra Di Rocco, David Eklund, Chris Peterson, and Andrew J. Sommese. Chern numbers of smooth varieties via homotopy continuation and intersection theory. *J. Symbolic Computation*, 46(1):23–33, 2011.
- [28] Jean-Guillaume Dumas, Dominique Duval, and Jean-Claude Reynaud. Cartesian effect categories are freyd-categories. *J. Symbolic Computation*, 46(3):272–293, 2011.
- [29] Jean-Guillaume Dumas, Laurent Fousse, and Bruno Salvy. Simultaneous modular reduction and kronecker substitution for small finite fields. *J. Symbolic Computation*, 46(7):823–840, 2011.
- [30] Graham Ellis and Paul Smith. Computing group cohomology rings from the lyndon-hochschild-serre spectral sequence. *J. Symbolic Computation*, 46(4):360–370, 2011.
- [31] Ioannis Z. Emiris and Christos Konaxis. Single-lifting macaulay-type formulae of generalized unmixed sparse resultants. *J. Symbolic Computation*, 46(8):919–942, 2011.

- [32] Jean-Charles Faugère and Ye Liang. Artificial discontinuities of single-parametric gröbner bases. *J. Symbolic Computation*, 46(4):459–466, 2011.
- [33] Jean-Charles Faugère, Mohab Safey El Din, and Pierre-Jean Spaenlehauer. Gröbner bases of bihomogeneous ideals generated by polynomials of bidegree (1,1): Algorithms and complexity. *J. Symbolic Computation*, 46(4):406–437, 2011.
- [34] Anne Frühbis-Krüger. A modified coefficient ideal for use with the strict transform. *J. Symbolic Computation*, 46(5):550–560, 2011.
- [35] Mark Giesbrecht and Daniel S. Roche. Detecting lacunary perfect powers and computing their roots. *J. Symbolic Computation*, 46(11):1242–1259, 2011.
- [36] Gert-Martin Greuel, Frank Seelisch, and Oliver Wienand. The gröbner basis of the ideal of vanishing polynomials. *J. Symbolic Computation*, 46(5):561–570, 2011.
- [37] Moroz Guillaume. Properness defects of projection and minimal discriminant variety. *J. Symbolic Computation*, 46(10):1139–1157, 2011.
- [38] Waldemar Hebisch and Martin Rubey. Extended rate, more gfun. *J. Symbolic Computation*, 46(8):889–903, 2011.
- [39] Zef Hemel, Danny M. Groenewegen, Lennart C.L. Kats, and Eelco Visser. Static consistency checking of web applications with webdsl. *J. Symbolic Computation*, 46(2):150–182, 2011.
- [40] Michael Hemmer, Laurent Dupont, Sylvain Petitjean, and Elmar Schömer. A complete, exact and efficient implementation for computing the edge-adjacency graph of an arrangement of quadrics. *J. Symbolic Computation*, 46(4):467–494, 2011.
- [41] J. Heras, V. Pascual, J. Rubio, and F. Sergeraert. *fKenzo*: A user interface for computations in algebraic topology. *J. Symbolic Computation*, 46(6):685–698, 2011.
- [42] Kh. Hessami Pilehrood and T. Hessami Pilehrood. A  $q$ -analogue of the bailey-borwein-bradley identity. *J. Symbolic Computation*, 46(6):699–711, 2011.

- [43] Sekigawa Hiroshi. Computing the nearest polynomial with a zero in a given domain by using piecewise rational functions. *J. Symbolic Computation*, 46(12):1318–1335, 2011.
- [44] Tetsuo Ida, Asem Kasem, Fadoua Ghourabi, and Hidekazu Takahashi. Morley’s theorem revisited: Origami construction and automated proof. *J. Symbolic Computation*, 46(5):571–583, 2011.
- [45] Nazeran Idrees, Gerhard Pfister, and Stefan Steidel. Parallelization of modular algorithms. *J. Symbolic Computation*, 46(6):672–684, 2011.
- [46] K. Kalorkoti. Model checking in the modal  $\mu$ -calculus and generic solutions. *J. Symbolic Computation*, 46(5):584–594, 2011.
- [47] Taro Kawazoe and Masayuki Noro. Algorithms for computing a primary ideal decomposition without producing intermediate redundant components. *J. Symbolic Computation*, 46(10):1158–1172, 2011.
- [48] Nagasaka Kosaku. Approximate polynomial gcd over integers. *J. Symbolic Computation*, 46(12):1306–1317, 2011.
- [49] Mahjoub Langar, Mohamed Mejri, and Kamel Adi. Formal enforcement of security policies on concurrent systems. *J. Symbolic Computation*, 46(9):997–1016, 2011.
- [50] François Lemaire, Marc Moreno Maza, Wei Pan, and Yuzhen Xie. When does  $\langle t \rangle$  equal  $\text{sat}(t)$ ? *J. Symbolic Computation*, 46(12):1291–1305, 2011.
- [51] Viktor Levandovskyy and Kristina Schindelar. Computing diagonal form and jacobson normal form of a matrix using gröbner bases. *J. Symbolic Computation*, 46(5):595–608, 2011.
- [52] Viktor Levandovskyy, Eva Zerz, and Kristina Schindelar. Exact linear modeling using ore algebras. *J. Symbolic Computation*, 46(11):1189–1204, 2011.
- [53] Xin Li, Marc Moreno Maza, Raqeeb Rasheed, and Éric Schost. The modpn library: Bringing fast polynomial arithmetic into MAPLE. *J. Symbolic Computation*, 46(7):841–858, 2011.

- [54] Marino Linaje, Adolfo Lozano-Tello, Miguel A. Perez-Toledano, Juan Carlos Preciado, Roberto Rodriguez-Echeverria, and Fernando Sanchez-Figueroa. Providing ria user interfaces with accessibility properties. *J. Symbolic Computation*, 46(2):207–217, 2011.
- [55] Stefano Maggiolo and Nicola Pagani. Generating stable modular graphs. *J. Symbolic Computation*, 46(10):1087–1097, 2011.
- [56] Gregory Malecha, Greg Morrisett, and Ryan Wisnesky. Trace-based verification of imperative programs with i/o. *J. Symbolic Computation*, 46(2):95–118, 2011.
- [57] Agustin Marcelo and Peter Schenzel. Non-cohen-macaulay unique factorization domains in small dimensions. *J. Symbolic Computation*, 46(5):609–621, 2011.
- [58] Raum Martin. How to implement a modular form. *J. Symbolic Computation*, 46(12):1336–1354, 2011.
- [59] Kurt Mehlhorn and Michael Sagraloff. A deterministic algorithm for isolating real roots of a real polynomial. *J. Symbolic Computation*, 46(1):70–90, 2011.
- [60] Michael Monagan and Roman Pearce. Sparse polynomial division using a heap. *J. Symbolic Computation*, 46(7):807–822, 2011.
- [61] Scott H. Murray and Colva M. Roney-Dougal. Constructive homomorphisms for classical groups. *J. Symbolic Computation*, 46(4):371–384, 2011.
- [62] Fernando Orejas. Symbolic graphs for attributed graph constraints. *J. Symbolic Computation*, 46(3):294–315, 2011.
- [63] Daniel Plaumann, Bernd Sturmfels, and Cynthia Vinzant. Quartic curves and their bitangents. *J. Symbolic Computation*, 46(6):712–733, 2011.
- [64] J.F. Pommaret. Macaulay inverse systems revisited. *J. Symbolic Computation*, 46(9):1049–1069, 2011.

- [65] Douglas Poole and Willy Hereman. Symbolic computation of conservation laws for nonlinear partial differential equations in multiple space dimensions. *J. Symbolic Computation*, 46(12):1355–1377, 2011.
- [66] Daniel S. Roche. Chunky and equal-spaced polynomial multiplication. *J. Symbolic Computation*, 46(7):791–806, 2011.
- [67] Marie-Françoise Roy and Aviva Szpirglas. Sylvester double sums and subresultants. *J. Symbolic Computation*, 46(4):385–395, 2011.
- [68] Sonia L. Rueda. A perturbed differential resultant based implicitization algorithm for linear dppes. *J. Symbolic Computation*, 46(9):977–996, 2011.
- [69] Sonia L. Rueda and J. Rafael Sendra. Corrigendum to “linear complete differential resultants and the implicitization of linear dppes”. *J. Symbolic Computation*, 46(1):91–92, 2011. Originally in *J. Symbolic Computation*, Vol. 45, 2010, No. 3, 324–341.
- [70] Yosuke Sato, Shutaro Inoue, Akira Suzuki, Katsusuke Nabeshima, and Ko Sakai. Boolean gröbner bases. *J. Symbolic Computation*, 46(5):622–632, 2011.
- [71] Christian Schönberg, Franz Weitzl, and Burkhard Freitag. Verifying the consistency of web-based technical documentations. *J. Symbolic Computation*, 46(2):183–206, 2011.
- [72] Christoph Schulz, Michael Löwe, and Harald König. A categorical framework for the transformation of object-oriented systems: Models and data. *J. Symbolic Computation*, 46(3):316–337, 2011.
- [73] Jambor Sebastian. Computing minimal associated primes in polynomial rings over the integers. *J. Symbolic Computation*, 46(10):1098–1104, 2011.
- [74] J. Rafael Sendra and David Sevilla. Radical parametrizations of algebraic curves by adjoint curves. *J. Symbolic Computation*, 46(9):1030–1038, 2011.
- [75] David R. Stoutemyer. Ten commandments for good default expression simplification. *J. Symbolic Computation*, 46(7):859–887, 2011.

- [76] Adam Strzeboński. Cylindrical decomposition for systems transcendental in the first variable. *J. Symbolic Computation*, 46(11):1284–1290, 2011.
- [77] Luis Felipe Tabera. Optimal affine reparametrization of rational curves. *J. Symbolic Computation*, 46(8):967–976, 2011.
- [78] Annick Valibouze. Gröbner basis of the alternating galoisian ideal. *J. Symbolic Computation*, 46(4):396–405, 2011.
- [79] Joris van der Hoeven. Meta-expansion of transseries. *J. Symbolic Computation*, 46(4):339–359, 2011.
- [80] Gilles Villard. Kaltofen’s division-free determinant algorithm differentiated for matrix adjoint computation. *J. Symbolic Computation*, 46(7):773–790, 2011.
- [81] Jon Wilkening and Jia Yu. A local construction of the smith normal form of a matrix polynomial. *J. Symbolic Computation*, 46(1):1–22, 2011.
- [82] Ting Zhao, Dongming Wang, and Hoon Hong. Solution formulas for cubic equations without or with constraints. *J. Symbolic Computation*, 46(8):904–918, 2011.