

## References

- [1] John Abbott. Bounds on factors in  $z[x]$ . *J. Symbolic Computation*, 50:532–563, 2013.
- [2] E. Ballico, M. Elia, and M. Sala. On the evaluation of multivariate polynomials over finite fields. *J. Symbolic Computation*, 50:255–262, 2013.
- [3] Daniel J. Bates, David Eklund, and Chris Peterson. Computing intersection numbers of chern classes. *J. Symbolic Computation*, 50:493–507, 2013.
- [4] Alessandra Bernardi and Kristian Ranestad. On the cactus rank of cubics forms. *J. Symbolic Computation*, 50:291–297, 2013.
- [5] Cristina Bertone, Francesca Cioffi, Paolo Lella, and Margherita Roggero. Upgraded methods for the effective computation of marked schemes on a strongly stable ideal. *J. Symbolic Computation*, 50:263–290, 2013.
- [6] Marcus Bishop, J. Matthew Douglass, Götz Pfeiffer, and Gerhard Röhrle. Computations for coxeter arrangements and solomon’s descent algebra: Groups of rank three and four. *J. Symbolic Computation*, 50:139–158, 2013.
- [7] C. Cadavid, S. Molina, and J.D. Vélez. Limits of quotients of bivariate real analytic functions. *J. Symbolic Computation*, 50:197–207, 2013.
- [8] A.S. Detinko, D.L. Flannery, and E.A. O’Brien. Recognizing finite matrix groups over infinite fields. *J. Symbolic Computation*, 50:100–109, 2013.
- [9] R. Gray, A. Malheiro, and S.J. Pride. Homotopy bases and finite derivation type for schützenberger groups of monoids. *J. Symbolic Computation*, 50:50–78, 2013.
- [10] Abramo Hefez and Marcelo Escudeiro Hernandes. Algorithms for the implementation of the analytic classification of plane branches. *J. Symbolic Computation*, 50:308–313, 2013.

- [11] Christopher J. Hillar and Abraham Martín del Campo. Finiteness theorems and algorithms for permutation invariant chains of laurent lattice ideals. *J. Symbolic Computation*, 50:314–334, 2013.
- [12] Shenglong Hu, Zheng-Hai Huang, Chen Ling, and Liqun Qi. On determinants and eigenvalue theory of tensors. *J. Symbolic Computation*, 50:508–531, 2013.
- [13] Alexander Hulpke. Computing generators of groups preserving a bilinear form over residue class rings. *J. Symbolic Computation*, 50:298–307, 2013.
- [14] Meng Jin, Xiaoliang Li, and Dongming Wang. A new algorithmic scheme for computing characteristic sets. *J. Symbolic Computation*, 50:431–449, 2013.
- [15] Hülya Kadioglu and Tracy L. Payne. Computational methods for nil-soliton metric lie algebras i. *J. Symbolic Computation*, 50:350–373, 2013.
- [16] Jason Morton. Relations among conditional probabilities. *J. Symbolic Computation*, 50:478–492, 2013.
- [17] Bernard Mourrain and Nelly Villamizar. Homological techniques for the analysis of the dimension of triangular spline spaces. *J. Symbolic Computation*, 50:564–577, 2013.
- [18] Toshinori Oaku. Algorithms for integrals of holonomic functions over domains defined by polynomial inequalities. *J. Symbolic Computation*, 50:1–27, 2013.
- [19] B. Paláncz. Application of dixon resultant to satellite trajectory control by pole placement. *J. Symbolic Computation*, 50:79–99, 2013.
- [20] Thomas Peter, Gerlind Plonka, and Daniela Roşca. Representation of sparse legendre expansions. *J. Symbolic Computation*, 50:159–169, 2013.
- [21] Adrien Poteaux and Éric Schost. On the complexity of computing with zero-dimensional triangular sets. *J. Symbolic Computation*, 50:110–138, 2013.

- [22] Primož Potočnik, Pablo Spiga, and Gabriel Verret. Cubic vertex-transitive graphs on up to 1280 vertices. *J. Symbolic Computation*, 50:465–477, 2013.
- [23] Shengchao Qin, Guanhua He, Chenguang Luo, Wei-Ngan Chin, and Xin Chen. Loop invariant synthesis in a combined abstract domain. *J. Symbolic Computation*, 50:386–408, 2013.
- [24] Dan Roozemond. Computing split maximal toral subalgebras of lie algebras over fields of small characteristic. *J. Symbolic Computation*, 50:335–349, 2013.
- [25] Bjarke Hammersholt Roune and Eduardo Sáenz-de Cabezón. Complexity and algorithms for euler characteristic of simplicial complexes. *J. Symbolic Computation*, 50:170–196, 2013.
- [26] Marie-Françoise Roy and Sidi Mohamed Sedjelmaci. New fast euclidean algorithms. *J. Symbolic Computation*, 50:208–226, 2013.
- [27] Ivan Soprunov. Toric complete intersection codes. *J. Symbolic Computation*, 50:374–385, 2013.
- [28] Luis Felipe Tabera. Computing hypercircles by moving hyperplanes. *J. Symbolic Computation*, 50:450–464, 2013.
- [29] Joris van der Hoeven and Grégoire Lecerf. On the bit-complexity of sparse polynomial and series multiplication. *J. Symbolic Computation*, 50:227–254, 2013.
- [30] Joachim von zur Gathen. Lower bounds for decomposable univariate wild polynomials. *J. Symbolic Computation*, 50:409–430, 2013.
- [31] Ming Xu and Zhi-Bin Li. Symbolic termination analysis of solvable loops. *J. Symbolic Computation*, 50:28–49, 2013.