

References

- [1] Jens-Dietrich Bauch. Genus computation of global function fields. *J. Symbolic Computation*, 66:8–20, 2015.
- [2] Lei Feng and Weiping Wang. An algorithm for computing mixed sums of products of bernoulli polynomials and euler polynomials. *J. Symbolic Computation*, 66:84–97, 2015.
- [3] G. Hanrot and P. Zimmermann. Corrigendum to “a long note on mulders’ short product”. *J. Symbolic Computation*, 66:111–112, 2015. Originally in *J. Symbolic Computation*, Vol. 37, 2004, No. 3, 391-401.
- [4] Manuel Kauers and Lily Yen. On the length of integers in telescopers for proper hypergeometric terms. *J. Symbolic Computation*, 66:21–33, 2015.
- [5] A.A. Kytmanov, A.M. Kytmanov, and E.K. Myshkina. Finding residue integrals for systems of non-algebraic equations in c^n . *J. Symbolic Computation*, 66:98–110, 2015.
- [6] S. Margulies, S. Onn, and D.V. Pasechnik. On the complexity of hilbert refutations for partition. *J. Symbolic Computation*, 66:70–83, 2015.
- [7] Kurt Mehlhorn, Michael Sagraloff, and Pengming Wang. From approximate factorization to root isolation with application to cylindrical algebraic decomposition. *J. Symbolic Computation*, 66:34–69, 2015.
- [8] Adrian Popescu. An algorithm to compute the hilbert depth. *J. Symbolic Computation*, 66:1–7, 2015.