

References

- [1] J. Abbott, M. Kreuzer, and L. Robbiano. Computing zero-dimensional schemes. *J. Symbolic Computation*, 39(1):31–49, 2005.
- [2] William A. Adkins, J. William Hoffman, and Hao Hao Wang. Equations of parametric surfaces with base points via syzygies. *J. Symbolic Computation*, 39(1):73–101, 2005.
- [3] Elvira Albert, Michael Hanus, Frank Huch, Javier Oliver, and Germán Vidal. Operational semantics for declarative multi-paradigm languages. *J. Symbolic Computation*, 40(1):795–829, 2005.
- [4] Juan Gerardo Alcázar and J. Rafael Sendra. Computation of the topology of real algebraic space curves. *J. Symbolic Computation*, 39(6):719–744, 2005.
- [5] Josep Àlvarez Montaner. Operations with regular holonomic d -modules with support a normal crossing. *J. Symbolic Computation*, 40(2):999–1012, 2005.
- [6] Sergio Antoy. Evaluation strategies for functional logic programming. *J. Symbolic Computation*, 40(1):875–903, 2005.
- [7] Joachim Apel and Ralf Hemmecke. Detecting unnecessary reductions in an involutive basis computation. *J. Symbolic Computation*, 40(4-5):1131–1149, 2005.
- [8] Alessandro Armando and Clemens Ballarin. A reconstruction and extension of maple’s assume facility via constraint contextual rewriting. *J. Symbolic Computation*, 39(5):503–521, 2005.
- [9] Björn Assmann and Bettina Eick. Computing polycyclic presentations for polycyclic rational matrix groups. *J. Symbolic Computation*, 40(6):1269–1284, 2005.
- [10] Ruth L. Auerbach. The gröbner fan and gröbner walk for modules. *J. Symbolic Computation*, 39(2):127–153, 2005.
- [11] Michael Beeson and Freek Wiedijk. The meaning of infinity in calculus and computer algebra systems. *J. Symbolic Computation*, 39(5):523–538, 2005.

- [12] Maria Paola Bonacina. Towards a unified model of search in theorem-proving: Subgoal-reduction strategies. *J. Symbolic Computation*, 39(2):209–255, 2005.
- [13] Laurent Busé and Marc Chardin. Implicitizing rational hypersurfaces using approximation complexes. *J. Symbolic Computation*, 40(4-5):1150–1168, 2005.
- [14] Laurent Busé and André Galligo. Semi-implicit representations of surfaces in p^3 resultants and applications. *J. Symbolic Computation*, 39(3-4):317–329, 2005.
- [15] John J. Cannon, Derek F. Holt, Michael Slattery, and Allan K. Steel. Computing subgroups of bounded index in a finite group. *J. Symbolic Computation*, 40(2):1013–1022, 2005.
- [16] Falai Chen, David Cox, and Yang Liu. The μ -basis and implicitization of a rational parametric surface. *J. Symbolic Computation*, 39(6):689–706, 2005.
- [17] William Y.C. Chen, Qing-Hu Hou, and Yan-Ping Mu. Applicability of the q -analogue of zeilberger’s algorithm. *J. Symbolic Computation*, 39(2):155–170, 2005.
- [18] William Y.C. Chen and Husam L. Saad. On the gosper-petkovšek representation of rational functions. *J. Symbolic Computation*, 40(2):955–963, 2005.
- [19] Simon Colton. Automated conjecture making in number theory using hr, otter and maple. *J. Symbolic Computation*, 39(5):593–615, 2005.
- [20] Aldo Conca and Jessica Sidman. Generic initial ideals of points and curves. *J. Symbolic Computation*, 40(3):1023–1038, 2005.
- [21] Vahid Dabbaghian-Abdoly. An algorithm for constructing representations of finite groups. *J. Symbolic Computation*, 39(6):671–688, 2005.
- [22] Ivan Bjerre Damgård and Gudmund Skovbjerg Frandsen. Efficient algorithms for the gcd and cubic residuosity in the ring of eisenstein integers. *J. Symbolic Computation*, 39(6):643–652, 2005.

- [23] Carlos D'Andrea and Gabriela Jeronimo. Subresultants and generic monomial bases. *J. Symbolic Computation*, 39(3-4):259–277, 2005.
- [24] David Delahaye and Micaela Mayero. Dealing with algebraic expressions over a field in coq using maple. *J. Symbolic Computation*, 39(5):569–592, 2005.
- [25] Harm Derksen, Emmanuel Jeandel, and Pascal Koiran. Quantum automata and algebraic groups. *J. Symbolic Computation*, 39(3-4):357–371, 2005.
- [26] Jan Draisma. Representation theory on the open bruhat cell. *J. Symbolic Computation*, 39(3-4):279–303, 2005.
- [27] M'hammed El Kahoui. Birational properties of the gap subresultant varieties. *J. Symbolic Computation*, 39(1):61–71, 2005.
- [28] Mustapha Er-Riani and Olivier Sero-Guillaume. Shapes of liquid drops obtained using symbolic computation. *J. Symbolic Computation*, 40(6):1340–1360, 2005.
- [29] E. Fortuna, P. Gianni, and P. Parenti. Some constructions for real algebraic curves. *J. Symbolic Computation*, 40(4-5):1169–1179, 2005.
- [30] E. Fortuna, P. Gianni, and B. Trager. Irreducible decomposition of polynomial ideals. *J. Symbolic Computation*, 39(3-4):305–316, 2005.
- [31] J. Gago-Vargas, M.I. Hartillo-Hermoso, and J.M. Ucha-Enríquez. Comparison of theoretical complexities of two methods for computing annihilating ideals of polynomials. *J. Symbolic Computation*, 40(3):1076–1086, 2005.
- [32] Sebastian Gann and Herwig Hauser. Perfect bases for differential equations. *J. Symbolic Computation*, 40(2):979–997, 2005.
- [33] Luis David Garcia, Michael Stillman, and Bernd Sturmfels. Algebraic geometry of bayesian networks. *J. Symbolic Computation*, 39(3-4):331–355, 2005.
- [34] Elizabeth Gasparim and Irena Swanson. Computing instanton numbers of curve singularities. *J. Symbolic Computation*, 40(2):965–978, 2005.

- [35] Karin Gatermann, Markus Eiswirth, and Anke Sensse. Toric ideals and graph theory to analyze hopf bifurcations in mass action systems. *J. Symbolic Computation*, 40(6):1361–1382, 2005.
- [36] Karin Gatermann and Serkan Hosten. Computational algebra for bifurcation theory. *J. Symbolic Computation*, 40(4-5):1180–1207, 2005.
- [37] Rocio Gonzalez-Diaz and Pedro Real. Simplification techniques for maps in simplicial topology. *J. Symbolic Computation*, 40(4-5):1208–1224, 2005.
- [38] Hanne Gottliebsen, Tom Kelsey, and Ursula Martin. Hidden verification for computational mathematics. *J. Symbolic Computation*, 39(5):539–567, 2005.
- [39] Hans-Christian Graf v. Bothmer, Cord Erdenberger, and Katharina Ludwig. A new family of rational surfaces in p^4 . *J. Symbolic Computation*, 39(1):51–60, 2005.
- [40] Michel Granger, Toshinori Oaku, and Nobuki Takayama. Tangent cone algorithm for homogenized differential operators. *J. Symbolic Computation*, 39(3-4):417–431, 2005.
- [41] David Helm and Ezra Miller. Algorithms for graded injective resolutions and local cohomology over semigroup rings. *J. Symbolic Computation*, 39(3-4):373–395, 2005.
- [42] Christopher J. Hillar. Cyclic resultants. *J. Symbolic Computation*, 39(6):653–669, 2005. see Erratum in *J. Symbolic Computation*, Vol.40, 2005, No. 3, 1126-1127.
- [43] Christopher J. Hillar. Erratum to "cyclic resultants". *J. Symbolic Computation*, 40(3):1126–1127, 2005. Originally in *J. Symbolic Computation*, Vol. 39, 2005, No. 6, 653-669.
- [44] Alexander Hulpke. Constructing transitive permutation groups. *J. Symbolic Computation*, 39(1):1–30, 2005.
- [45] Henri Lombardi and Ihsen Yengui. Suslin’s algorithms for reduction of unimodular rows. *J. Symbolic Computation*, 39(6):707–717, 2005.

- [46] Nik Lygeros, Paul-Valère Marchand, and Marc Massot. Enumeration and 3d representation of the stereo-isomers of alkane molecules. *J. Symbolic Computation*, 40(4-5):1225–1241, 2005.
- [47] José Méndez Omãna and Michael E. Pohst. Factoring polynomials over global fields ii. *J. Symbolic Computation*, 40(6):1325–1339, 2005.
- [48] Richard Moeckel. Sturm’s algorithm and isolating blocks. *J. Symbolic Computation*, 40(4-5):1242–1255, 2005.
- [49] Mohamud Mohammed and Doron Zeilberger. Sharp upper bounds for the orders of the recurrences output by the zeilberger and q -zeilberger algorithms. *J. Symbolic Computation*, 39(2):201–207, 2005.
- [50] B. Mourrain. Bezoutian and quotient ring structure. *J. Symbolic Computation*, 39(3-4):397–415, 2005.
- [51] Jesús F. Palacián and Patricia Yanguas. Asymptotic invariant tori of perturbed two-body problems. *J. Symbolic Computation*, 40(4-5):1256–1268, 2005.
- [52] J.D. Phillips and Petr Vojtěchovský. Linear groupoids and the associated wreath products. *J. Symbolic Computation*, 40(3):1106–1125, 2005.
- [53] Michael E. Pohst. Factoring polynomials over global fields i. *J. Symbolic Computation*, 39(6):617–630, 2005.
- [54] Liqun Qi. Eigenvalues of a real supersymmetric tensor. *J. Symbolic Computation*, 40(6):1302–1324, 2005.
- [55] Pierre Réty and Julie Vuotto. Tree automata for rewrite strategies. *J. Symbolic Computation*, 40(1):749–794, 2005.
- [56] Manuel García Román and Socorro García Román. Gröbner bases and syzygies on bimodules over pbw algebras. *J. Symbolic Computation*, 40(3):1039–1052, 2005.
- [57] Markus Rosenkranz. A new symbolic method for solving linear two-point boundary value problems on the level of operators. *J. Symbolic Computation*, 39(2):171–199, 2005.

- [58] Josef Schicho and Ibolya Szilágyi. Numerical stability of surface implicitization. *J. Symbolic Computation*, 40(6):1291–1301, 2005.
- [59] Manfred Schmidt-Schauß and Klaus U. Schulz. Decidability of bounded higher-order unification. *J. Symbolic Computation*, 40(2):905–954, 2005.
- [60] Mathias Schulze. Good bases for tame polynomials. *J. Symbolic Computation*, 39(1):103–126, 2005.
- [61] Lawrence H. Smith. On ordering free groups. *J. Symbolic Computation*, 40(6):1285–1290, 2005. see Erratum in *J. Symbolic Computation*, Vol. 44, 2009, No. 10, 1529-1532.
- [62] Allan Steel. Conquering inseparability: Primary decomposition and multivariate factorization over algebraic function fields of positive characteristic. *J. Symbolic Computation*, 40(3):1053–1075, 2005.
- [63] K. Subramani and D. Desovski. Out of order quantifier elimination for standard quantified linear programs. *J. Symbolic Computation*, 40(6):1383–1396, 2005.
- [64] Anna Torstensson, Victor Ufnarovski, and Hans Öfverbeck. Using resultants for sagbi basis verification in the univariate polynomial ring. *J. Symbolic Computation*, 40(3):1087–1105, 2005.
- [65] Joris van der Hoeven. Effective analytic functions. *J. Symbolic Computation*, 39(3-4):433–449, 2005.
- [66] Marius van der Put. Galois theory and algorithms for linear differential equations. *J. Symbolic Computation*, 39(3-4):451–463, 2005.
- [67] Orlando Villamayor U. On constructive desingularization. *J. Symbolic Computation*, 39(3-4):465–491, 2005.
- [68] Eelco Visser. A survey of strategies in rule-based program transformation systems. *J. Symbolic Computation*, 40(1):831–873, 2005.
- [69] Uli Walther. Algorithmic stratification of $\text{rhom}_d(m, n)$ for regular algebraic d -modules on c^n . *J. Symbolic Computation*, 39(3-4):493–499, 2005.

- [70] Xu-an Zhao, Hongzhu Gao, and Xiaole Su. Homotopy classification of maps between simply connected four manifolds. *J. Symbolic Computation*, 39(6):631–642, 2005.