References

[1] George E. Andrews and Peter Paule. Some questions concerning computer-generated proofs of a binomial double-sum identity. *J. Symbolic Computation*, 16(2):147–153, 1993.

[2] Peter Baumgartner and Ulrich Furbach. Consolution as a framework for comparing calculi. *J. Symbolic Computation*, 16(5):445–477, 1993.

[3] Alessandro Berarducci and Marisa Venturini Zilli. Generalizations of unification. *J. Symbolic Computation*, 16(5):479–491, 1993.

[4] Alexandre Boudet. Combining unification algorithms. *J. Symbolic Computation*, 16(6):597–626, 1993.

[5] David W. Boyd. Bounds for the height of a factor of a polynomial in terms of bombieri's norms: I. the largest factor. *J. Symbolic Computation*, 16(2):115–130, 1993.

[6] David W. Boyd. Bounds for the height of a factor of a polynomial in terms of bombieri's norms: Ii. the smallest factor. *J. Symbolic Computation*, 16(2):131–145, 1993.

[7] John P. Boyd. Chebyshev and legendre spectral methods in algebraic manipulation languages. *J. Symbolic Computation*, 16(4):377–399, 1993.

[8] Greg Butler. The transitive groups of degree fourteen and fifteen. *J. Symbolic Computation*, 16(5):413–422, 1993.

[9] Evelyne Contejean. Solving *-problems modulo distributivity by a reduction to $ac1$-unification. *J. Symbolic Computation*, 16(5):493–521, 1993.

[10] Ralph Freese, J. Ježek, and J.B. Nation. Term rewrite systems for lattice theory. *J. Symbolic Computation*, 16(3):279–288, 1993.

[11] István Gaál. A fast algorithm for finding "small" solutions of $f(x, y) = g(x, y)$ over imaginary quadratic fields. *J. Symbolic Computation*, 16(4):321–328, 1993.

[12] István Gaál. On the resolution of $f(x, y) = g(x, y)$. *J. Symbolic Computation*, 16(3):295–303, 1993.

[13] István Gaál, Attila Pethő, and Michael Pohst. On the resolution of index form equations in quartic number fields. *J. Symbolic Computation*, 16(6):563–584, 1993.

[14] Xiao-Shan Gao and Shang-Ching Chou. A zero structure theorem for differential parametric systems. *J. Symbolic Computation*, 16(6):585–595, 1993.

[15] Irvin Roy Hentzel, David P. Jacobs, and Sekhar V. Muddana. Experimenting with the identity $(xy)z = y(zx)$. *J. Symbolic Computation*, 16(3):289–293, 1993.

[16] David P. Jacobs and Sekhar V. Muddana. The word problem for free partially commutative, partially associative groupoids. *J. Symbolic Computation*, 16(6):557–562, 1993.

[17] M. Kalkbrener, M. Sweedler, and L. Taylor. Low degree solutions to linear equations with $k[x]$ coefficients. *J. Symbolic Computation*, 16(1):75–81, 1993.

[18] Paul H. Knowles. Integration of a class of transcendental liouvillian functions with error-functions — part ii. *J. Symbolic Computation*, 16(3):227–241, 1993.

[19] Petr Lisoněk, Peter Paule, and Volker Strehl. Improvement of the degree setting in gosper's algorithm. *J. Symbolic Computation*, 16(3):243–258, 1993.

[20] Klaus Madlener, Andrea Sattler-Klein, and Friedrich Otto. On the problem of generating small convergent systems. *J. Symbolic Computation*, 16(2):167–187, 1993.

[21] Yiu-Kwong Man. Computing closed form solutions of first order odes using the prelle-singer procedure. *J. Symbolic Computation*, 16(5):423–443, 1993.

[22] Yiu-Kwong Man. On computing closed forms for indefinite summations. *J. Symbolic Computation*, 16(4):355–376, 1993.

[23] Harald Niederreiter and Rainer Göttfert. Factorization of polynomials over finite fields and characteristic sequences. *J. Symbolic Computation*, 16(5):401–412, 1993.

[24] E.A. O'Brien. Isomorphism testing for p-groups. *J. Symbolic Computation*, 16(3):305–320, 1993.

[25] Alyson Reeves and Bernd Sturmfels. A note on polynomial reduction. *J. Symbolic Computation*, 16(3):273–277, 1993.

[26] J.H. Rieger. Computing view graphs of algebraic surfaces. *J. Symbolic Computation*, 16(3):259–272, 1993.

[27] Amnon Rosenmann. An algorithm for constructing gröbner and free schreier bases in free group algebras. *J. Symbolic Computation*, 16(6):523–549, 1993.

[28] M.Ph. Saux Picart. Schur-cohn sub-transforms of a polynomial. *J. Symbolic Computation*, 16(1):1–7, 1993.

[29] Peter Schorn. An axiomatic approach to robust geometric programs. *J. Symbolic Computation*, 16(2):155–165, 1993.

[30] Michael F. Singer and Felix Ulmer. Galois groups of second and third order linear differential equations. *J. Symbolic Computation*, 16(1):9–36, 1993.

[31] Michael F. Singer and Felix Ulmer. Liouvillian and algebraic solutions of second and third order linear differential equations. *J. Symbolic Computation*, 16(1):37–73, 1993.

[32] Todd Torgersen. Parallel scheduling of recursively defined arrays: Revisited. *J. Symbolic Computation*, 16(2):189–226, 1993.

[33] Arno van den Essen. An algorithm to compute the invariant ring of a g_a-action on an affine variety. *J. Symbolic Computation*, 16(6):551–555, 1993.

[34] Michael Vaughan-Lee. An algorithm for computing graded algebras. *J. Symbolic Computation*, 16(4):345–354, 1993.

[35] Dongming Wang. An elimination method for polynomial systems. *J. Symbolic Computation*, 16(2):83–114, 1993.