References

[1] Krzysztof R. Apt, Peter van Emde Boas, and Angelo Welling. The sto-problem is *np*-hard. *J. Symbolic Computation*, 18(5):489–495, 1994.

[2] Abdallah Assi. On flatness of generic projections. *J. Symbolic Computation*, 18(5):447–462, 1994.

[3] Eric Bach. Tensor products and computability. *J. Symbolic Computation*, 18(6):585–593, 1994.

[4] Boo Barkee, Deh Cac Can, Julia Ecks, Theo Moriarty, and R.F. Ree. Why you cannot even hope to use gröbner bases in public key cryptography: An open letter to a scientist who failed and a challenge to those who have not yet failed. *J. Symbolic Computation*, 18(6):497–501, 1994.

[5] Robert Cremanns and Friedrich Otto. Finite derivation type implies the homological finiteness condition fp_3. *J. Symbolic Computation*, 18(2):91–112, 1994.

[6] Ivo Düntsch. A microcomputer based system for small relation algebras. *J. Symbolic Computation*, 18(1):83–86, 1994.

[7] Irène Durand. Bounded, strongly sequential and forward-branching term rewriting systems. *J. Symbolic Computation*, 18(4):319–352, 1994.

[8] Dominique Duval. Algebraic numbers: An example of dynamic evaluation. *J. Symbolic Computation*, 18(5):429–445, 1994.

[9] Luca Gemignani. Solving hankel systems over the integers. *J. Symbolic Computation*, 18(6):573–584, 1994.

[10] Freyja Hreinsdóttir. A case where choosing a product order makes the calculations of a groebner basis much faster. *J. Symbolic Computation*, 18(4):373–378, 1994.

[11] Ming-Deh Huang and Doug Ierardi. Efficient algorithms for the riemann-roch problem and for addition in the jacobian of a curve. *J. Symbolic Computation*, 18(6):519–539, 1994.

[12] Michael Kalkbrener. Prime decompositions of radicals in polynomial rings. *J. Symbolic Computation*, 18(4):365–372, 1994.

[13] Hélène Kirchner and Christophe Ringeissen. Combining symbolic constraint solvers on algebraic domains. *J. Symbolic Computation*, 18(2):113–155, 1994.

[14] D. Lugiez and J.L. Moysset. Tree automata help one to solve equational formulae in ac-theories. *J. Symbolic Computation*, 18(4):297–318, 1994.

[15] Yonghao Ma. On the minors defined by a generic matrix. *J. Symbolic Computation*, 18(6):503–518, 1994.

[16] Klaus Meer. Real number computations: On the use of information. *J. Symbolic Computation*, 18(3):199–206, 1994.

[17] Pierangelo Miglioli, Ugo Moscato, and Mario Ornaghi. Abstract parametric classes and abstract data types defined by classical and constructive logical methods. *J. Symbolic Computation*, 18(1):41–81, 1994.

[18] Maurice Mignotte and Philippe Glesser. Landau's inequality via hadamard's. *J. Symbolic Computation*, 18(4):379–383, 1994.

[19] Alice C. Niemeyer. A finite soluble quotient algorithm. *J. Symbolic Computation*, 18(6):541–561, 1994.

[20] Toshinori Oaku and Takeshi Shimoyama. A gröbner basis method for modules over rings of differential operators. *J. Symbolic Computation*, 18(3):223–248, 1994.

[21] Craig R. Orr and Doron Zeilberger. A computer algebra approach to the discrete dirichlet problem. *J. Symbolic Computation*, 18(1):87–90, 1994.

[22] Victor Y. Pan. Simple multivariate polynomial multiplication. *J. Symbolic Computation*, 18(3):183–186, 1994.

[23] John Pedersen and Margaret Yoder. Term rewriting for the conjugacy problem and the braid groups. *J. Symbolic Computation*, 18(6):563–572, 1994.

[24] H.A. Priestley and M.P. Ward. A multipurpose backtracking algorithm. *J. Symbolic Computation*, 18(1):1–40, 1994.

[25] Hiroyuki Sawada, Satoshi Terasaki, and Akira Aiba. Parallel computation of gröbner bases on distributed memory machines. *J. Symbolic Computation*, 18(3):207–222, 1994.

[26] M. Sofroniou. Symbolic derivation of runge-kutta methods. *J. Symbolic Computation*, 18(3):265–296, 1994.

[27] Felix Ulmer. Irreducible linear differential equations of prime order. *J. Symbolic Computation*, 18(4):385–401, 1994.

[28] Mark van Hoeij. An algorithm for computing an integral basis in an algebraic function field. *J. Symbolic Computation*, 18(4):353–363, 1994.

[29] Dongming Wang. Differentiation and integration of indefinite summations with respect to indexed variables — some rules and applications. *J. Symbolic Computation*, 18(3):249–263, 1994.

[30] Xiangdong Wang. The hecke operators on $s_k(\gamma_1(n))$. *J. Symbolic Computation*, 18(3):187–198, 1994.

[31] Andreas Weiermann. Complexity bounds for some finite forms of kruskal's theorem. *J. Symbolic Computation*, 18(5):463–488, 1994.

[32] Osami Yamamoto. On some bounds for zeros of norm-bounded polynomials. *J. Symbolic Computation*, 18(5):403–427, 1994.

[33] Susumu Yamasaki and Kentaro Iida. Transformation of logic programs to fp programs based on dataflows. *J. Symbolic Computation*, 18(2):157–182, 1994.