References

[1] D. Armbruster and H. Kredel. Constructing universal unfoldings using gröbner bases. *J. Symbolic Computation*, 2(4):383–388, 1986.

[2] M.D. Atkinson and R.A. Hassan. On the computation of group characters. *J. Symbolic Computation*, 2(1):45–50, 1986.

[3] J. Avenhaus. On the descriptive power of term rewriting systems. *J. Symbolic Computation*, 2(2):109–122, 1986.

[4] Chanderjit Bajaj. Proving geometric algorithm non-solvability: An application of factoring polynomials. *J. Symbolic Computation*, 2(1):99–102, 1986.

[5] W. Boege, R. Gebauer, and H. Kredel. Some examples for solving systems of algebraic equations by calculating groebner bases. *J. Symbolic Computation*, 2(1):83–98, 1986.

[6] R.V. Book and J.H. Siekmann. On unification: Equational theories are not bouned. *J. Symbolic Computation*, 2(4):317–324, 1986.

[7] Murray R. Bremner. Fast computation of weight multiplicities. *J. Symbolic Computation*, 2(4):357–362, 1986.

[8] B.F. Caviness. Computer algebra: Past and future. *J. Symbolic Computation*, 2(3):217–236, 1986.

[9] B.W. Char, G.J. Fee, K.O. Geddes, G.H. Gonnet, and M.B. Monagan. A tutorial introduction to maple. *J. Symbolic Computation*, 2(2):179–200, 1986.

[10] J.H. Davenport and M.F. Singer. Elementary and liouvillian solutions of linear differential equations. *J. Symbolic Computation*, 2(3):237–260, 1986.

[11] A. Duncan and R. Roskies. Representations of unusual mathematical structures in scientific applications of symbolic computation. *J. Symbolic Computation*, 2(2):201–207, 1986.

[12] Anthony Duncan and Ralph Roskies. Representations of unusual mathematical structures in scientific applications of symbolic computation. *J. Symbolic Computation*, 2(2):201–206, 1986.

[13] H. Edelsbrunner and R. Waupotitsch. Computing a ham-sandwich cut in two dimensions. *J. Symbolic Computation*, 2(2):171–178, 1986.

[14] Deepak Kapur. Using gröbner bases to reason about geometry problems. *J. Symbolic Computation*, 2(4):399–408, 1986.

[15] Jerald J. Kovacic. An algorithm for solving second order linear homogeneous differential equations. *J. Symbolic Computation*, 2(1):3–43, 1986.

[16] B. Kutzler and S. Stifter. On the application of buchberger's algorithm to automated geometry theorem proving. *J. Symbolic Computation*, 2(4):389–397, 1986.

[17] Philippe le Chenadec. A catalogue of complete group presentations. *J. Symbolic Computation*, 2(4):363–381, 1986.

[18] Ana Pasztor. Non-standard algorithmic and dynamic logic. *J. Symbolic Computation*, 2(1):59–81, 1986.

[19] Lawrence C. Paulson. Constructing recursion operators in intuitionistic type theory. *J. Symbolic Computation*, 2(4):325–355, 1986.

[20] David A. Plaisted and Steven Greenbaum. A structure-preserving clause form translation. *J. Symbolic Computation*, 2(3):293–304, 1986.

[21] L. Robbiano. On the theory of graded structures. *J. Symbolic Computation*, 2(2):139–170, 1986.

[22] H. Rolletschek. On the number of divisions of the euclidean algorithm applied to gaussian integers. *J. Symbolic Computation*, 2(3):261–292, 1986.

[23] Heinrich Rolletschek. On the number of divisions of the euclidean algorithm applied to gaussian integers. *J. Symbolic Computation*, 2(3):261–291, 1986.

[24] Michael C. Slattery. Computing character degrees in p-groups. *J. Symbolic Computation*, 2(1):51–58, 1986.

[25] Stanly Steinberg and Patrick J. Roache. Using macsyma to write fortran subroutines. *J. Symbolic Computation*, 2(2):213–216, 1986.

[26] Carl Trindle. Application of the mumath(r) symbol manipulation system to chemically significant permutation groups. *J. Symbolic Computation*, 2(2):207–212, 1986.

[27] Paul S. Wang. Finger: A symbolic system for automatic generation of numerical programs in finite element analysis. *J. Symbolic Computation*, 2(3):305–316, 1986.

[28] Stanley J. Watowich, Jeffery L. Krause, and R. Stephen Berry. Stability analysis of an optimally controlled light-driven engine. *J. Symbolic Computation*, 2(1):103–108, 1986.