References

[1] Alessandro Armando and Silvio Ranise. Constraint contextual rewriting. *J. Symbolic Computation*, 36(1-2):193–216, 2003.

[2] J. Avenhus, Th. Hillenbrand, and B. Löchner. On using ground joinable equations in equational theorem proving. *J. Symbolic Computation*, 36(1-2):217–233, 2003.

[3] Peter Baumgartner and Hantao Zhang. Model building with ordered resolution: Extracting models from saturated clause sets. *J. Symbolic Computation*, 36(1-2):5–48, 2003.

[4] Bernhard Beckert. Depth-first proof search without backtracking for free-variable clausal tableaux. *J. Symbolic Computation*, 36(1-2):117–138, 2003.

[5] Johan Gijsbertus Frederik Belinfante. Computer proofs about finite and regular sets: The unifying concept of subvariance. *J. Symbolic Computation*, 36(1-2):271–285, 2003.

[6] Joost Berson and Arno van den Essen. An algorithm to find a coordinate's mate. *J. Symbolic Computation*, 36(6):835–843, 2003.

[7] Falai Chen and Wenping Wang. Revisiting the μ-basis of a rational ruled surface. *J. Symbolic Computation*, 36(5):699–716, 2003.

[8] Arthur D. Chtcherba and Deepak Kapur. Exact resultants for corner-cut unmixed multivariate polynomial systems using the dixon formulation. *J. Symbolic Computation*, 36(3-4):289–315, 2003.

[9] Anatoli Degtyarev, Robert Nieuwenhuis, and Andrei Voronkov. Stratified resolution. *J. Symbolic Computation*, 36(1-2):79–99, 2003.

[10] Alicia Dickenstein and Ioannis Z. Emiris. Multihomogeneous resultant formulae by means of complexes. *J. Symbolic Computation*, 36(3-4):317–342, 2003.

[11] Jan Draisma. Constructing lie algebras of first order differential operators. *J. Symbolic Computation*, 36(5):685–698, 2003.

[12] E. Fortuna, P. Gianni, P. Parenti, and C. Traverso. Algorithms to compute the topology of orientable real algebraic surfaces. *J. Symbolic Computation*, 36(3-4):343–364, 2003.

[13] Jesús Gago-Vargas. Bases for projective modules in $a_n(k)$. *J. Symbolic Computation*, 36(6):845–853, 2003.

[14] Xiao-Shan Gao. Implicitization of differential rational parametric equations. *J. Symbolic Computation*, 36(5):811–824, 2003.

[15] Lilia Georgieva, Ullrich Hustadt, and Renate A. Schmidt. Hyperresolution for guarded formulae. *J. Symbolic Computation*, 36(1-2):163–192, 2003.

[16] Mark Giesbrecht, Erich Kaltofen, and Wen-shin Lee. Algorithms for computing sparsest shifts of polynomials in power, chebyshev, and pochhammer bases. *J. Symbolic Computation*, 36(3-4):401–424, 2003.

[17] Erich Kaltofen and Wen-shin Lee. Early termination in sparse interpolation algorithms. *J. Symbolic Computation*, 36(3-4):365–400, 2003.

[18] Amit Khetan. The resultant of an unmixed bivariate system. *J. Symbolic Computation*, 36(3-4):425–442, 2003.

[19] Hongbo Li and Yihong Wu. Automated short proof generation for projective geometric theorems with cayley and bracket algebras: I. incidence geometry. *J. Symbolic Computation*, 36(5):717–762, 2003.

[20] Hongbo Li and Yihong Wu. Automated short proof generation for projective geometric theorems with cayley and bracket algebras: Ii. conic geometry. *J. Symbolic Computation*, 36(5):763–809, 2003.

[21] Ziming Li, Fritz Schwarz, and Serguei P. Tsarev. Factoring systems of linear pdes with finite-dimensional solution spaces. *J. Symbolic Computation*, 36(3-4):443–471, 2003.

[22] G. Matera and A. Sedoglavic. Fast computation of discrete invariants associated to a differential rational mapping. *J. Symbolic Computation*, 36(3-4):473–499, 2003.

[23] Manfred Minimair. Dense resultant of composed polynomials: Mixed-mixed case. *J. Symbolic Computation*, 36(6):825–834, 2003.

[24] Peter J. Olver. Moving frames. *J. Symbolic Computation*, 36(3-4):501–512, 2003.

[25] Jens Otten and Wolfgang Bibel. leancop: Lean connection based theorem proving. *J. Symbolic Computation*, 36(1-2):139–161, 2003.

[26] Nicolas Peltier. A calculus combining resolution and enumeration for building finite models. *J. Symbolic Computation*, 36(1-2):49–77, 2003.

[27] Sonia Pérez-Díaz and J. Rafael Sendra. Computing all parametric solutions for blending parametric surfaces. *J. Symbolic Computation*, 36(6):925–964, 2003.

[28] Reinhard Pichler. On the complexity of equational problems in cnf. *J. Symbolic Computation*, 36(1-2):235–269, 2003.

[29] Alexandre Riazanov and Andrei Voronkov. Limited resource strategy in resolution theorem proving. *J. Symbolic Computation*, 36(1-2):101–115, 2003.

[30] Renaud Rioboo. Towards faster real algebraic numbers. *J. Symbolic Computation*, 36(3-4):513–533, 2003.

[31] Josef Schicho. Simplification of surface parametrizations — a lattice polygon approach. *J. Symbolic Computation*, 36(3-4):535–554, 2003.

[32] Éric Schost. Complexity results for triangular sets. *J. Symbolic Computation*, 36(3-4):555–594, 2003.

[33] Viorica Sofronie-Stokkermans. Resolution-based decision procedures for the universal theory of some classes of distributive lattices with operators. *J. Symbolic Computation*, 36(6):891–924, 2003.

[34] Michael Stillman. Computing in algebraic geometry and commutative algebra using macaulay 2. *J. Symbolic Computation*, 36(3-4):595–611, 2003.

[35] Arne Storjohann. High-order lifting and integrality certification. *J. Symbolic Computation*, 36(3-4):613–648, 2003.

[36] Akira Suzuki and Yosuke Sato. An alternative approach to comprehensive gröbner bases. *J. Symbolic Computation*, 36(3-4):649–667, 2003.

[37] Felix Ulmer. Liouvillian solutions of third order differential equations. *J. Symbolic Computation*, 36(6):855–889, 2003.

[38] Volker Weispfenning. Canonical comprehensive gröbner bases. *J. Symbolic Computation*, 36(3-4):669–683, 2003.