References

[1] B. Autin and J. Bengtsson. Symbolic evaluation of integrals occurring in accelerator orbit theory. *J. Symbolic Computation*, 7(2):183–187, 1989.

[2] Bruce W. Char, Keith O. Geddes, and Gaston H. Gonnet. Gcdheu: Heuristic polynomial gcd algorithm based on integer gcd computation. *J. Symbolic Computation*, 7(1):31–48, 1989.

[3] Richard Cole and Micha Sharir. Visibility problems for polyhedral terrains. *J. Symbolic Computation*, 7(1):11–30, 1989.

[4] Hubert Comon and Pierre Lescanne. Equational problems and disunification. *J. Symbolic Computation*, 7(3-4):371–425, 1989.

[5] S.R. Czapor. Solving algebraic equations: Combining buchberger's algorithm with multivariate factorization. *J. Symbolic Computation*, 7(1):49–53, 1989.

[6] Danny de Schreye and Maurice Bruynooghe. On the transformation of logic programs with instantiation based computation rules. *J. Symbolic Computation*, 7(2):125–154, 1989.

[7] Renato P. dos Santos. Using reduce in supersymmetry. *J. Symbolic Computation*, 7(5):523–525, 1989.

[8] Ronald D. Dutton, Robert C. Brigham, and Fernando Gomez. Ingrid: A graph invariant manipulator. *J. Symbolic Computation*, 7(2):163–177, 1989.

[9] W.I. Fushchini and V.V. Kornyak. Computer algebra application for determining lie and lie-bäcklund symmetries of differential equations. *J. Symbolic Computation*, 7(6):611–619, 1989.

[10] Teofilo Gonzalez and Si-Qing Zheng. Improved bounds for rectangular and guillotine partitions. *J. Symbolic Computation*, 7(6):591–610, 1989.

[11] Wolfgang Hirschberg and Dieter Schramm. Application of neweul in robot dynamics. *J. Symbolic Computation*, 7(2):199–204, 1989.

[12] Paris C. Kanellakis and Peter Z. Revesz. On the relationship of congruence closure and unification. *J. Symbolic Computation*, 7(3-4):427–444, 1989.

[13] Dexter Kozen and Susan Landau. Polynomial decomposition algorithms. *J. Symbolic Computation*, 7(5):445–456, 1989.

[14] C.W.H. Lam and L. Thiel. Backtrack search with isomorph rejection and consistency check. *J. Symbolic Computation*, 7(5):473–485, 1989.

[15] Catherine Lassez, Ken McAloon, and Graeme Port. Stratification and knowledge base management. *J. Symbolic Computation*, 7(5):509–522, 1989.

[16] Jerry F. Magnan. A macsyma program for the multiple bifurcation analysis of double-diffusive convection. *J. Symbolic Computation*, 7(2):189–197, 1989.

[17] Bernd Martin and Gerhard Pfister. The kernel of the kodaira-spencer map of the versal μ-constant deformation of an irreducible plane curve singularity with c^r-action. *J. Symbolic Computation*, 7(6):527–531, 1989.

[18] Ursula Martin and Tobias Nipkow. Boolean unification — the story so far. *J. Symbolic Computation*, 7(3-4):275–293, 1989.

[19] Eyal Mozes. A deductive database based on aristotelian logic. *J. Symbolic Computation*, 7(5):487–507, 1989.

[20] Paliath Narendran and Colm Ó'Dúnlaing. Cancellativity in finitely presented semigroups. *J. Symbolic Computation*, 7(5):457–472, 1989.

[21] Tze Beng Ng. Computation of the cohomology of b$\hat{\text{s}}$o$_n\langle 16\rangle$ for $23 \leq n \leq 26$ using reduce. *J. Symbolic Computation*, 7(1):93–99, 1989.

[22] Werner Nutt, Pierre Réty, and Gert Smolka. Basic narrowing revisited. *J. Symbolic Computation*, 7(3-4):295–317, 1989.

[23] Luquan Pan. On the d-bases of polynomial ideals over principal ideal domains. *J. Symbolic Computation*, 7(1):55–69, 1989.

[24] Marilena Pittaluga and Elisabetta Strickland. A computer oriented algorithm for the determination of the dimension and character of a modular irreducible $sl(n, k)$-module. *J. Symbolic Computation*, 7(2):155–161, 1989.

[25] Hans W. Scholten and Mark H. Overmars. General methods for adding range restrictions to decomposable searching problems. *J. Symbolic Computation*, 7(1):1–10, 1989.

[26] Jörg H. Siekmann. Unification theory. *J. Symbolic Computation*, 7(3-4):207–274, 1989.

[27] Gert Smolka and Hassan Ait-Kaci. Inheritance hierarchies: Semantics and unification. *J. Symbolic Computation*, 7(3-4):343–370, 1989.

[28] Rick Statman. The word problem for smullyan's lark combinator is decidable. *J. Symbolic Computation*, 7(2):103–112, 1989.

[29] Leon Sterling, Alan Bundy, Lawrence Byrd, Richard O'Keefe, and Bernard Silver. Solving symbolic equations with press. *J. Symbolic Computation*, 7(1):71–84, 1989.

[30] Patrick Suppes and Shuzo Takahashi. An interactive calculus theorem-prover for continuity properties. *J. Symbolic Computation*, 7(6):573–590, 1989.

[31] Masako Takahashi. Parallel reductions in λ-calculus. *J. Symbolic Computation*, 7(2):113–123, 1989.

[32] Ph. Tombal and A. Moussiaux. Algebraic programming of geometrical calculus and clifford algebra. *J. Symbolic Computation*, 7(1):85–91, 1989.

[33] Jonathan Traugott. Deductive synthesis of sorting programs. *J. Symbolic Computation*, 7(6):533–572, 1989.

[34] S.A. Vorontsov. An example of application of symbolic computation in solid state physics. *J. Symbolic Computation*, 7(2):179–181, 1989.

[35] Jia-Huai You. Enumerating outer narrowing derivations for constructor-based term rewriting systems. *J. Symbolic Computation*, 7(3-4):319–341, 1989.