References

[1] Mohsin Ahmed and G. Venkatesh. Dense time logic programming. *J. Symbolic Computation*, 22(5-6):585–613, 1996.

[2] Jean-Marc Andreoli, Uwe M. Borghoff, and Remo Pareschi. The constraint-based knowledge broker model: Semantics, implemantation and analysis. *J. Symbolic Computation*, 21(4):635–667, 1996.

[3] Dieter Aschenwald, Thomas Siegl, and Robert F. Tichy. Mapinsure — a maple package for life insurance. *J. Symbolic Computation*, 22(2):227–234, 1996.

[4] Giuseppe Attardi and Tito Flagella. Memory management in the posso solver. *J. Symbolic Computation*, 21(3):293–311, 1996.

[5] Giuseppe Attardi and Carlo Traverso. Strategy-accurate parallel buchberger algorithms. *J. Symbolic Computation*, 21(4):411–425, 1996.

[6] Franz Baader and Klaus U. Schulz. Unification in the union of disjoint equational theories: Combining decision procedures. *J. Symbolic Computation*, 21(2):211–243, 1996.

[7] Maria Paola Bonacina. On the reconstruction of proofs in distributed theorem proving: A modified clause-diffusion method. *J. Symbolic Computation*, 21(4):507–522, 1996.

[8] Francis Buekenhout and Dimitri Leemans. On the list of finite primitive permutation groups of degree ≤ 50. *J. Symbolic Computation*, 22(2):215–225, 1996.

[9] Reinhard Bündgen, Manfred Göbel, and Wolfgang Küchlein. Strategy compliant multi-threaded term completion. *J. Symbolic Computation*, 21(4):475–505, 1996.

[10] C. Caleiro, G. Saake, and A. Sernadas. Deriving liveness goals from temporal logic specifications. *J. Symbolic Computation*, 22(5-6):521–553, 1996.

[11] David Casperon, David Ford, and John McKay. Ideal decompositions and subfields. *J. Symbolic Computation*, 21(2):133–137, 1996.

[12] Giovanni Cesari and Roman Maeder. Performance analysis of the parallel karatsuba multiplication algorithm for distributed memory architectures. *J. Symbolic Computation*, 21(4):467–473, 1996.

[13] Alexander L. Chistov. Polynomial-time computation of the dimension of algebraic varieties in zero-characteristic. *J. Symbolic Computation*, 22(1):1–25, 1996.

[14] George E. Collins and Mark J. Encarnación. Improved techniques for factoring univariate polynomials. *J. Symbolic Computation*, 21(3):313–327, 1996.

[15] Robert Cremanns and Friedrich Otto. For groups the property of having finite derivation type is equivalent to the homological finiteness condition fp_3. *J. Symbolic Computation*, 22(2):155–177, 1996.

[16] R.T. Curtis and Z. Hasan. Symmetric representation of the elements of the janko group j_1. *J. Symbolic Computation*, 22(2):201–214, 1996.

[17] Stephane Dalmas, Marc Gaetano, and Alain Sausse. A distributed and cooperative environment for computer algebra. *J. Symbolic Computation*, 21(4):427–439, 1996.

[18] Koen de Bosschere and Jean-Marie Jacquet. Extending the μlog framework with local and conditional blackboard operations. *J. Symbolic Computation*, 21(4):669–697, 1996.

[19] Bram de Jager and Bram van Asch. Symbolic solutions for a class of partial differential equations. *J. Symbolic Computation*, 22(4):459–468, 1996.

[20] Jörg Denzinger and Stephan Schulz. Recording and analysing knowledge-based distributed deduction processes. *J. Symbolic Computation*, 21(4):523–541, 1996.

[21] Uwe Egly. On different structure-preserving translations to normal form. *J. Symbolic Computation*, 22(2):121–142, 1996.

[22] Joeri Engelfriet and Jan Treur. Executable temporal logic for nonmonotonic reasoning. *J. Symbolic Computation*, 22(5-6):615–625, 1996.

[23] Maribel Fernández. *ac* complement problems: Satisfiability and negation elimination. *J. Symbolic Computation*, 22(1):49–82, 1996.

[24] M. Fisher, S. Kono, and M.A. Orgun. Editorial: Executable temporal logics. *J. Symbolic Computation*, 22(5-6):469–474, 1996.

[25] Michael Fisher. Temporal semantics for concurrent metatem. *J. Symbolic Computation*, 22(5-6):627–648, 1996.

[26] Michael Fisher and Adam Kellett. The concurrent metatem system. *J. Symbolic Computation*, 22(5-6):728–729, 1996.

[27] George Fix, Chih-Ping Hsu, and Tie Luo. Implicitization of rational parametric surfaces. *J. Symbolic Computation*, 21(3):329–336, 1996.

[28] Thom Frühwirth. Temporal annotated constraint logic programming. *J. Symbolic Computation*, 22(5-6):555–583, 1996.

[29] István Gaál and Michael Pohst. On the resolution of index form equations in sextic fields with an imaginary quadratic subfield. *J. Symbolic Computation*, 22(4):425–434, 1996.

[30] Jean-Raymond Gagné and John Plaice. A non-standard temporal deductive database system. *J. Symbolic Computation*, 22(5-6):649–664, 1996.

[31] Vladimir P. Gerdt and Vladimir V. Kornyak. Construction of finitely presented lie algebras and superalgebras. *J. Symbolic Computation*, 21(3):337–349, 1996.

[32] Katia Gladitz and Herbert Kuchen. Shared memory implementation of the gamma-operation. *J. Symbolic Computation*, 21(4):577–591, 1996.

[33] Laureano Gonzalez-Vega. Applying quantifier elimination to the birkhoff interpolation problem. *J. Symbolic Computation*, 22(1):83–103, 1996.

[34] A.G. Helminck. Computing b-orbits on g/h. *J. Symbolic Computation*, 21(2):169–209, 1996.

[35] Jonathan M.D. Hill, Keith M. Clarke, and Richard Bornat. Parallelizing imperative functional programs : The vectorization monad. *J. Symbolic Computation*, 21(4):561–576, 1996.

[36] Chung-Jen Ho and Chee Keng Yap. The habicht approach to subresultants. *J. Symbolic Computation*, 21(1):1–14, 1996.

[37] Benedetto Intrigila and Marisa Venturini Zilli. A remark on infinite matching vs infinite unification. *J. Symbolic Computation*, 21(3):289–292, 1996.

[38] Gregor Kemper. Calculating invariant rings of finite groups over arbitrary fields. *J. Symbolic Computation*, 21(3):351–366, 1996.

[39] Richard Kennaway, Jan Willem Klop, Ronan Sleep, and Fer-Jan de Vries. Comparing curried and uncurried rewriting. *J. Symbolic Computation*, 21(1):15–39, 1996.

[40] Shinji Kono and M. Fujita. The tokio system. *J. Symbolic Computation*, 22(5-6):734–735, 1996.

[41] Dexter Kozen, Susan Landau, and Richard Zippel. Decomposition of algebraic functions. *J. Symbolic Computation*, 22(3):235–246, 1996.

[42] Werner Krandick and Tudor Jebelean. Bidirectional exact integer division. *J. Symbolic Computation*, 21(4):441–455, 1996.

[43] Ho-Fung Leung and Keith L. Clark. Constraint satisfaction in distributed concurrent logic programming. *J. Symbolic Computation*, 21(4):699–714, 1996.

[44] Jordi Levy and Jaume Agustí. Bi-rewrite systems. *J. Symbolic Computation*, 22(3):279–314, 1996.

[45] Chuchang Liu and Mehmet A. Orgun. Dealing with multiple granularity of time in temporal logic programming. *J. Symbolic Computation*, 22(5-6):699–720, 1996.

[46] P. Lopez, M. Hermenegildo, and S. Debray. A methodology for granularity-based control of parallelism in logic programs. *J. Symbolic Computation*, 21(4):715–734, 1996.

[47] Claude Marché. Normalized rewriting: An alternative to rewriting modulo a set of equations. *J. Symbolic Computation*, 21(3):253–288, 1996.

[48] Massimo Marchiori. On the modularity of normal forms in rewriting. *J. Symbolic Computation*, 22(2):143–154, 1996.

[49] J. Lyn Miller. Analogs of gröbner bases in polynomial rings over a ring. *J. Symbolic Computation*, 21(2):139–153, 1996.

[50] Ben Moszkowski. The programming language tempura. *J. Symbolic Computation*, 22(5-6):730–733, 1996.

[51] Edjard Mota, David Robertson, and Alan Smaill. Naturetime: Temporal granularity in simulation of ecosystems. *J. Symbolic Computation*, 22(5-6):665–698, 1996.

[52] Marian Mrozek. Rigorous error analysis of numerical algorithms via symbolic computations. *J. Symbolic Computation*, 22(4):435–458, 1996.

[53] Hirokazu Murao and Tetsuro Fujise. Modular algorithm for sparse multivariate polynomial interpolation and its parallel implementation. *J. Symbolic Computation*, 21(4):377–396, 1996.

[54] Mehmet A. Orgun and Anthony A. Faustini. The chronolog familiy of languages. *J. Symbolic Computation*, 22(5-6):722–724, 1996.

[55] Peter Padawitz. Inductive theorem proving for design specifications. *J. Symbolic Computation*, 21(1):41–99, 1996.

[56] Victor Y. Pan. Computing x^m mod $p(x)$ and an application to splitting a polynomial into factors over a fixed disc. *J. Symbolic Computation*, 22(4):377–380, 1996.

[57] Franz Pauer and Sandro Zampieri. Gröbner bases with respect to generalized term orders and their application to the modelling problem. *J. Symbolic Computation*, 21(2):155–168, 1996.

[58] F. Leon Pritchard. The ideal membership problem in non-commutative polynomial rings. *J. Symbolic Computation*, 22(1):27–48, 1996.

[59] Zhenyu Qian and Kang Wang. Modular higher-order equational preunification. *J. Symbolic Computation*, 22(4):401–424, 1996.

[60] Bruno Salinier and Robert Strandh. Efficient simulation of forward-branching systems with constructor systems. *J. Symbolic Computation*, 22(4):381–399, 1996.

[61] Nestor E. Sanchez. The method of multiple scales: Asymptotic solutions and normal forms for nonlinear oscillatory problems. *J. Symbolic Computation*, 21(2):245–252, 1996.

[62] Vijay Saraswat, Radha Jagadeesan, and Vineet Gupta. Timed default concurrent constraint programming. *J. Symbolic Computation*, 22(5-6):475–520, 1996.

[63] Karl Schäfer and Christoph Brzoska. "f-limette" fuzzy logic programming integrating metric temporal extensions. *J. Symbolic Computation*, 22(5-6):725–727, 1996.

[64] Manfred Schmidt-Schauß. Decidability of unification in the theory of one-sided distributivity and a multiplicative unit. *J. Symbolic Computation*, 22(3):315–344, 1996.

[65] Wolfgang Schreiner. A para-functional programming interface for a parallel computer algebra package. *J. Symbolic Computation*, 21(4):593–614, 1996.

[66] Takeshi Shimoyama and Kazuhiro Yokoyama. Localization and primary decomposition of polynomial ideals. *J. Symbolic Computation*, 22(3):247–277, 1996.

[67] Nigel Smart. Solving discriminant form equations via unit equations. *J. Symbolic Computation*, 21(3):367–374, 1996.

[68] Angela Sodan. A semi-automatic multiple-strategy approach to mapping tree-structured symbolic processing programs. *J. Symbolic Computation*, 21(4):615–634, 1996.

[69] M. Sofroniou. Order stars and linear stability theory. *J. Symbolic Computation*, 21(1):101–131, 1996.

[70] Carlo Traverso. Hilbert functions and the buchberger algorithm. *J. Symbolic Computation*, 22(4):355–376, 1996.

[71] Srinivas Tummarakota and Junghsen Lieh. Symbolic finite element modeling of structural systems. *J. Symbolic Computation*, 22(1):105–119, 1996.

[72] Felix Ulmer and Jacques-Arthur Weil. Note on kovacic's algorithm. *J. Symbolic Computation*, 22(2):179–200, 1996.

[73] Paul S. Wang. Parallel polynomial operations on smps: An overview. *J. Symbolic Computation*, 21(4):397–410, 1996.

[74] Kenneth Weber. Parallel implementation of the accelerated integer gcd algorithm. *J. Symbolic Computation*, 21(4):457–466, 1996.

[75] Hantao Zhang, Maria Paola Bonacina, and Jieh Hsiang. Psato: A distributed propositional prover and its application to quasigroup problems. *J. Symbolic Computation*, 21(4):543–560, 1996.

[76] Jun Zhang. Symbolic computation on complex polynomial solution of differential equations. *J. Symbolic Computation*, 22(3):345–354, 1996.