References

[1] Paolo Aluffi. Computing characteristic classes of projective schemes. *J. Symbolic Computation*, 35(1):3–19, 2003.

[2] Alessandro Armando and Silvio Ranise. Constraint contextual rewriting. *J. Symbolic Computation*, 36(1-2):193–216, 2003.

[3] Elizabeth A. Arnold. Modular algorithms for computing gröbner bases. *J. Symbolic Computation*, 35(4):403–419, 2003.

[4] J. Avenhus, Th. Hillenbrand, and B. Löchner. On using ground joinable equations in equational theorem proving. *J. Symbolic Computation*, 36(1-2):217–233, 2003.

[5] Rosemary Baines and Peter Vámos. An algorithm to compute the set of characteristics of a system of polynomial equations over the integers. *J. Symbolic Computation*, 35(3):269–279, 2003.

[6] Peter Baumgartner and Hantao Zhang. Model building with ordered resolution: Extracting models from saturated clause sets. *J. Symbolic Computation*, 36(1-2):5–48, 2003.

[7] Thomas Bayer. An algorithm for computing invariants of linear actions of algebraic groups up to a given degree. *J. Symbolic Computation*, 2003:441–449, 2003.

[8] Thomas Bayer. An algorithm for computing invariants of linear actions of algebraic groups up to a given degree. *J. Symbolic Computation*, 35(4):441–449, 2003.

[9] Bernhard Beckert. Depth-first proof search without backtracking for free-variable clausal tableaux. *J. Symbolic Computation*, 36(1-2):117–138, 2003.

[10] Johan Gijsbertus Frederik Belinfante. Computer proofs about finite and regular sets: The unifying concept of subvariance. *J. Symbolic Computation*, 36(1-2):271–285, 2003.

[11] Joost Berson and Arno van den Essen. An algorithm to find a coordinate's mate. *J. Symbolic Computation*, 36(6):835–843, 2003.

[12] Peter A. Brooksbank. Constructive recognition of classical groups in their natural representation. *J. Symbolic Computation*, 35(2):195–239, 2003.

[13] Ronald Brown and Christopher D. Wensley. Computation and homotopical applications of induced crossed modules. *J. Symbolic Computation*, 35(1):59–72, 2003.

[14] Serge Burckel. A result on braids via the investigation of a rewriting system. *J. Symbolic Computation*, 35(2):169–175, 2003.

[15] M.R. Bush, M. Leeming, and R.F.C. Walters. Computing left kan extensions. *J. Symbolic Computation*, 35(2):107–126, 2003.

[16] John J. Cannon and Derek F. Holt. Automorphism group computation and isomorphism testing in finite groups. *J. Symbolic Computation*, 35(3):241–267, 2003.

[17] Falai Chen and Wenping Wang. Revisiting the μ-basis of a rational ruled surface. *J. Symbolic Computation*, 36(5):699–716, 2003.

[18] Arthur D. Chtcherba and Deepak Kapur. Exact resultants for corner-cut unmixed multivariate polynomial systems using the dixon formulation. *J. Symbolic Computation*, 36(3-4):289–315, 2003.

[19] Hans de Nivelle and Maarten de Rijke. Deciding the guarded fragments by resolution. *J. Symbolic Computation*, 35(1):21–58, 2003.

[20] Anatoli Degtyarev, Robert Nieuwenhuis, and Andrei Voronkov. Stratified resolution. *J. Symbolic Computation*, 36(1-2):79–99, 2003.

[21] Alicia Dickenstein and Ioannis Z. Emiris. Multihomogeneous resultant formulae by means of complexes. *J. Symbolic Computation*, 36(3-4):317–342, 2003.

[22] Jan Draisma. Constructing lie algebras of first order differential operators. *J. Symbolic Computation*, 36(5):685–698, 2003.

[23] M'hammed El Kahoui. An elementary approach to subresultants theory. *J. Symbolic Computation*, 35(3):281–292, 2003.

[24] Michael Fleming, Ryan Gunther, and Robert Rosebrugh. A database of categories. *J. Symbolic Computation*, 35(2):127–135, 2003.

[25] E. Fortuna, P. Gianni, P. Parenti, and C. Traverso. Algorithms to compute the topology of orientable real algebraic surfaces. *J. Symbolic Computation*, 36(3-4):343–364, 2003.

[26] Jesús Gago-Vargas. Bases for projective modules in $a_n(k)$. *J. Symbolic Computation*, 36(6):845–853, 2003.

[27] Xiao-Shan Gao. Implicitization of differential rational parametric equations. *J. Symbolic Computation*, 36(5):811–824, 2003.

[28] Karin Gatermann. Applications of sagbi-bases in dynamics. *J. Symbolic Computation*, 35(5):543–575, 2003.

[29] Lilia Georgieva, Ullrich Hustadt, and Renate A. Schmidt. Hyperresolution for guarded formulae. *J. Symbolic Computation*, 36(1-2):163–192, 2003.

[30] Mark Giesbrecht, Erich Kaltofen, and Wen-shin Lee. Algorithms for computing sparsest shifts of polynomials in power, chebyshev, and pochhammer bases. *J. Symbolic Computation*, 36(3-4):401–424, 2003.

[31] Amparo Gil and Javier Segura. A combined symbolic and numerical algorithm for the computation of zeros of orthogonal polynomials and special functions. *J. Symbolic Computation*, 35(5):465–485, 2003.

[32] A. Jacquemard and M.A. Teixeira. Computer analysis of periodic orbits of discontinuous vector fields. *J. Symbolic Computation*, 35(5):617–636, 2003.

[33] Abdul Salam Jarrah, Reinhard Laubenbacher, and Valery Romanovski. The sibirsky component of the center variety of polynomial differential systems. *J. Symbolic Computation*, 35(5):577–589, 2003.

[34] Erich Kaltofen and Wen-shin Lee. Early termination in sparse interpolation algorithms. *J. Symbolic Computation*, 36(3-4):365–400, 2003.

[35] Amit Khetan. The resultant of an unmixed bivariate system. *J. Symbolic Computation*, 36(3-4):425–442, 2003.

[36] Alain Lascoux and Piotr Pragacz. Double sylvester sums for subresultants and multi-schur functions. *J. Symbolic Computation*, 35(6):689–710, 2003.

[37] François Lemaire. An orderly linear pde system with analytic initial conditions with a non-analytic solution. *J. Symbolic Computation*, 35(5):487–498, 2003.

[38] Hongbo Li and Yihong Wu. Automated short proof generation for projective geometric theorems with cayley and bracket algebras: I. incidence geometry. *J. Symbolic Computation*, 36(5):717–762, 2003.

[39] Hongbo Li and Yihong Wu. Automated short proof generation for projective geometric theorems with cayley and bracket algebras: Ii. conic geometry. *J. Symbolic Computation*, 36(5):763–809, 2003.

[40] Ziming Li, Fritz Schwarz, and Serguei P. Tsarev. Factoring systems of linear pdes with finite-dimensional solution spaces. *J. Symbolic Computation*, 36(3-4):443–471, 2003.

[41] John B. Little, David Ortiz, Ricardo Ortiz-Rosado, Rebecca Pablo, and Karen Ríos-Soto. Some remarks on fitzpatrick and flynn's gröbner basis technique for padé approximation. *J. Symbolic Computation*, 35(4):451–461, 2003.

[42] Jinwang Liu, Zhuojun Liu, and Mingsheng Wang. The term orderings which are compatible with composition ii. *J. Symbolic Computation*, 35(2):153–168, 2003.

[43] G. Matera and A. Sedoglavic. Fast computation of discrete invariants associated to a differential rational mapping. *J. Symbolic Computation*, 36(3-4):473–499, 2003.

[44] Maurice Mignotte and Doru Ştefănescu. Linear recurrent sequences and polynomial roots. *J. Symbolic Computation*, 35(6):637–649, 2003.

[45] Manfred Minimair. Dense resultant of composed polynomials: Mixed-mixed case. *J. Symbolic Computation*, 36(6):825–834, 2003.

[46] Teo Mora and Massimiliano Sala. On the gröbner bases of some symmetric systems and their application to coding theory. *J. Symbolic Computation*, 35(2):177–194, 2003.

[47] T. Mulders and A. Storjohann. On lattice reduction for polynomial matrices. *J. Symbolic Computation*, 35(4):377–401, 2003.

[48] Susan B. Niefield. Implementing finite structures in mathematica via a skeletal topos of finite sets. *J. Symbolic Computation*, 35(2):137–151, 2003.

[49] Aurora Olivieri and Ángel del Río. An algorithm to compute the primitive central idempotents and the wedderburn decomposition of a rational group algebra. *J. Symbolic Computation*, 35(6):673–687, 2003.

[50] Peter J. Olver. Moving frames. *J. Symbolic Computation*, 36(3-4):501–512, 2003.

[51] Jens Otten and Wolfgang Bibel. leancop: Lean connection based theorem proving. *J. Symbolic Computation*, 36(1-2):139–161, 2003.

[52] Nicolas Peltier. A calculus combining resolution and enumeration for building finite models. *J. Symbolic Computation*, 36(1-2):49–77, 2003.

[53] Sonia Pérez-Díaz and J. Rafael Sendra. Computing all parametric solutions for blending parametric surfaces. *J. Symbolic Computation*, 36(6):925–964, 2003.

[54] Reinhard Pichler. On the complexity of equational problems in cnf. *J. Symbolic Computation*, 36(1-2):235–269, 2003.

[55] Alexandre Riazanov and Andrei Voronkov. Limited resource strategy in resolution theorem proving. *J. Symbolic Computation*, 36(1-2):101–115, 2003.

[56] Axel Riese. q-multisum — a package for proving q-hypergeometric multiple summation identities. *J. Symbolic Computation*, 35(3):349–376, 2003.

[57] Renaud Rioboo. Towards faster real algebraic numbers. *J. Symbolic Computation*, 36(3-4):513–533, 2003.

[58] Colva M. Roney-Dougal and William R. Unger. The affine primitive permutation groups of degree less than 1000. *J. Symbolic Computation*, 35(4):421–439, 2003.

[59] Marc Rybowicz. On the normalization of numbers and functions defined by radicals. *J. Symbolic Computation*, 35(6):651–672, 2003.

[60] Josef Schicho. Simplification of surface parametrizations — a lattice polygon approach. *J. Symbolic Computation*, 36(3-4):535–554, 2003.

[61] Éric Schost. Complexity results for triangular sets. *J. Symbolic Computation*, 36(3-4):555–594, 2003.

[62] Wolfgang Schreiner, Christian Mittermaier, and Karoly Bosa. Distributed maple: Parallel computer algebra in networked environments. *J. Symbolic Computation*, 35(3):305–347, 2003.

[63] Viorica Sofronie-Stokkermans. Resolution-based decision procedures for the universal theory of some classes of distributive lattices with operators. *J. Symbolic Computation*, 36(6):891–924, 2003.

[64] Michael Stillman. Computing in algebraic geometry and commutative algebra using macaulay 2. *J. Symbolic Computation*, 36(3-4):595–611, 2003.

[65] Arne Storjohann. High-order lifting and integrality certification. *J. Symbolic Computation*, 36(3-4):613–648, 2003.

[66] Akira Suzuki and Yosuke Sato. An alternative approach to comprehensive gröbner bases. *J. Symbolic Computation*, 36(3-4):649–667, 2003.

[67] Felix Ulmer. Liouvillian solutions of third order differential equations. *J. Symbolic Computation*, 36(6):855–889, 2003.

[68] Miroslav N. Velev and Randal E. Bryant. Effective use of boolean satisfiability procedures in the formal verification of superscalar and vliw microprocessors. *J. Symbolic Computation*, 35(2):73–106, 2003.

[69] Uli Walther. Cohomology, stratifications and parametric gröbner bases in characteristic zero. *J. Symbolic Computation*, 35(5):527–542, 2003.

[70] Volker Weispfenning. Canonical comprehensive gröbner bases. *J. Symbolic Computation*, 36(3-4):669–683, 2003.

[71] Thomas Wolf. The integration of systems of linear pdes using conservation laws of syzygies. *J. Symbolic Computation*, 35(5):499–526, 2003.

[72] Pei Yu and Yuan Yuan. A matching pursuit technique for computing the simplest normal forms of vector fields. *J. Symbolic Computation*, 35(5):591–615, 2003.

[73] Bao-Yin Zhang. A new elementary algorithm for proving q-hypergeometric identities. *J. Symbolic Computation*, 35(3):293–303, 2003.