References

[1] S.A. Abramov and M.A. Barkatou. d'alembertian series solutions at ordinary points of lode with polynomial coefficients. *J. Symbolic Computation*, 44(1):48–59, 2009.

[2] Martin Aigner, Bert Jüttler, Laureano Gonzalez-Vega, and Josef Schicho. Parameterizing surfaces with certain special support functions, including offsets of quadrics and rationally supported surfaces. *J. Symbolic Computation*, 44(2):180–191, 2009.

[3] Lionel Alberti, Bernard Mourrain, and Jean-Pierre Técourt. Isotopic triangulation of a real algebraic surface. *J. Symbolic Computation*, 44(9):1291–1310, 2009.

[4] V. Alvarez, J.A. Armario, M.D. Frau, and P. Real. The homological reduction method for computing cocyclic hadamard matrices. *J. Symbolic Computation*, 44(5):558–570, 2009.

[5] Hirokazu Anai, Shinji Hara, Masaaki Kanno, and Kazuhiro Yokoyama. Parametric polynomial spectral factorization using the sum of roots and its application to a control design problem. *J. Symbolic Computation*, 44(7):703–725, 2009.

[6] Carlos Andradas, Tomas Recio, J. Rafael Sendra, and Luis Felipe Tabera. On the simplification of the coefficients of a parametrization. *J. Symbolic Computation*, 44(2):192–210, 2009.

[7] Daniel Augot, Magali Bardet, and Jean-Charles Faugère. On the decoding of binary cyclic codes with the newton identities. *J. Symbolic Computation*, 44(12):1608–1625, 2009.

[8] Martín Avendaño. The number of roots of a lacunary bivariate polynomial on a line. *J. Symbolic Computation*, 44(9):1280–1284, 2009.

[9] Mohamed Barakat and Daniel Robertz. conley: Computing connection matrices in maple. *J. Symbolic Computation*, 44(5):540–557, 2009.

[10] Moulay A. Barkatou and Eckhard Pflügel. On the moser- and super-reduction algorithms of systems of linear differential equations and their complexity. *J. Symbolic Computation*, 44(8):1017–1036, 2009.

[11] Dave Bayer and Amelia Taylor. Reverse search for monomial ideals. *J. Symbolic Computation*, 44(10):1477–1486, 2009.

[12] Tobias Beck. Formal desingularization of surfaces: The jung method revisited. *J. Symbolic Computation*, 44(2):131–160, 2009.

[13] Leonid Bedratyuk. A complete minimal system of covariants for the binary form of degree 7. *J. Symbolic Computation*, 44(2):211–220, 2009.

[14] Côme Berbain, Henri Gilbert, and Jacques Patarin. Quad: A multivariate stream cipher with provable security. *J. Symbolic Computation*, 44(12):1703–1723, 2009.

[15] Delphine Boucher and Felix Ulmer. Coding with skew polynomial rings. *J. Symbolic Computation*, 44(12):1644–1656, 2009.

[16] Emmanuel Briand and Mercedes Rosas. Milne's volume function and vector symmetric polynomials. *J. Symbolic Computation*, 44(5):583–590, 2009.

[17] Michael Brickenstein and Alexander Dreyer. Polybori: A framework for gröbner-basis computations with boolean polynomials. *J. Symbolic Computation*, 44(9):1326–1345, 2009.

[18] Stanislav Bulygin and Ruud Pellikaan. Bounded distance decoding of linear error-correcting codes with gröbner bases. *J. Symbolic Computation*, 44(12):1626–1643, 2009.

[19] Peter Bürgisser and Peter Scheiblechner. On the complexity of counting components of algebraic varieties. *J. Symbolic Computation*, 44(9):1114–1136, 2009.

[20] J. Busch. Lower bounds for decision problems in imaginary, norm-euclidean quadratic integer rings. *J. Symbolic Computation*, 44(6):683–699, 2009.

[21] Laurent Busé, Mohamed Elkadi, and André Galligo. A computational study of ruled surfaces. *J. Symbolic Computation*, 44(3):232–241, 2009.

[22] L.M. Camacho, J.R. Gómez, A.J. González, and B.A. Omirov. Naturally graded quasi-filiform leibniz algebras. *J. Symbolic Computation*, 44(5):527–539, 2009.

[23] Mari Castle, Victoria Powers, and Bruce Reznick. A quantitative pólya's theorem with zeros. *J. Symbolic Computation*, 44(9):1285–1290, 2009.

[24] Eda Cesaratto, Julien Clément, Benoît Daireaux, Loïck Lhote, Véronique Maume-Deschamps, and Brigitte Vallée. Regularity of the euclid algorithm; application to the analysis of fast gcd algorithms. *J. Symbolic Computation*, 44(7):726–767, 2009.

[25] William Y.C. Chen and Ernest X.W. Xia. The q-wz method for infinite series. *J. Symbolic Computation*, 44(8):960–971, 2009.

[26] Jin-San Cheng, Xiao-Shan Gao, and Chee-Keng Yap. Complete numerical isolation of real roots in zero-dimensional triangular systems. *J. Symbolic Computation*, 44(7):768–785, 2009.

[27] Arthur D. Chtcherba, Deepak Kapur, and Manfred Minimair. Cayley-dixon projection operator for multi-univariate composed polynomials. *J. Symbolic Computation*, 44(8):972–999, 2009.

[28] Serena Cicalò and Willem A. de Graaf. Non-associative gröbner bases, finitely-presented lie rings and the engel condition, ii. *J. Symbolic Computation*, 44(7):786–800, 2009.

[29] Adam Clay and Lawrence H. Smith. Erratum to "on ordering free groups". *J. Symbolic Computation*, 44(10):1529–1532, 2009. Originally in J. Symbolic Computation, Vol. 40, 2005, No. 6, 1285-1290.

[30] Filip Cools. On the relation between weighted trees and tropical grassmannians. *J. Symbolic Computation*, 44(8):1079–1086, 2009.

[31] Robert M. Corless, Karin Gatermann, and Ilias S. Kotsireas. Using symmetries in the eigenvalue method for polynomial systems. *J. Symbolic Computation*, 44(11):1536–1550, 2009.

[32] Christian Costermans and Hoang Ngoc Minh. Noncommutative algebra, multiple harmonic sums and applications in discrete probability. *J. Symbolic Computation*, 44(7):801–817, 2009.

[33] Gheorghe Craciun, Alicia Dickenstein, Anne Shiu, and Bernd Sturmfels. Toric dynamical systems. *J. Symbolic Computation*, 44(11):1551–1565, 2009.

[34] J.E. Cremona and T.A. Fisher. On the equivalence of binary quartics. *J. Symbolic Computation*, 44(6):673–682, 2009.

[35] R.T. Curtis and B.T. Fairbairn. Symmetric representation of the elements of the conway group $\cdot 0$. *J. Symbolic Computation*, 44(8):1044–1067, 2009.

[36] Xavier Dahan, Éric Schost, and Jie Wu. Evaluation properties of invariant polynomials. *J. Symbolic Computation*, 44(11):1592–1604, 2009.

[37] Carlos D'Andrea, Hoon Hong, Teresa Krick, and Agnes Szanto. Sylvester's double sums: The general case. *J. Symbolic Computation*, 44(9):1164–1175, 2009.

[38] Willem A. de Graaf. Constructing algebraic groups from their lie algebras. *J. Symbolic Computation*, 44(9):1223–1233, 2009.

[39] Willem A. de Graaf, Jana Pílniková, and Josef Schicho. Parametrizing del pezzo surfaces of degree 8 using lie algebras. *J. Symbolic Computation*, 44(1):1–14, 2009.

[40] A.S. Detinko and D.L. Flannery. On deciding finiteness of matrix groups. *J. Symbolic Computation*, 44(8):1037–1043, 2009.

[41] Dimitrios I. Diochnos, Ioannis Z. Emiris, and Elias P. Tsigaridas. On the asymptotic and practical complexity of solving bivariate systems over the reals. *J. Symbolic Computation*, 44(7):818–835, 2009.

[42] Marc Dohm. Implicitization of rational ruled surfaces with μ-bases. *J. Symbolic Computation*, 44(5):479–489, 2009.

[43] Marc Dohm and Severinas Zube. The implicit equation of a canal surface. *J. Symbolic Computation*, 44(2):111–130, 2009.

[44] Raouf Dridi and Michel Petitot. New classification techniques for ordinary differential equations. *J. Symbolic Computation*, 44(7):836–851, 2009.

[45] Marcin Dumnicki. An algorithm to bound the regularity and nonemptiness of linear systems in P^n. *J. Symbolic Computation*, 44(10):1448–1462, 2009.

[46] Clémence Durvye. Evaluation techniques for zero-dimensional primary decomposition. *J. Symbolic Computation*, 44(9):1089–1113, 2009.

[47] M. Elkadi, A. Galligo, and M. Weimann. Towards toric absolute factorization. *J. Symbolic Computation*, 44(9):1194–1211, 2009.

[48] Rida T. Farouki, Carlotta Giannelli, and Alessandra Sestini. Helical polynomial curves and double pythagorean hodographs — i. quaternion and hopf map representations. *J. Symbolic Computation*, 44(2):161–179, 2009.

[49] Rida T. Farouki, Carlotta Giannelli, and Alessandra Sestini. Helical polynomial curves and double pythagorean hodographs — ii. enumeration of low-degree curves. *J. Symbolic Computation*, 44(4):307–332, 2009.

[50] Jean-Charles Faugère and Ludovic Perret. An efficient algorithm for decomposing multivariate polynomials and its applications to cryptography. *J. Symbolic Computation*, 44(12):1676–1689, 2009.

[51] E. Fortuna, P. Gianni, and B. Trager. Generators of the ideal of an algebraic space curve. *J. Symbolic Computation*, 44(9):1234–1254, 2009.

[52] Alexander Fronk and Britta Kehden. State space analysis of petri nets with relation-algebraic methods. *J. Symbolic Computation*, 44(1):15–47, 2009.

[53] Xiao-Shan Gao, Yong Luo, and Chunming Yuan. A characteristic set method for ordinary difference polynomial systems. *J. Symbolic Computation*, 44(3):242–260, 2009.

[54] X.S. Gao, J. van der Hoeven, C.M. Yuan, and G.L. Zhang. Characteristic set method for differential-difference polynomial systems. *J. Symbolic Computation*, 44(9):1137–1163, 2009.

[55] Pierrick Gaudry. Index calculus for abelian varieties of small dimension and the elliptic curve discrete logarithm problem. *J. Symbolic Computation*, 44(12):1690–1702, 2009.

[56] Mark Giesbrecht, George Labahn, and Wen-shin Lee. Symbolic-numeric sparse interpolation of multivariate polynomials. *J. Symbolic Computation*, 44(8):943–959, 2009.

[57] Oleg Golubitsky, Marina Kondratieva, and Alexey Ovchinnikov. Algebraic transformation of differential characteristic decompositions from one ranking to another. *J. Symbolic Computation*, 44(4):333–357, 2009.

[58] Clément M. Gosselin, Brian Moore, and Josef Schicho. Dynamic balancing of planar mechanisms using toric geometry. *J. Symbolic Computation*, 44(9):1346–1358, 2009.

[59] Andrew J. Hanson and Ji-Ping Sha. A tessellation for fermat surfaces in $C\mathrm{p}^3$. *J. Symbolic Computation*, 44(6):591–605, 2009.

[60] David Harvey. Faster polynomial multiplication via multipoint kronecker substitution. *J. Symbolic Computation*, 44(10):1502–1510, 2009.

[61] Abramo Hefez and Marcelo Escudeiro Hernandes. Analytic classification of plane branches up to multiplicity 4. *J. Symbolic Computation*, 44(6):626–634, 2009.

[62] Daniel Heldt, Martin Kreuzer, Sebastian Pokutta, and Hennie Poulisse. Approximate computation of zero-dimensional polynomial ideals. *J. Symbolic Computation*, 44(11):1566–1591, 2009.

[63] Raymond Hemmecke and Peter N. Malkin. Computing generating sets of lattice ideals and markov bases of lattices. *J. Symbolic Computation*, 44(10):1463–1476, 2009.

[64] Evelyne Hubert. Differential invariants of a lie group action: Syzygies on a generating set. *J. Symbolic Computation*, 44(4):382–416, 2009.

[65] Hendrik Hubrechts. Quasi-quadratic elliptic curve point counting using rigid cohomology. *J. Symbolic Computation*, 44(9):1255–1267, 2009.

[66] Manuel A. Insua and Manuel Ladra. Gröbner bases in universal enveloping algebras of leibniz algebras. *J. Symbolic Computation*, 44(5):517–526, 2009.

[67] Jean-François Jaulent, Sebastian Pauli, Michael E. Pohst, and Florence Soriano-Gafiuk. Computation of 2-groups of narrow logarithmic divisor classes of number fields. *J. Symbolic Computation*, 44(7):852–863, 2009.

[68] J. Santiago Jorge, Victor M. Gulias, and Jose L. Freire. Certifying properties of an efficient functional program for computing gröbner bases. *J. Symbolic Computation*, 44(5):571–582, 2009.

[69] Roy Joshua and Shaun Van Ault. Implementation of stanley's algorithm for projective group imbeddings. *J. Symbolic Computation*, 44(6):655–672, 2009.

[70] Jean-Pierre Jouanolou. An explicit duality for quasi-homogeneous ideals. *J. Symbolic Computation*, 44(7):864–871, 2009.

[71] Gregor Kemper. Separating invariants. *J. Symbolic Computation*, 44(9):1212–1222, 2009.

[72] Ilias S. Kotsireas and Christos Koukouvinos. Hadamard matrices of williamson type: A challenge for computer algebra. *J. Symbolic Computation*, 44(3):271–279, 2009.

[73] Daniel Kunkle and Gene Cooperman. Harnessing parallel disks to solve rubik's cube. *J. Symbolic Computation*, 44(7):872–890, 2009.

[74] Roberto La Scala and Viktor Levandovskyy. Letterplace ideals and non-commutative gröbner bases. *J. Symbolic Computation*, 44(10):1374–1393, 2009.

[75] Daniel Lazard. Thirty yaears of polynomial system solving, and now? *J. Symbolic Computation*, 44(3):222–231, 2009.

[76] Daniel Lazard and Scott McCallum. Iterated discriminants. *J. Symbolic Computation*, 44(9):1176–1193, 2009.

[77] Kwankyu Lee and Michael E. O'Sullivan. List decoding of hermitian codes using gröbner bases. *J. Symbolic Computation*, 44(12):1662–1675, 2009.

[78] Xin Li, Marc Moreno Maza, and Éric Schost. Fast arithmetic for triangular sets: From theory to practice. *J. Symbolic Computation*, 44(7):891–907, 2009.

[79] Songxin Liang and David J. Jeffrey. Automatic computation of the complete root classification for a parametric polynomial. *J. Symbolic Computation*, 44(10):1487–1501, 2009.

[80] Montserrat Manubens and Antonio Montes. Minimal canonical comprehensive gröbner systems. *J. Symbolic Computation*, 44(5):463–478, 2009.

[81] Bernd Martin and Hendrik Süß. Milnor algebras could be isomorphic to modular algebras. *J. Symbolic Computation*, 44(9):1268–1279, 2009.

[82] James McLaughlin, Andrew V. Sills, and Peter Zimmer. Rogers-ramanujan computer searches. *J. Symbolic Computation*, 44(8):1068–1078, 2009.

[83] Josep M. Miret, Xavier Hernández, and Sebastiè Xambó-Descamps. Erratum to "computing the characteristic numbers of the variety of nodal plane cubics in P^3". *J. Symbolic Computation*, 44(4):417–418, 2009. Originally in J. Symbolic Computation, Vol. 42, 2007, No. 1-2, 192-202.

[84] Josep M. Miret, Jordi Pujolàs, Kumar Saurav, and Sebastiá Xambó-Descamps. Computing some fundamental numbers of the variety of nodal cubics in P^3. *J. Symbolic Computation*, 44(10):1425–1447, 2009.

[85] B. Mourrain and J.P. Pavone. Subdivision methods for solving polynomial equations. *J. Symbolic Computation*, 44(3):292–306, 2009.

[86] Hiromasa Nakayama. Algorithm computing the local b function by an approximate division algorithm in $\hat{\lceil}$. *J. Symbolic Computation*, 44(5):449–462, 2009.

[87] Sylvain Neut, Michel Petitot, and Raouf Dridi. Élie cartan's geometrical vision or how to avoid expression swell. *J. Symbolic Computation*, 44(3):261–270, 2009.

[88] An Khuong Nguyen. On d-solvability for linear differential equations. *J. Symbolic Computation*, 44(5):421–434, 2009.

[89] Gabriela Olteanu and Ángel del Río. An algorithm to compute the wedderburn decomposition of semisimple group algebras implemented in the gap package wedderga. *J. Symbolic Computation*, 44(5):507–516, 2009.

[90] Scott R. Pope and Agnes Szanto. Nearest multivariate system with given root multiplicities. *J. Symbolic Computation*, 44(6):606–625, 2009.

[91] M. Prem Laxman Das and Kripasindhu Sikdar. List decoding codes on garcia-stictenoth tower using gröbner basis. *J. Symbolic Computation*, 44(12):1657–1661, 2009.

[92] Greg Reid and Lihong Zhi. Solving polynomial systems via symbolic-numeric reduction to geometric involutive form. *J. Symbolic Computation*, 44(3):280–291, 2009.

[93] Daniel Robertz. Noether normalization guided by monomial cone decompositions. *J. Symbolic Computation*, 44(10):1359–1373, 2009.

[94] Bjarke Hammersholt Roune. The slice algorithm for irreducible decomposition of monomial ideals. *J. Symbolic Computation*, 44(4):358–381, 2009.

[95] Diego Ruano. On the structure of generalized toric codes. *J. Symbolic Computation*, 44(5):499–506, 2009.

[96] R. Rubio, J.M. Serradilla, and M.P. Vélez. Detecting real singularities of a space curve from a real rational parametrization. *J. Symbolic Computation*, 44(5):490–498, 2009.

[97] Eduardo Sáenz-de Cabezón and Henry P. Wynn. Betti numbers and minimal free resolutions for multi-state system reliability bounds. *J. Symbolic Computation*, 44(9):1311–1325, 2009.

[98] F. San Segundo and J.R. Sendra. Partial degree formulae for plane offset curves. *J. Symbolic Computation*, 44(6):635–654, 2009.

[99] Hiroshi Sekigawa. On real factors of real interval polynomials. *J. Symbolic Computation*, 44(7):908–922, 2009.

[100] Shinichi Tajima and Yayoi Nakamura. Annihilating ideals for an algebraic local cohomology class. *J. Symbolic Computation*, 44(5):435–448, 2009.

[101] Kuniaki Tsuji. An improved ez-gcd algorithm for multivariate polynomials. *J. Symbolic Computation*, 44(1):99–110, 2009.

[102] Shih Ping Tung. Algorithms for near solutions to polynomial equations. *J. Symbolic Computation*, 44(10):1410–1424, 2009.

[103] Joris van der Hoeven. On asymptotic extrapolation. *J. Symbolic Computation*, 44(8):1000–1016, 2009.

[104] T. Wietecha and K. Sokalski. Plus-minus algorithm — a method for derivation of the bäcklund transformations. *J. Symbolic Computation*, 44(10):1511–1528, 2009.

[105] Claus-Peter Wirth. Shallow confluence of conditional term rewriting systems. *J. Symbolic Computation*, 44(1):60–98, 2009.

[106] Wenyuan Wu, Greg Reid, and Silvana Ilie. Implicit riquier bases for pdae and their semi-discretizations. *J. Symbolic Computation*, 44(7):923–941, 2009.

[107] Mingbo Zhang and Xiao-Shan Gao. Decomposition of ordinary difference polynomials. *J. Symbolic Computation*, 44(10):1394–1409, 2009.