References

[1] M. Agrawal and S. Biswas. *np*-creative sets: A new class of creative sets in *np*. *Math. Systems Theory*, 29(5):487–505, 1996.

[2] V. Arvind, J. Köbler, and M. Mundhenk. Upper bounds for the complexity of sparse and tally descriptions. *Math. Systems Theory*, 29(1):63–94, 1996.

[3] A.M. Ben-Amram, B.A. Julstrom, and U. Zwick. A note on busy beavers and other creatures. *Math. Systems Theory*, 29(4):375–386, 1996.

[4] J.-C. Birget. Two-way automata and length-preserving homomorphisms. *Math. Systems Theory*, 29(3):191–226, 1996.

[5] S.R. Blackburn. Node bisectors of cayley graphs. *Math. Systems Theory*, 29(6):589–598, 1996.

[6] J. Cai and Z. Liu. The bounded membership problem of the monoid $sl_2(n)$. *Math. Systems Theory*, 29(6):573–587, 1996.

[7] Jin-Yi Cai, F. Green, and T. Thierauf. On the correlation of symmetric functions. *Math. Systems Theory*, 29(3):245–258, 1996.

[8] F. Cucker and M. Matamala. On digital nondeterminism. *Math. Systems Theory*, 29(6):635–647, 1996.

[9] G. Dányi and Z. Fülöp. Superlinear deterministic top-down tree transducers. *Math. Systems Theory*, 29(5):507–534, 1996.

[10] R. Feldmann and P. Mysliwietz. The shuffle exchange network has a hamiltonian path. *Math. Systems Theory*, 29(5):471–485, 1996.

[11] W. Golubski and W.M. Lippe. Tree-stack automata. *Math. Systems Theory*, 29(3):227–244, 1996.

[12] J.L. Gross and Jianer Chen. Algebraic specification of interconnection network relationships by permutation voltage graph mappings. *Math. Systems Theory*, 29(5):451–470, 1996.

[13] S. Gupta. Alternating time versus deterministic time: A separation. *Math. Systems Theory*, 29(6):661–672, 1996.

[14] Y.O. Hamidoune and O. Serra. On small cuts separating an abelian cayley graph into two equal parts. *Math. Systems Theory*, 29(4):407–409, 1996.

[15] L.A. Hemaspaandra and M. Zimand. Strong self-reducibility precludes strong immunity. *Math. Systems Theory*, 29(5):535–548, 1996.

[16] K.T. Herley. Representing shared data on distributed-memory parallel computers. *Math. Systems Theory*, 29(2):111–156, 1996.

[17] U. Hertrampf, H. Vollmer, and K.W. Wagner. On balanced versus unbalanced computation trees. *Math. Systems Theory*, 29(4):411–421, 1996.

[18] S. Jesi, G. Pighizzini, and N. Sabadini. Probabilistic asynchronous automata. *Math. Systems Theory*, 29(1):5–31, 1996.

[19] Tao Jiang and Ming Li. Dna sequencing and string learning. *Math. Systems Theory*, 29(4):387–405, 1996.

[20] J. Kari. Representation of reversible cellular automata with block permutations. *Math. Systems Theory*, 29(1):47–61, 1996.

[21] J. Köbler and Seinsosuke Toda. On the power of generalized mod-classes. *Math. Systems Theory*, 29(1):33–46, 1996.

[22] S. Lange and T. Zeugmann. Set-driven and rearrangement-independent learning of recursive languages. *Math. Systems Theory*, 29(6):599–634, 1996.

[23] J.S. Lew, L.B. Morales, and A. Sánchez-Flores. Diagonal polynomials for small dimensions. *Math. Systems Theory*, 29(3):305–310, 1996.

[24] F. Makedon and A. Symvonis. Flit-serial packet routing on meshes and tori. *Math. Systems Theory*, 29(4):311–330, 1996.

[25] C. Meinel and S. Waack. Lower bounds for the majority communication complexity of various graph accessibility problems. *Math. Systems Theory*, 29(6):649–659, 1996.

[26] Z. Miller, D. Pritikin, and I.H. Sudborough. Bounded dilation maps of hypercubes into cayley graphs on the symmetric group. *Math. Systems Theory*, 29(6):551–572, 1996.

[27] L.B. Morales and J.S. Lew. An enlarged family of packing polynomials on multidimensional lattices. *Math. Systems Theory*, 29(3):293–303, 1996.

[28] C.H. Papadimitriou and M. Sideri. The bisection width of grid graphs. *Math. Systems Theory*, 29(2):97–110, 1996.

[29] J. Radhakrishnan. $\pi - \sigma - \pi$ threshold formulas. *Math. Systems Theory*, 29(4):357–374, 1996.

[30] M.-J. Sheu and T.J. Long. *up* and the low and high hierarchies: A relativized separation. *Math. Systems Theory*, 29(5):423–449, 1996.

[31] G. Slutzki and S. Vágvölgyi. A hierarchy of deterministic top-down tree transformations. *Math. Systems Theory*, 29(2):169–188, 1996.

[32] S. Tragoudas. Improved approximations for the minimum-cut ratio and the flux. *Math. Systems Theory*, 29(2):157–167, 1996.

[33] V.A. Uspensky and A. Shen. Relations between varieties of kolmogorov complexities. *Math. Systems Theory*, 29(3):271–292, 1996.

[34] M. Yamashita and T. Kameda. Computing functions on asynchronous anonymous networks. *Math. Systems Theory*, 29(4):331–356, 1996.

[35] T. Yokomori. Learning two-tape automata from queries and counterexamples. *Math. Systems Theory*, 29(3):259–270, 1996.