References

- [1] Mokhtar A. Aboelaze. Mlh: A hierarchical hypercube network. *Networks*, 28(3):157–165, 1996.
- [2] R. Ahlswede, L. Gargano, H.S. Haroutunian, and L.H. Khachatrian. Fault-tolerant minimum broadcast networks. *Networks*, 27(4):293–307, 1996.
- [3] C. Balbuena, A. Carmona, J. Fàbrega, and M.A. Fiol. On the connectivity and the conditional diameter of graphs and digraphs. *Networks*, 28(2):97–105, 1996.
- [4] Kenneth A. Berman. Vulnerability of scheduled networks and a generalized of menger's theorem. *Networks*, 28(3):125–134, 1996.
- [5] Oded Berman, Zvi Drezner, and George O. Wesolowsky. Minimum covering criterion for obnoxious facility location on a network. *Networks*, 28(1):1–5, 1996.
- [6] Franco Blanchini, Maurice Queyranne, Franca Rinaldi, and Walter Ukovich. A feedback strategy for periodic network flows. *Networks*, 27(1):25–34, 1996.
- [7] Enrique Castillo, José Manuel Gutiérrez, and Ali S. Hadi. A new method for efficient symbolic propagation in discrete bayesian networks. *Networks*, 28(1):31–43, 1996.
- [8] Pierre Chardaire, Alain Sutter, and Marie-Christine Costa. Solving the dynamic facility location problem. *Networks*, 28(2):117–124, 1996.
- [9] Gary Chartrand, Michelle Schultz, and Steven J. Winters. On eccentric vertices in graphs. *Networks*, 28(4):181–186, 1996.
- [10] Yao-Min Chen and Galen H. Sasaki. Routing in quasi torus networks. Networks, 28(4):195–209, 1996.
- [11] B.S. Chlebus, K. Diks, and A. Pelc. Broadcasting in synchronous networks with dynamic faults. *Networks*, 27(4):309–318, 1996.

- [12] Tein Y. Chung, Dharma P. Agrawal, Suresh Rai, and Tzau J. Chung. A comparative study of doubly connected directed topologies for lans and mans. *Networks*, 27(1):35–51, 1996.
- [13] Mauro Dell'Amico, Martine Labbé, and Francesco Maffioli. Complexity of spanning tree problems with leaf-dependent objectives. *Networks*, 27(3):175–181, 1996.
- [14] Krzysztof Diks and Andrzej Pelc. Broadcasting with universal lists. Networks, 27(3):183–196, 1996.
- [15] John A. Ellis. Embedding grids into grids: Techniques for large compression ratios. *Networks*, 27(1):1–17, 1996.
- [16] Pierre Fraigniaud and Christian Laforest. Minimum gossip bus networks. Networks, 27(3):239–251, 1996.
- [17] J. Ghoshal, R. Laskar, and D. Pillone. Minimal rankings. *Networks*, 28(1):45–53, 1996.
- [18] Frieda Granot, Michal Penn, and Maurice Queyranne. Disconnecting sets in single and two-terminal-pair networks. *Networks*, 27(2):117–123, 1996.
- [19] Lloyd Greenwald and Thomas Dean. Package routing in transportation networks with fixed vehicle schedules. *Networks*, 27(1):81–93, 1996.
- [20] Georg Gunther, Bert Hartnell, and Douglas Rall. Star-factors and k-bounded total domination. Networks, 27(3):197–201, 1996.
- [21] Frank Harary and John P. Hayes. Node fault tolerance in graphs. *Networks*, 27(1):19–23, 1996.
- [22] Tung-Yang Ho, Lih-Hsing Hsu, and Ting-Yi Sung. Transmitting on various network topologies. *Networks*, 27(2):145–157, 1996.
- [23] Dorit S. Hochbaum and Anu Pathria. The bottleneck graph partition problem. *Networks*, 28(4):221–225, 1996.
- [24] E. Hotzel. Components and graph automorphisms of standard 2×2 -switch banyan networks. *Networks*, 27(1):53–71, 1996.

- [25] Keith Humenik, Peter Matthews, A.B. Stephens, and Yelena Yesha. Minimizing message complexity of partially replicated data on hypercubes. *Networks*, 28(2):87–95, 1996.
- [26] Chun-Nan Hung, Lih-Hsing Hsu, and Ting-Yi Sung. A response to volgenant's addendum on the most vital edges. *Networks*, 27(3):255–255, 1996.
- [27] Yoshiyasu Ishigami. The wide-diameter of the *n*-dimensional toroidal mesh. *Networks*, 27(4):257–266, 1996.
- [28] B. Kalantari and G.B. Khosrovshahi. Magic labeling in graphs: Bounds, complexity, and an application to a variant of tsp. *Networks*, 28(4):211–219, 1996.
- [29] Tae Ung Kim, Timothy J. Lowe, Arie Tamir, and James E. Ward. On the location of a tree-shaped facility. *Networks*, 28(3):167–175, 1996.
- [30] Wataru Kishimoto. A method for obtaining the maximum multiroute flows in a network. *Networks*, 27(4):279–291, 1996.
- [31] James A. Knisely and Renu Laskar. Cyclic gossiping times for some classes of graphs. *Networks*, 28(3):135–141, 1996.
- [32] Hung-Kuei Ku and John P. Hayes. Optimally edge fault-tolerant trees. *Networks*, 27(3):203–214, 1996.
- [33] Qiao Li, Dominique Sotteau, and Junming Xu. 2-diameter of de bruijn graphs. *Networks*, 28(1):7–14, 1996.
- [34] Geng Lin and Nicholas Pippenger. Routing algorithms for switching networks with probabilistic traffic. *Networks*, 28(1):21–29, 1996.
- [35] Yannis Manoussakis and Zsolt Tuza. Optimal routings in communication networks with linearly bounded forwarding index. *Networks*, 28(4):177–180, 1996.
- [36] Emanuel Melachrinoudis and Mary E. Helander. A single facility location problem on a tree with unreliable edges. *Networks*, 27(3):219–237, 1996.

- [37] Prakash Mirchandani. A simple $o(n^2 \text{ algorithm for the all-pairs shortest})$ path problem on an interval graph. Networks, 27(3):215–217, 1996.
- [38] Anna Nagurney and June Dong. Network decomposition of general financial equilibria with transaction costs. *Networks*, 28(2):107–116, 1996.
- [39] Yves Nobert and Jean-Claude Picard. An optimal algorithm for the mixed chinese postman problem. *Networks*, 27(2):95–108, 1996.
- [40] Ju-Young Lee Park and Hyeong-Ah Choi. Circuit-switched row-column broadcasting in torus and mesh networks. *Networks*, 27(2):159–167, 1996.
- [41] Andrzej Pelc. Fault-tolerant broadcasting and gossiping in communication networks. *Networks*, 28(3):143–156, 1996.
- [42] L. Petingi, J.T. Saccoman, and L. Schoppmann. Uniformly least reliable graphs. *Networks*, 27(2):125–131, 1996.
- [43] George H. Polychronopoulos and John N. Tsitsiklis. Stochastic shortest path problems with recourse. *Networks*, 27(2):133–143, 1996.
- [44] J. MacGregor Smith. Topological network design of state-dependent queueing networks. *Networks*, 28(1):55–68, 1996.
- [45] R. Sritharan. A linear time algorithm to recognize circular permutation graphs. *Networks*, 27(3):171–174, 1996.
- [46] Ram Swaminathan. Divide-and-conquer algorithms for graph-layout problems. *Networks*, 28(2):69–85, 1996.
- [47] Kalyan T. Talluri. Network synthesis with few edges. *Networks*, 27(2):109–115, 1996.
- [48] Alice Underwood. A modified melzak procedure for computing nodeweighted steiner trees. *Networks*, 27(1):73–79, 1996.
- [49] A. Volgenant. An addendum to the most vital edges of matching in a bipartite graph. *Networks*, 27(3):253–253, 1996.
- [50] Lusheng Wang and Tao Jiang. An approximation scheme for some steiner tree problems in the plane. *Networks*, 28(4):187–193, 1996.

- [51] Shangyao Yan. Approximating reduced costs under degeneracy in a network flow problem with side constraints. *Networks*, 27(4):267–278, 1996.
- [52] S.Q. Zheng. Maximum independent sets of circular-arc graphs: Simplified algorithm and proofs. *Networks*, 28(1):15–19, 1996.