References

[1] N. Apollonio, I. Lari, F. Ricca, B. Simeone, and J. Puerto. Polynomial algorithms for partitioning a tree into single-center subtrees to minimize flat service costs. *Networks*, 51(1):78–89, 2008.

[2] Alok Baveja. The fractional congestion bound for efficient edge disjoint routing. *Networks*, 51(3):190–199, 2008.

[3] C. Bentz, M.C. Costa, D. de Werra, C. Picouleau, and B. Ries. On a graph coloring problem arising from discrete tomography. *Networks*, 51(4):256–267, 2008.

[4] Agustín Bompadre and James B. Orlin. A simple method for improving the primal simplex method for the multicommodity flow problem. *Networks*, 51(1):63–77, 2008.

[5] Aurel Cami and Narsingh Deo. Techniques for analyzing dynamic random graph models of web-like networks: An overview. *Networks*, 51(4):211–255, 2008.

[6] Mauricio C. de Souza, Philippe Mahey, and Bernard Gendron. Cycle-based algorithms for multicommodity network flow problems with separable piecewise convex costs. *Networks*, 51(2):133–141, 2008.

[7] Christophe Duhamel, Luis Gouveia, Pedro Moura, and Mauricio Souza. Models and heuristics for a minimum arborescence problem. *Networks*, 51(1):34–47, 2008.

[8] Michel Gendreau, Manuel Iori, Gilbert Laporte, and Silvano Martello. Erratum to "a tabu search heuristic for the vehicle routing problem with two-dimensional loading constraints". *Networks*, 51(2):153–153, 2008. Originally in Networks, Vol. 51, 2008, No. 1, 4-18.

[9] Michel Gendreau, Manuel Iori, Gilbert Laporte, and Silvaro Martello. A tabu search heuristic for the vehicle routing problem with two-dimensional loading constraints. *Networks*, 51(1):4–18, 2008. see Erratum in Networks, Vol. 51, 2008, No. 2, 153-153.

[10] Illya V. Hicks. New facets for the planar subgraph polytope. *Networks*, 51(2):120–132, 2008.

[11] Sun-Yuan Hsieh. Some edge-fault-tolerant properties of the folded hypercube. *Networks*, 51(2):92–101, 2008.

[12] Krishna C. Jha, Ravindra K. Ahuja, and Güvenç Şahin. New approaches for solving the block-to-train assignment problem. *Networks*, 51(1):48–62, 2008.

[13] Martine Labbé and Hande Yaman. Solving the hub location problem in a star-star network. *Networks*, 51(1):19–33, 2008.

[14] Cheng-Nan Lai and Gen-Huey Chen. w-rabin numbers and strong w-rabin numbers of folded hypercubes. *Networks*, 51(3):171–177, 2008.

[15] Asaf Levin, Daniel Paulusma, and Gerhard J. Woeginger. The computational complexity of graph contractions i: Polynomially solvable and np-complete cases. *Networks*, 51(3):178–189, 2008.

[16] Hayri Önal and Yicheng Wang. A graph theory approach for designing conservation reserve networks with minimal fragmentation. *Networks*, 51(2):142–152, 2008.

[17] Giovanni Righini and Matteo Salani. New dynamic programming algorithms for the resource constrained elementary shortest path problem. *Networks*, 51(3):155–170, 2008.

[18] Maria G. Scutellà. The maximum congested cut problem and its robust counterpart: Exact and approximation algorithms for the single and the multicommodity case. *Networks*, 51(2):102–112, 2008.

[19] Jan van den Heuvel and Matthew Johnson. Transversals of subtree hypergraphs and the source location problem in digraphs. *Networks*, 51(2):113–119, 2008.

[20] Shiying Wang and Shangwei Lin. Sufficient conditions for a graph to be super restricted edge-connected. *Networks*, 51(3):200–209, 2008.