

References

- [1] K. Ambos-Spies. An inhomogeneity in the structure of karp degrees. *SIAM J. Comput.*, 15(4):958–963, 1986, November.
- [2] A. Apostolico and R. Giancarlo. The boyer-moore-galil string searching strategies revisited. *SIAM J. Comput.*, 15(1):98–105, 1986, February.
- [3] B. Arazi. A binary search with a parallel recovery of the bits. *SIAM J. Comput.*, 15(3):851–855, 1986, August.
- [4] G. Ausiello, A. d’Atri, and D. Saccá. Minimal representation of directed hypergraphs. *SIAM J. Comput.*, 15(2):418–431, 1986, May.
- [5] Eric Bach, Gary Lee Miller, and Jeffrey O. Shallit. Sums of divisors, perfect numbers and factoring. *SIAM J. Comput.*, 15:1143–1154, 1986.
- [6] B.S. Baker. A provably good algorithm for the two module routing problem. *SIAM J. Comput.*, 15(1):162–188, 1986, February.
- [7] E. Balas and Yu Chang Sung. Finding a maximum clique in an arbitrary graph. *SIAM J. Comput.*, 15(4):1054–1068, 1986, November.
- [8] J.L. Balcázar, R.V. Book, and U. Schöning. Sparse sets, lowness and highness. *SIAM J. Comput.*, 15(3):739–747, 1986, August.
- [9] P.W. Beame, S.A. Cook, and H.J. Hoover. Log depth circuits for division and related problems. *SIAM J. Comput.*, 15(4):994–1003, 1986, November.
- [10] F. Berman, M.E. Bock, E. Dittert, M.J. O’Donnell, and D. Plank. Collections of functions for perfect hashing. *SIAM J. Comput.*, 15(2):604–618, 1986, May.
- [11] L. Blum, M. Blum, and M. Shub. A simple unpredictable pseudo-random number generator. *SIAM J. Comput.*, 15(2):364–383, 1986, May.
- [12] L. Blum and M. Shub. Evaluating rational functions: infinite precision is finite cost and tractable on average. *SIAM J. Comput.*, 15(2):384–398, 1986, May.

- [13] N. Blum. On the single-operation worst-case time complexity of the disjoint set union problem. *SIAM J. Comput.*, 15(4):1021–1024, 1986, November.
- [14] A. Borodin, D. Dolev, F.E. Fich, and W. Paul. Bounds for width two branching programs. *SIAM J. Comput.*, 15(2):549–560, 1986, May.
- [15] J.L. Bruno and P.J. Downey. Probabilistic bounds on the performance of list scheduling. *SIAM J. Comput.*, 15(2):409–417, 1986, May.
- [16] Stanley Cabey and Dong-Koo Choi. Algebraic computations of scaled pade fractions. *SIAM J. Comput.*, 15(1):243–270, 1986, February.
- [17] Ming-Te Chao and J. Franco. Probabilistic analysis of two heuristics for the 3-satisfiability problem. *SIAM J. Comput.*, 15(4):1106–1118, 1986, November.
- [18] B. Chazelle. Filtering search: a new approach to query-answering. *SIAM J. Comput.*, 15(3):703–724, 1986, August.
- [19] B. Chazelle, R.L. Drysdale, and D.T. Lee. Computing the largest empty rectangle. *SIAM J. Comput.*, 15(1):300–315, 1986, February.
- [20] G.W. Cherry. Integration in finite terms with special functions: The logarithmic integral. *SIAM J. Comput.*, 15(1):1–21, 1986, February.
- [21] F. Chin and K.V.S. Ramarao. Optimal termination protocols for network partitioning. *SIAM J. Comput.*, 15(1):131–144, 1986, February.
- [22] C. Citrini, S. Crespi Reghizzi, and D. Mandrioli. On deterministic multi-pass analysis. *SIAM J. Comput.*, 15(3):668–693, 1986, August.
- [23] S. Cook, C. Dwork, and R. Reischuk. Upper and lower time bounds for parallel random access machines without simultaneous writes. *SIAM J. Comput.*, 15(1):87–97, 1986, February.
- [24] D. Coppersmith, M.M. Klawe, and N.J. Pippenger. Alphabetic mini-max trees of degree at most t . *SIAM J. Comput.*, 15(1):189–192, 1986, February.
- [25] W.H. Cunningham. Improved bounds for matroid partition and intersection algorithms. *SIAM J. Comput.*, 15(4):948–957, 1986, November.

- [26] J.H. Davenport. The risch differential equation problem. *SIAM J. Comput.*, 15(4):903–918, 1986, November.
- [27] M.E. Dyer. On a multidimensional search technique and its application to the euclidean one-centre problem. *SIAM J. Comput.*, 15(3):725–738, 1986, August.
- [28] H. Edelsbrunner, L.J. Guibas, and J. Stolfi. Optimal point location in a monotone subdivision. *SIAM J. Comput.*, 15(2):317–340, 1986, May.
- [29] H. Edelsbrunner, J. O’Rourke, and R. Seidel. Constructing arrangements of lines and hyperplanes with applications. *SIAM J. Comput.*, 15(2):341–363, 1986, May.
- [30] H. Edelsbrunner and E. Welzl. Constructing belts in two-dimensional arrangements with applications. *SIAM J. Comput.*, 15(1):271–284, 1986, February.
- [31] J. Engelfriet. The complexity of languages generated by attribute grammars. *SIAM J. Comput.*, 15(1):70–86, 1986, February.
- [32] T. Etzion and A. Lempel. An efficient algorithm for generating linear transformations in a shuffle-exchange network. *SIAM J. Comput.*, 15(1):216–221, 1986, February.
- [33] U. Faigle, L. Lovász, R. Schrader, and G. Turán. Searching in trees, series-parallel and interval orders. *SIAM J. Comput.*, 15(4):1075–1084, 1986, November.
- [34] J. Feigenbaum and A.A. Schäffer. Recognizing composite graphs is equivalent to testing graph isomorphism. *SIAM J. Comput.*, 15(2):619–627, 1986, May.
- [35] P. Flajolet and H. Prodinger. Register allocation for unary-binary trees. *SIAM J. Comput.*, 15(3):629–640, 1986, August.
- [36] P. Flajolet and R. Sedgewick. Digital search trees revisited. *SIAM J. Comput.*, 15(3):748–767, 1986, August.
- [37] J. Friedman. Constructing $o(n \log n)$ size monotone formulae for the k th threshold function of n boolean variables. *SIAM J. Comput.*, 15(3):641–654, 1986, August.

- [38] D.K. Friesen and M.A. Langston. Variable sized bin packing. *SIAM J. Comput.*, 15(1):222–230, 1986, February.
- [39] A.M. Frieze. On the lagarias-odlyzko algorithm for the subset sum problem. *SIAM J. Comput.*, 15(2):536–539, 1986, May.
- [40] Z. Galil, S. Micali, and H. Gabow. An $o(ev \log v)$ algorithm for finding a maximal weighted matching in general graphs. *SIAM J. Comput.*, 15(1):120–130, 1986, February.
- [41] D.P. Gaver and P.A. Jacobs. Processor-shared time-sharing models in heavy traffic. *SIAM J. Comput.*, 15(4):1085–1100, 1986, November.
- [42] J. Geske and J. Grollmann. Relativizations of unambiguous and random polynomial time classes. *SIAM J. Comput.*, 15(2):511–519, 1986, May.
- [43] G.H. Gonnet and J.I. Munro. Heaps on heaps. *SIAM J. Comput.*, 15(4):964–971, 1986, November.
- [44] D.S. Hirschberg and L.L. Larmore. Average case analysis of marking algorithms. *SIAM J. Comput.*, 15(4):1069–1074, 1986, November.
- [45] J.E. Hopcroft and G.T. Wilfong. Reducing multipath object motion planning to graph searching. *SIAM J. Comput.*, 15(3):768–785, 1986, August.
- [46] R. Hull. Relative information capacity of simple relational database schemata. *SIAM J. Comput.*, 15(3):856–886, 1986, August.
- [47] H.B. Hunt III and D.J. Rosenkrantz. Recursion schemes and recursive programs are exponentially hard to analyze. *SIAM J. Comput.*, 15(3):831–850, 1986, August.
- [48] D.T. Huynh. The complexity of the membership problem for two subclasses of polynomial ideals. *SIAM J. Comput.*, 15(2):581–594, 1986, May.
- [49] D.T. Huynh. Some observations about the randomness of hard problems. *SIAM J. Comput.*, 15(4):1101–1105, 1986, November.
- [50] H. Imai and T. Asano. Efficient algorithms for geometric graph search problems. *SIAM J. Comput.*, 15(2):478–494, 1986, May.

- [51] R.W. Irving and P. Leather. The complexity of counting stable marriages. *SIAM J. Comput.*, 15(3):655–667, 1986, August.
- [52] J. JáJá and J. Takche. On the validity of the direct sum conjecture. *SIAM J. Comput.*, 15(4):1004–1020, 1986, November.
- [53] R.W. Johnson and A.M. McLoughlin. Noncommutative bilinear algorithms for 3*3 matrix multiplication. *SIAM J. Comput.*, 15(2):595–603, 1986, May.
- [54] J.-P. Jouannaud and H. Kirchner. Completion of a set of rules modulo a set of equations. *SIAM J. Comput.*, 15(4):1155–1194, 1986, November.
- [55] M.D. Katz and D.J. Volper. Data structures for retrieval on square grids. *SIAM J. Comput.*, 15(4):919–931, 1986, November.
- [56] T. Kawaguchi and S. Kyan. Worst case bound of an lrf schedule for the mean weighted flow-time problem. *SIAM J. Comput.*, 15(4):1119–1129, 1986, November.
- [57] J.H. Kingston. Analysis of henriksen’s algorithm for the simulation event set. *SIAM J. Comput.*, 15(3):887–902, 1986, August.
- [58] C.E. Langenhop and W.E. Wright. Probabilities related to father-son distances in binary search trees. *SIAM J. Comput.*, 15(2):520–530, 1986, May.
- [59] F.T. Leighton and A.L. Rosenberg. Three-dimensional circuit layouts. *SIAM J. Comput.*, 15(3):793–813, 1986, August.
- [60] L.A. Levin. Average case complete problems. *SIAM J. Comput.*, 15(1):285–286, 1986, February.
- [61] Liwu Li. Ranking and unranking of avl-trees. *SIAM J. Comput.*, 15(4):1025–1035, 1986, November.
- [62] M. Luby. A simple parallel algorithm for the maximal independent set problem. *SIAM J. Comput.*, 15(4):1036–1053, 1986, November.
- [63] W. Maass. On the complexity of nonconvex covering. *SIAM J. Comput.*, 15(2):453–467, 1986, May.

- [64] U. Manber. On maintaining dynamic information in a concurrent environment. *SIAM J. Comput.*, 15(4):1130–1142, 1986, November.
- [65] K. Matsumoto, T. Nishizeki, and N. Saito. Planar multicommodity flows, maximum matchings and negative cycles. *SIAM J. Comput.*, 15(2):495–510, 1986, May.
- [66] K. Mehlhorn and A. Tsakalidis. An amortized analysis of insertions into avl-trees. *SIAM J. Comput.*, 15(1):22–33, 1986, February.
- [67] F. Meyer auf der Heide. Efficient simulations among several models of parallel computers. *SIAM J. Comput.*, 15(1):106–119, 1986, February.
- [68] J. O’Rourke. The signature of a plane curve. *SIAM J. Comput.*, 15(1):34–51, 1986, February.
- [69] P. Orponen, D.A. Russo, and U. Schöning. Optimal approximations and polynomially levelable sets. *SIAM J. Comput.*, 15(2):399–408, 1986, May.
- [70] F. Otto. Church-rosser thue systems that present free monoids. *SIAM J. Comput.*, 15(3):786–792, 1986, August.
- [71] K.F. Pang and A. El Gamal. Communication complexity of computing the hamming distance. *SIAM J. Comput.*, 15(4):932–947, 1986, November.
- [72] David Prill. On approximations and incidence in cylindrical algebraic decompositions. *SIAM J. Comput.*, 15(4):972–993, 1986, November.
- [73] J.S. Provan. The complexity of reliability computations in planar and acyclic graphs. *SIAM J. Comput.*, 15(3):694–702, 1986, August.
- [74] J.H. Reif. Logarithmic depth circuits for algebraic functions. *SIAM J. Comput.*, 15(1):231–242, 1986, February.
- [75] M. Sharir and A. Schorr. On shortest paths in polyhedral spaces. *SIAM J. Comput.*, 15(1):193–215, 1986, February.
- [76] M. Shub and S. Smale. Computational complexity: on the geometry of polynomials and a theory of cost: Ii. *SIAM J. Comput.*, 15(1):145–161, 1986, February.

- [77] D.D. Sleator and R.E. Tarjan. Self-adjusting heaps. *SIAM J. Comput.*, 15(1):52–69, 1986, February.
- [78] J.R. Smith. Parallel algorithms for depth-first searches. i. planar graphs. *SIAM J. Comput.*, 15(3):814–830, 1986, August.
- [79] J.S. Turner. On the probable performance of heuristics for bandwidth minimization. *SIAM J. Comput.*, 15(2):561–580, 1986, May.
- [80] L.G. Valiant. Negation is powerless for boolean slice functions. *SIAM J. Comput.*, 15(2):531–535, 1986, May.
- [81] J. von zur Gathen. Representations and parallel computations for rational functions. *SIAM J. Comput.*, 15(2):432–452, 1986, May.
- [82] D.E. Willard. Log-logarithmic selection resolution protocols in a multiple access channel. *SIAM J. Comput.*, 15(2):468–477, 1986, May.
- [83] R.A. Wright, B. Richmond, A. Odlyzko, and B.D. McKay. Constant time generation of free trees. *SIAM J. Comput.*, 15(2):540–548, 1986, May.