References

[1] Pankaj K. Agarwal and Jiří Matoušek. Ray shooting and parametric search. *SIAM J. Comput.*, 22(4):794–806, 1993, August.

[2] Pankaj K. Agarwal, Marco Pellegrini, and Micha Sharir. Counting circular arc intersections. *SIAM J. Comput.*, 22(4):778–793, 1993, August.

[3] Noga Alon and Moni Naor. Coin-flipping games immune against linear-sized coalitions. *SIAM J. Comput.*, 22(2):403–417, 1993, April.

[4] Chanderjit Bajaj, John Canny, Thomas Garrity, and Joe Warren. Factoring rational polynomials over the complex numbers. *SIAM J. Comput.*, 22(2):318–331, 1993, April.

[5] Reuven Bar-Yehuda, Amos Israeli, and Alon Itai. Multiple communication in multihop radio networks. *SIAM J. Comput.*, 22(4):875–887, 1993, August.

[6] Omar Berkman and Uzi Vishkin. Recursive star-tree parallel data structure. *SIAM J. Comput.*, 22(2):221–242, 1993, April.

[7] Daniel Bienstock and Nicole Diaz. Blocking small cuts in a network, and related problems. *SIAM J. Comput.*, 22(3):482–499, 1993, June.

[8] Dario Bini and Victor Pan. Improved parallel polynomial division. *SIAM J. Comput.*, 22(3):617–626, 1993, June.

[9] Andreas Blass and Yuri Gurevich. Randomizing reductions of search problems. *SIAM J. Comput.*, 22(5):949–975, 1993, October.

[10] Béla Bollobás and Istvan Simon. Probabilistic analysis of disjoint set union algorithms. *SIAM J. Comput.*, 22(5):1053–1074, 1993, October.

[11] Ronald V. Book and Jack H. Lutz. On languages with very high space-bounded kolmogorov complexity. *SIAM J. Comput.*, 22(2):395–402, 1993, April.

[12] Khaled M. Bugrara and Jr. Purdom, Paul Walton. Average time analysis of clause order backtracking. *SIAM J. Comput.*, 22(2):303–317, 1993, April.

[13] Jonathan F. Buss and Judy Goldsmith. Nondeterminism within . *SIAM J. Comput.*, 22(3):560–572, 1993, June.

[14] Jiazhen Cai, Xiaofeng Han, and Robert E. Tarjan. An $o(m \log n)$-time algorithm for the maximal planar subgraph problem. *SIAM J. Comput.*, 22(6):1142–1162, 1993, December.

[15] Bernard Chazelle, Herbert Edelsbrunner, Leonidas Guibas, Micha Sharir, and Jack Snoeyink. Computing a face in an arrangement of line segments and related problems. *SIAM J. Comput.*, 22(6):1286–1302, 1993, December.

[16] Bo Chen. A better heuristic for preemptive parallel machine scheduling with batch setup times. *SIAM J. Comput.*, 22(6):1303–1318, 1993, December.

[17] Joseph Cheriyan, Ming-Yang Kao, and Ramakrishna Thurimella. Scan-first search and sparse certificates: An improved parallel algorithm for k-vertex connectivity. *SIAM J. Comput.*, 22(1):157–174, 1993, February.

[18] Jiang-Hsing Chu and Gary D. Knott. A new method for computing page-fault rates. *SIAM J. Comput.*, 22(6):1319–1330, 1993, December.

[19] Jr. Coffman, E.G., Leopold Flatto, and Paul E. Wright. Optimal stochastic allocation of machines under waiting-time constraints. *SIAM J. Comput.*, 22(2):332–348, 1993, April.

[20] Jr. Coffman, E.G., Leopold Flatto, and Paul E. Wright. A stochastic checkpoint optimization problem. *SIAM J. Comput.*, 22(3):650–659, 1993, June.

[21] Robert Cypher. Theoretical aspects of vlsi pin limitations. *SIAM J. Comput.*, 22(2):356–378, 1993, April.

[22] Robert Cypher. A lower bound on the size of shellsort sorting networks. *SIAM J. Comput.*, 22(1):62–71, 1993, February.

[23] A. Dür and J. Grabmeier. Applying coding theory to sparse interpolation. *SIAM J. Comput.*, 22(4):695–704, 1993, August.

[24] Herbert Edelsbrunner, Raimund Seidel, and Micha Sharir. On the zone theorem for hyperplane arrangements. *SIAM J. Comput.*, 22(2):418–429, 1993, April.

[25] Herbert Edelsbrunner and Tiow Seng Tan. A quadratic time algorithm for the minmax lenght triangulation. *SIAM J. Comput.*, 22(3):527–551, 1993, June.

[26] Joan Feigenbaum and Lance Fortnow. Random-self-reducibility of complete sets. *SIAM J. Comput.*, 22(5):994–1005, 1993, October.

[27] Wenceslas Fernandez de la Vega, Sampath Kannan, and Miklos Santha. Two probabilistic results on merging. *SIAM J. Comput.*, 22(2):261–271, 1993, April.

[28] Amos Fiat and Moni Naor. Implicit $o(1)$ probe search. *SIAM J. Comput.*, 22(1):1–10, 1993, February.

[29] M. Formann, T. Hagerup, J. Haralambides, M. Kaufmann, F.T. Leighton, A. Symvonis, E. Welzl, and G. Woeginger. Drawing graphs in the plane with high resolution. *SIAM J. Comput.*, 22(5):1035–1052, 1993, October.

[30] Greg N. Frederickson. A note on the complexity of a simple transportation problem. *SIAM J. Comput.*, 22(1):57–61, 1993, February.

[31] Joel Friedman. A note on poset geometries. *SIAM J. Comput.*, 22(1):72–78, 1993, February.

[32] Donald Fussell, Vijaya Ramachandran, and Ramakrishna Thurimella. Finding triconnected components by local replacement. *SIAM J. Comput.*, 22(3):587–616, 1993, June.

[33] Gábor Galambos and Gerhard J. Woeginger. An on-line scheduling heuristic with better worst case ratio than graham's list scheduling. *SIAM J. Comput.*, 22(2):349–355, 1993, April.

[34] Zvi Galil and Giuseppe F. Italiano. Maintaining the 3-edge-connected components of a graph on-line. *SIAM J. Comput.*, 22(1):11–28, 1993, February.

[35] Ricard Gavaldà and Osamu Watanabe. On the computational complexity of small descriptions. *SIAM J. Comput.*, 22(6):1257–1275, 1993, December.

[36] Viliam Geffert. Tally versions of the savitch and immerman-szelepcsényi theorems for sublogarithmic space. *SIAM J. Comput.*, 22(1):102–113, 1993, February.

[37] Wayne Goddard, Claire Kenyon, Valerie King, and Leonard J. Schulman. Optimal randomized algorithms for local sorting and set-maxima. *SIAM J. Comput.*, 22(2):272–283, 1993, April.

[38] Andreas Goerdt. Regular resolution versus unrestricted resolution. *SIAM J. Comput.*, 22(4):661–683, 1993, August.

[39] Sally A. Goldman, Michael J. Kearns, and Robert E. Schapire. Exact identification of read-once formulas using fixed points of amplification functions. *SIAM J. Comput.*, 22(4):705–726, 1993, August.

[40] Sally A. Goldman, Ronald L. Rivest, and Robert E. Schapire. Learning binary relations and total orders. *SIAM J. Comput.*, 22(5):1006–1034, 1993, October.

[41] Oded Goldreich, Hugo Krawcayk, and Michael Luby. On the existence of pseudorandom generators. *SIAM J. Comput.*, 22(6):1163–1175, 1993, December.

[42] Arthur S. Goldstein and Edward M. Reingold. A fibonacci version of kraft's inequality applied to discrete unimodal search. *SIAM J. Comput.*, 22(4):751–777, 1993, August.

[43] Bernd Halstenberg and Rüdiger Reischuk. Different modes of communication. *SIAM J. Comput.*, 22(5):913–934, 1993, October.

[44] David Harel and Danny Raz. Deciding properties of nonregular programs. *SIAM J. Comput.*, 22(4):857–874, 1993, August.

[45] Xin He. On finding the rectangular duals of planar triangular graphs. *SIAM J. Comput.*, 22(6):1218–1226, 1993, December.

[46] Héctor J. Hernández and Ke Wang. On the boundedness of constant-time-maintainable database schemes. *SIAM J. Comput.*, 22(1):29–45, 1993, February.

[47] Tsan-Sheng Hsu and Vijaya Ramachandran. Finding a smallest augmentation to biconnect a graph. *SIAM J. Comput.*, 22(5):889–912, 1993, October.

[48] Kazuo Iwama. Aspace($o(\log \log n)$) is regular. *SIAM J. Comput.*, 22(1):136–146, 1993, February.

[49] Mark Jerrum and Alistair Sinclair. Polynomial-time approximation algorithms for the ising model. *SIAM J. Comput.*, 22(5):1087–1116, 1993, October.

[50] Tao Jiang and B. Ravikumar. Minimal nfa problems are hard. *SIAM J. Comput.*, 22(6):1117–1141, 1993, December.

[51] K. Kalorkoti. Inverting polynomials and formal power series. *SIAM J. Comput.*, 22(3):552–559, 1993, June.

[52] Ming-Yang Kao. Linear-processor nc algorithms for planar directed graphs i: Strongly connected components. *SIAM J. Comput.*, 22(3):431–459, 1993, June.

[53] Ming-Yang Kao and Gregory E. Shannon. Linear-processor nc algorithms for planar directed graphs ii: Directed spanning trees. *SIAM J. Comput.*, 22(3):460–481, 1993, June.

[54] David R. Karger, Daphne Koller, and Steven J. Phillips. Finding the hidden path: Time bounds for all-pairs shortest paths. *SIAM J. Comput.*, 22(6):1199–1217, 1993, December.

[55] N. Karmarkar, R. Karp, R. Lipton, L. Lovász, and M. Luby. A monte-carlo algorithm for estimating the permanent. *SIAM J. Comput.*, 22(2):284–293, 1993, April.

[56] Marek Karpinski and Thorsten Werther. Vc dimension and uniform learnability of sparse polynomials and rational functions. *SIAM J. Comput.*, 22(6):1276–1285, 1993, December.

[57] Michael Kearns and Ming Li. Learning in the presence of malicious errors. *SIAM J. Comput.*, 22(4):807–837, 1993, August.

[58] Lefteris M. Kirousis, Maria Serna, and Paul Spirakis. Parallel complexity of the connected subgraph problem. *SIAM J. Comput.*, 22(3):573–586, 1993, June.

[59] Jan Kratochvíl, Petr Savický, and Zsolt Tuza. One more occurrence of variables makes satisfiability jump from trivial to np-complete. *SIAM J. Comput.*, 22(1):203–210, 1993, February.

[60] Sukhamay Kundu. An $o(n)$ algorithm for determining the subregion-tree representation of a rectangular dissection. *SIAM J. Comput.*, 22(1):79–101, 1993, February.

[61] Eyal Kushilevitz and Yishay Mansour. Learning decision trees using the fourier spectrum. *SIAM J. Comput.*, 22(6):1331–1348, 1993, December.

[62] Ruey-Der Lou and Majid Sarrafzadeh. An optimal algorithm for the maximum three-chain problem. *SIAM J. Comput.*, 22(5):976–993, 1993, October.

[63] Jack H. Lutz. A pseudorandom oracle characterization of bpp. *SIAM J. Comput.*, 22(5):1075–1086, 1993, October.

[64] Udi Manber and Gene Myers. Suffix arrays: A new method for on-line string searches. *SIAM J. Comput.*, 22(5):935–948, 1993, October.

[65] Weizhen Mao. Tight worst-case performance bounds for next-k-fit bin packing. *SIAM J. Comput.*, 22(1):46–56, 1993, February.

[66] Peter Bro Miltersen. The complexity of malign measures. *SIAM J. Comput.*, 22(1):147–156, 1993, February.

[67] Shlomo Moran and Manfred K. Warmuth. Gap theorems for distributed computation. *SIAM J. Comput.*, 22(2):379–394, 1993, April.

[68] Louise E. Moser, P.M. Melliar-Smith, and Vivek Agrawala. Asynchronous fault-tolerant total ordering algorithms. *SIAM J. Comput.*, 22(4):727–750, 1993, August.

[69] Joseph Naor and Moni Naor. Small-bias probability spaces: Efficient constructions and applications. *SIAM J. Comput.*, 22(4):838–856, 1993, August.

[70] H. Niederreiter and C.P. Schnorr. Local randomness in polynomial random number and random function generators. *SIAM J. Comput.*, 22(4):684–694, 1993, August.

[71] Noam Nisan and Avi Wigderson. Rounds in communication complexity revisited. *SIAM J. Comput.*, 22(1):211–219, 1993, February.

[72] Michio Oyamaguchi. Nv-sequentiality: A decidable condition for call-by-need computations in term-rewriting systems. *SIAM J. Comput.*, 22(1):114–135, 1993, February.

[73] Victor Pan and John Reif. Fast and efficient parallel solution of sparse linear systems. *SIAM J. Comput.*, 22(6):1227–1250, 1993, December.

[74] Wansoo T. Rhee and Michel Talagrand. On-line bin packing of items of random sizes, ii. *SIAM J. Comput.*, 22(6):1251–1256, 1993, December.

[75] Daniel J. Rosenkrantz and Harry B. Hunt III. The complexity of processing hierarchical specifications. *SIAM J. Comput.*, 22(3):627–649, 1993, June.

[76] Miklos Santha and Christopher Wilson. Limiting negations in constant depth circuits. *SIAM J. Comput.*, 22(2):294–302, 1993, April.

[77] Wojciech Szpankowski. A generalized suffix tree and its (un)expected asymptotic behaviors. *SIAM J. Comput.*, 22(6):1176–1198, 1993, December.

[78] Jorma Tarhio and Esko Ukkonen. Approximate boyer-moore string matching. *SIAM J. Comput.*, 22(2):243–260, 1993, April.

[79] Andreas Weber. Decomposing finite-valued transducers and deciding their equivalence. *SIAM J. Comput.*, 22(1):175–202, 1993, February.

[80] Kok-Hoo Yeap and Majid Sarrafzadeh. Floor-planning by graph dualization: 2-concave rectilinear modules. *SIAM J. Comput.*, 22(3):500–526, 1993, June.