

References

- [1] Pankaj K. Agarwal, Therese Biedl, Sylvain Lazard, Steve Robbins, Subhash Suri, and Sue Whitesides. Curvature-constrained shortest paths in a convex polygon. *SIAM J. Comput.*, 31(6):1814–1851, 2002.
- [2] Michael Alekhnovich, Eli Ben-Sasson, Alexander A. Razborov, and Avi Wigderson. Space complexity in propositional calculus. *SIAM J. Comput.*, 31(4):1184–1211, 2002.
- [3] Hagit Attiya and Sergio Rajsbaum. The combinatorial structure of wait-free solvable tasks. *SIAM J. Comput.*, 31(4):1286–1313, 2002.
- [4] Baruch Awerbuch, Yossi Azar, Stefano Leonardi, and Oded Regev. Minimizing the flow time without migration. *SIAM J. Comput.*, 31(5):1370–1382, 2002.
- [5] Paul Beame, Richard Karp, Toniann Pitassi, and Michael Saks. The efficiency of resolution and davis-putnam procedures. *SIAM J. Comput.*, 31(4):1048–1075, 2002.
- [6] Amir M. Ben-Amram and Zvi Galil. Topological lower bounds on algebraic random access machines. *SIAM J. Comput.*, 31(3):722–761, 2001-2002.
- [7] Michele Boreale, Rocco de Nicola, and Rosario Pugliese. Proof techniques for cryptographic processes. *SIAM J. Comput.*, 31(3):947–986, 2001-2002.
- [8] E. Boros, K. Elbassioni, V. Gurvich, L. Khachiyan, and K. Makino. Dual-bounded generating problems: All minimal integer solutions for a monotone system of linear inequalities. *SIAM J. Comput.*, 31(5):1624–1643, 2002.
- [9] Alex Brodsky and Nicholas Pippenger. Characterizations of 1-way quantum finite automata. *SIAM J. Comput.*, 31(5):1456–1478, 2002.
- [10] Nader H. Bshouty and Yishay Mansour. Simple learning algorithms for decision trees and multivariate polynomials. *SIAM J. Comput.*, 31(6):1909–1925, 2002.

- [11] H. Buhrman, P.B. Miltersen, J. Radhakrishnan, and S. Venkatesh. Are bitvectors optimal? *SIAM J. Comput.*, 31(6):1723–1744, 2002.
- [12] Harry Buhrman, Lance Fortnow, and Sophie Laplante. Resource-bounded kolmogorov complexity revisited. *SIAM J. Comput.*, 31(3):887–905, 2001-2002.
- [13] Harry Buhrman and Luc Longpré. Compressibility and resource bounded measure. *SIAM J. Comput.*, 31(3):876–886, 2001-2002.
- [14] Amit Chakrabarti, Subhash Khot, and Yaoyun Shi. Evasiveness of subgraph containment and related properties. *SIAM J. Comput.*, 31(3):866–875, 2001-2002.
- [15] Moses Charikar, Samir Khuller, and Balaji Raghavachari. Algorithms for capacitated vehicle routing. *SIAM J. Comput.*, 31(3):665–682, 2001-2002.
- [16] Zhi-Zhong Chen, Xin He, and Chun-Hsi Huang. Finding double euler trails of planar graphs in linear time. *SIAM J. Comput.*, 31(4):1255–1285, 2002.
- [17] V. Chvátal, J. Fonlupt, L. Sun, and A. Zemirline. Recognizing dart-free perfect graphs. *SIAM J. Comput.*, 31(5):1315–1338, 2002.
- [18] Richard Cole and Ramesh Hariharan. Approximate string matching: A simpler faster algorithm. *SIAM J. Comput.*, 31(6):1761–1782, 2002.
- [19] Mayur Datar, Aristides Gionis, Piotr Indyk, and Rajeev Motwani. Maintaining stream statistics over sliding windows. *SIAM J. Comput.*, 31(6):1794–1813, 2002.
- [20] Rod G. Downey, Denis R. Hirschfeldt, and André Nies. Randomness, computability, and density. *SIAM J. Comput.*, 31(4):1169–1183, 2002.
- [21] Christoph Dürr and Miklos Santha. A decision procedure for unitary linear quantum cellular automata. *SIAM J. Comput.*, 31(4):1076–1089, 2002.
- [22] Martin Dyer, Alan Frieze, and Mark Jerrum. On counting independent sets in sparse graphs. *SIAM J. Comput.*, 31(5):1527–1541, 2002.

- [23] Tomás Feder, Rajeev Motwani, and Carlos Subi. Approximating the longest cycle problem in sparse graphs. *SIAM J. Comput.*, 31(5):1596–1607, 2002.
- [24] Uriel Feige and Robert Krauthgamer. A polylogarithmic approximation of the minimum bisection. *SIAM J. Comput.*, 31(4):1090–1118, 2002.
- [25] Alan Frieze. Erratum to ”edge-disjoint paths in expander graphs”. *SIAM J. Comput.*, 31(3):988–988, 2001-2002. Originally in *SIAM J. Comp.*, Vol. 30, 2001, No. 6, 1790-1801.
- [26] Eli Gafni and Michael Mitzenmacher. Analysis of timing-based mutual exclusion with random times. *SIAM J. Comput.*, 31(3):816–837, 2001-2002.
- [27] Anna Gál and Adi Rosén. A theorem on sensitivity and applications in private computation. *SIAM J. Comput.*, 31(5):1424–1437, 2002.
- [28] Cyril Gavoille and David Peleg. The compactness of interval routing for almost all graphs. *SIAM J. Comput.*, 31(3):706–721, 2001-2002.
- [29] Alfons Geser. Decidability of termination of grid string rewriting rules. *SIAM J. Comput.*, 31(4):1156–1168, 2002.
- [30] Joachim Gudmundsson, Christos Levcopoulos, and Giri Narasimhan. Fast greedy algorithms for constructing sparse geometric spanners. *SIAM J. Comput.*, 31(5):1479–1500, 2002.
- [31] Venkatesan Guruswami, Johan Håstad, and Madhu Sudan. Hardness of approximate hypergraph coloring. *SIAM J. Comput.*, 31(6):1663–1686, 2002.
- [32] Eran Halperin. Improved approximation algorithms for the vertex cover problem in graphs and hypergraphs. *SIAM J. Comput.*, 31(5):1608–1623, 2002.
- [33] Joseph Y. Halpern, Yoram Moses, and Orli Waarts. A characterization of eventual byzantine agreement. *SIAM J. Comput.*, 31(3):838–865, 2001-2002.

- [34] Yijie Han and Xiaojun Shen. Parallel integer sorting is more efficient than parallel comparison sorting on exclusive write prams. *SIAM J. Comput.*, 31(6):1852–1878, 2002.
- [35] Edith Hemaspaandra and Gerd Wechsung. The minimization problem for boolean formulas. *SIAM J. Comput.*, 31(6):1948–1958, 2002.
- [36] R. Hiptmair and J. Ostrowski. Generators of $h_1(\gamma_h, z)$ for triangulated surfaces: Construction and classification. *SIAM J. Comput.*, 31(5):1405–1423, 2002.
- [37] Hsien-Kuei Hwang and Ralph Neininger. Phase change of limit laws in the quicksort recurrence under varying toll functions. *SIAM J. Comput.*, 31(6):1687–1722, 2002.
- [38] Adam R. Klivans and Dieter van Melkebeek. Graph nonisomorphism has subexponential size proofs unless the polynomial-time hierarchy collapses. *SIAM J. Comput.*, 31(5):1501–1526, 2002.
- [39] Stavros G. Kolliopoulos and Clifford Stein. Approximation algorithms for single-source unsplittable flow. *SIAM J. Comput.*, 31(3):919–946, 2001-2002.
- [40] J. Könemann and R. Ravi. A matter of degree: Improved approximation algorithms for degree-bounded minimum spanning trees. *SIAM J. Comput.*, 31(6):1783–1793, 2002.
- [41] Martin Kutz. Lower bounds for lucas chains. *SIAM J. Comput.*, 31(6):1896–1908, 2002.
- [42] Eduardo S. Laber, Ruy L. Milidiú, and Artur A. Pessoa. On binary searching with nonuniform costs. *SIAM J. Comput.*, 31(4):1022–1047, 2002.
- [43] Hanno Lefmann and Niels Schmitt. A deterministic polynomial-time algorithm for heilbronn’s problem in three dimensions. *SIAM J. Comput.*, 31(6):1926–1947, 2002.
- [44] F.M. Malvestuto and M. Mezzini. A linear algorithm for finding the invariant edges of an edge-weighted graph. *SIAM J. Comput.*, 31(5):1438–1455, 2002.

- [45] Conrado Martínez and Salvador Roura. Optimal sampling strategies in quicksort and quickselect. *SIAM J. Comput.*, 31(3):683–705, 2001-2002.
- [46] Alain Mayer, Rafail Ostrovsky, Yoram Ofek, and Moti Yung. Self-stabilizing symmetry breaking in constant space. *SIAM J. Comput.*, 31(5):1571–1595, 2002.
- [47] Wolfgang Merkle. Lattice embeddings for abstract bounded reducibilities. *SIAM J. Comput.*, 31(4):1119–1155, 2002.
- [48] Cristopher Moore and Martin Nilsson. Parallel quantum computation and quantum codes. *SIAM J. Comput.*, 31(3):799–815, 2001-2002.
- [49] Yoram Moses and Sergio Rajsbaum. A layered analysis of consensus. *SIAM J. Comput.*, 31(4):989–1021, 2002.
- [50] J. Ian Munro and Venkatesh Raman. Succinct representation of balanced parentheses and static trees. *SIAM J. Comput.*, 31(3):762–776, 2001-2002.
- [51] Moni Naor, Omer Reingold, and Alon Rosen. Pseudorandom functions and factoring. *SIAM J. Comput.*, 31(5):1383–1404, 2002.
- [52] Ilan Newman. Testing membership in languages that have small width branching programs. *SIAM J. Comput.*, 31(5):1557–1570, 2002.
- [53] János Pach and Gábor Tardos. On the boundary complexity of the union of fat triangles. *SIAM J. Comput.*, 31(6):1745–1760, 2002.
- [54] A. Pavan and Alan L. Selman. Separation of np -completeness notions. *SIAM J. Comput.*, 31(3):906–918, 2001-2002.
- [55] Seth Pettie and Vijaya Ramachandran. A randomized time-work optimal parallel algorithm for finding a minimum spanning forest. *SIAM J. Comput.*, 31(6):1879–1895, 2002.
- [56] J.H. Rieger. Erratum to "proximity in arrangements of algebraic sets". *SIAM J. Comput.*, 31(3):987–987, 2001-2002. Originally in *SIAM J. Comp.*, Vol. 29, 1999, No. 2, 433-458.

- [57] Alexander Russell, Michael Saks, and David Zuckerman. Lower bounds for leader election and collective coin-flipping in the perfect information model. *SIAM J. Comput.*, 31(6):1645–1662, 2002.
- [58] Rocco A. Servedio. Perceptron, winnow, and pac learning. *SIAM J. Comput.*, 31(5):1358–1369, 2002.
- [59] Dieter Spreen. Safe weak minimization revisited. *SIAM J. Comput.*, 31(5):1542–1556, 2002.
- [60] Thorsten Theobald. An enumerative geometry framework for algorithmic line problems in r^3 . *SIAM J. Comput.*, 31(4):1212–1228, 2002.
- [61] Denis Thérien and Thomas Wilke. Temporal logic and semidirect products: An effective characterization of the until hierarchy. *SIAM J. Comput.*, 31(3):777–798, 2001-2002.
- [62] Leslie G. Valiant. Quantum circuits that can be simulated classically in polynomial time. *SIAM J. Comput.*, 31(4):1229–1254, 2002.
- [63] Yunhong Zhou and Subhash Suri. Algorithms for a minimum volume enclosing simplex in three dimensions. *SIAM J. Comput.*, 31(5):1339–1357, 2002.