

## References

- [1] Heiner Ackermann, Paul W. Goldberg, Vahab S. Mirrokni, Heiko Röglin, and Berthold Vöcking. Uncoordinated two-sided matching markets. *SIAM J. Comput.*, 40(1):92–106, 2011.
- [2] Nir Ailon and Moses Charikar. Fitting tree metrics: Hierarchical clustering and phylogeny. *SIAM J. Comput.*, 40(5):1275–1291, 2011.
- [3] Nir Ailon, Bernard Chazelle, Kenneth L. Clarkson, Ding Liu, Wolfgang Mulzer, and C. Seshadhri. Self-improving algorithms. *SIAM J. Comput.*, 40(2):350–375, 2011.
- [4] Sebastian Aland, Dominic Dumrauf, Martin Gairing, Burkhard Monien, and Florian Schoppmann. Exact price of anarchy for polynomial congestion games. *SIAM J. Comput.*, 40(5):1211–1233, 2011.
- [5] Christoph Ambühl, Monaldo Mastrolilli, and Ola Svensson. Inapproximability results for maximum edge biclique, minimum linear arrangement, and sparsest cut. *SIAM J. Comput.*, 40(2):567–596, 2011.
- [6] Elliot Anshelevich and Adriana Karagiozova. Terminal backup, 3d matching, and covering cubic graphs. *SIAM J. Comput.*, 40(3):678–708, 2011.
- [7] Aaron Archer, MohammadHossein Bateni, MohammadTaghi Hajiaghayi, and Howard Karloff. Improved approximation algorithms for prize-collecting steiner tree and tsp. *SIAM J. Comput.*, 40(2):309–332, 2011.
- [8] Per Austrin and Johan Håstad. Randomly supported independence and resistance. *SIAM J. Comput.*, 40(1):1–27, 2011.
- [9] Avraham Ben-Aroya and Amnon Ta-Shma. A combinatorial construction of almost-ramanujan graphs using the zig-zag product. *SIAM J. Comput.*, 40(2):267–290, 2011.
- [10] Manuel Bodirsky, Éric Fusy, Mihyun Kang, and Stefan Vigerske. Boltzmann samplers, pólya theory, and cycle pointing. *SIAM J. Comput.*, 40(3):721–769, 2011.

- [11] Patrick Briest and Piotr Krysta. Buying cheap is expensive: Approximability of combinatorial pricing problems. *SIAM J. Comput.*, 40(6):1554–1586, 2011.
- [12] Patrick Briest, Piotr Krysta, and Berthold Vöcking. Approximation techniques for utilitarian mechanism design. *SIAM J. Comput.*, 40(6):1587–1622, 2011.
- [13] Peter Bürgisser, J.M. Landsberg, Laurent Manivel, and Jerzy Weyman. An overview of mathematical issues arising in the geometric complexity theory approach to  $\mathbf{VP} \neq \mathbf{NP}$ . *SIAM J. Comput.*, 40(4):1179–1209, 2011.
- [14] Christian Cachin, Idit Keidar, and Alexander Shraer. Fail-aware untrusted storage. *SIAM J. Comput.*, 40(2):493–533, 2011.
- [15] Jin-Yi Cai, Pinyan Lu, and Mingji Xia. Computational complexity of holant problems. *SIAM J. Comput.*, 40(4):1101–1132, 2011.
- [16] Gruia Calinescu, Chandra Chekuri, Martin Pál, and Jan Vondrák. Maximizing a monotone submodular function subject to a matroid constraint. *SIAM J. Comput.*, 40(6):1740–1766, 2011.
- [17] Timothy M. Chan, Mihai Pătrașcu, and Liam Roditty. Dynamic connectivity: Connecting to networks and geometry. *SIAM J. Comput.*, 40(2):333–349, 2011.
- [18] Yuk Hei Chan, Wai Shing Fung, Lap Chi Lau, and Chun Kong Yung. Degree bounded network design with metric costs. *SIAM J. Comput.*, 40(4):953–980, 2011.
- [19] Ning Chen, Arpita Ghosh, and Sergei Vassilvitskii. Optimal envy-free pricing with metric substitutability. *SIAM J. Comput.*, 40(3):623–645, 2011.
- [20] Edith Cohen, Nick Duffield, Haim Kaplan, Carsten Lund, and Mikkel Thorup. Efficient stream sampling for variance-optimal estimation of subset sums. *SIAM J. Comput.*, 40(5):1402–1431, 2011.
- [21] Constantinos Daskalakis, Richard M. Karp, Elchanan Mossel, Samantha J. Riesenfeld, and Elad Verbin. Sorting and selection in posets. *SIAM J. Comput.*, 40(3):597–622, 2011.

- [22] Tamal K. Dey, Anil N. Hirani, and Bala Krishnamoorthy. Optimal homologous cycles, total unimodularity, and linear programming. *SIAM J. Comput.*, 40(4):1026–1044, 2011.
- [23] Peerapong Dhangwatnotai, Shahar Dobzinski, Shaddin Dughmi, and Tim Roughgarden. Truthful approximation schemes for single-parameter agents. *SIAM J. Comput.*, 40(3):915–933, 2011.
- [24] Zeev Dvir, Parikshit Gopalan, and Sergey Yekhanin. Matching vector codes. *SIAM J. Comput.*, 40(4):1154–1178, 2011.
- [25] Zeev Dvir and Avi Wigderson. Kakeya sets, new mergers, and old extractors. *SIAM J. Comput.*, 40(3):778–792, 2011.
- [26] Uriel Feige, Vahab S. Mirrokni, and Jan Vondrák. Maximizing non-monotone submodular functions. *SIAM J. Comput.*, 40(4):1133–1153, 2011.
- [27] Norm Ferns, Prakash Panangaden, and Doina Precup. Bisimulation metrics for continuous markov decision processes. *SIAM J. Comput.*, 40(6):1662–1714, 2011.
- [28] Johannes Fischer and Volker Heun. Space-efficient preprocessing schemes for range minimum queries on static arrays. *SIAM J. Comput.*, 40(2):465–492, 2011.
- [29] Ehud Friedgut, Gil Kalai, Nathan Keller, and Noam Nisan. A quantitative version of the gibbard-satterthwaite theorem for three alternatives. *SIAM J. Comput.*, 40(3):934–952, 2011.
- [30] Alan Frieze, Pál Melsted, and Michael Mitzenmacher. An analysis of random-walk cuckoo hashing. *SIAM J. Comput.*, 40(2):291–308, 2011.
- [31] Eli Gafni, Rachid Guerraoui, and Bastian Pochon. The complexity of early deciding set agreement. *SIAM J. Comput.*, 40(1):63–78, 2011.
- [32] Omer Giménez, Guillem Godoy, and Sebastian Maneth. Deciding regularity of the set of instances of a set of terms with regular constraints is exptime-complete. *SIAM J. Comput.*, 40(2):446–464, 2011.
- [33] Oded Goldreich and Dana Ron. Algorithmic aspects of property testing in the dense graphs model. *SIAM J. Comput.*, 40(2):376–445, 2011.

- [34] Oded Goldreich and Dana Ron. On proximity-oblivious testing. *SIAM J. Comput.*, 40(2):534–566, 2011.
- [35] Parikshit Gopalan, Venkatesan Guruswami, and Prasad Raghavendra. List decoding tensor products and interleaved codes. *SIAM J. Comput.*, 40(5):1432–1462, 2011.
- [36] Parikshit Gopalan, Ryan O’Donnell, Rocco A. Servedio, Amir Shpilka, and Karl Wimmer. Testing fourier dimensionality and sparsity. *SIAM J. Comput.*, 40(4):1075–1100, 2011.
- [37] Anupam Gupta, Martin Pál, R. Ravi, and Amitabh Sinha. Sampling and cost-sharing: Approximation algorithms for stochastic optimization problems. *SIAM J. Comput.*, 40(5):1361–1401, 2011.
- [38] Venkatesan Guruswami, Johan Håstad, Rajsekar Manokaran, Prasad Raghavendra, and Moses Charikar. Beating the random ordering is hard: Every ordering csp is approximation resistant. *SIAM J. Comput.*, 40(3):878–914, 2011.
- [39] Bernhard Haeupler, Siddhartha Sen, and Robert E. Tarjan. Rank-pairing heaps. *SIAM J. Comput.*, 40(6):1463–1485, 2011.
- [40] Iftach Haitner, Danny Harnik, and Omer Reingold. On the power of the randomized iterate. *SIAM J. Comput.*, 40(6):1486–1528, 2011.
- [41] Iftach Haitner, Yuval Ishai, Eyal Kushilevitz, Yehuda Lindell, and Erez Petrank. Black-box constructions of protocols for secure computation. *SIAM J. Comput.*, 40(2):225–266, 2011.
- [42] Elad Hazan and Robert Krauthgamer. How hard is it to approximate the best nash equilibrium? *SIAM J. Comput.*, 40(1):79–91, 2011.
- [43] Yuval Ishai, Jonathan Katz, Eyal Kushilevitz, Yehuda Lindell, and Erez Petrank. On achieving the “best of both worlds” in secure multiparty computation. *SIAM J. Comput.*, 40(1):122–141, 2011.
- [44] Tao Jiang, Zevi Miller, and Dan Pritkin. Near optimal bounds for steiner trees in the hypercube. *SIAM J. Comput.*, 40(5):1340–1360, 2011.

- [45] Satyen Kale and C. Seshadhri. An expansion tester for bounded degree graphs. *SIAM J. Comput.*, 40(3):709–720, 2011.
- [46] Haim Kaplan, Matthew J. Katz, Gila Morgenstern, and Micha Sharir. Optimal cover of points by disks in a simple polygon. *SIAM J. Comput.*, 40(6):1647–1661, 2011.
- [47] Shiva Prasad Kasiviswanathan, Homin K. Lee, Kobbi Nissim, Sofya Raskhodnikova, and Adam Smith. What can we learn privately? *SIAM J. Comput.*, 40(3):793–826, 2011.
- [48] Kiran S. Kedlaya and Christopher Umans. Fast polynomial factorization and modular composition. *SIAM J. Comput.*, 40(6):1767–1802, 2011.
- [49] Julia Kempe, Hirotada Kobayashi, Keiji Matsumoto, Ben Toner, and Thomas Vidick. Entangled games are hard to approximate. *SIAM J. Comput.*, 40(3):848–877, 2011.
- [50] James King and Erik Krohn. Terrain guarding is np-hard. *SIAM J. Comput.*, 40(5):1316–1339, 2011.
- [51] Johannes Köbler, Sebastian Kuhnert, Bastian Laubner, and Oleg Verbitsky. Interval graphs: Canonical representations in logspace. *SIAM J. Comput.*, 40(5):1292–1315, 2011.
- [52] Hagay Levin, Michael Schapira, and Aviv Zohar. Interdomain routing and games. *SIAM J. Comput.*, 40(6):1892–1912, 2011.
- [53] Frédéric Magniez, Ashwin Nayak, Jeremie Roland, and Miklos Santha. Search via quantum walk. *SIAM J. Comput.*, 40(1):142–164, 2011.
- [54] George B. Mertzios, Ignasi Sau, and Shmuel Zaks. The recognition of tolerance and bounded tolerance graphs. *SIAM J. Comput.*, 40(5):1234–1257, 2011.
- [55] Ilya Mironov, Moni Naor, and Gil Segev. Sketching in adversarial environments. *SIAM J. Comput.*, 40(6):1845–1870, 2011.
- [56] P. Niyogi, S. Smale, and S. Weinberger. A topological view of unsupervised learning from noisy data. *SIAM J. Comput.*, 40(3):646–663, 2011.

- [57] Ryan O'Donnell and Rocco A. Servedio. The chow parameters problem. *SIAM J. Comput.*, 40(1):165–199, 2011.
- [58] Rafael Pass, Wei-Lung Dustin Tseng, and Douglas Wikström. On the composition of public-coin zero-knowledge protocols. *SIAM J. Comput.*, 40(6):1529–1553, 2011.
- [59] Mihai Pătrașcu. Unifying the landscape of cell-probe lower bounds. *SIAM J. Comput.*, 40(3):827–847, 2011.
- [60] Chris Peikert and Brent Waters. Lossy trapdoor functions and their applications. *SIAM J. Comput.*, 40(6):1803–1844, 2011.
- [61] Anup Rao. Parallel repetition in projection games and a concentration bound. *SIAM J. Comput.*, 40(6):1871–1891, 2011.
- [62] Ran Raz. A counterexample to strong parallel repetition. *SIAM J. Comput.*, 40(3):771–777, 2011.
- [63] Nitin Saxena and C. Seshadhri. An almost optimal rank bound for depth-3 identities. *SIAM J. Comput.*, 40(1):200–224, 2011.
- [64] Shai Shalev-Shwartz, Ohad Shamir, and Karthik Sridharan. Learning kernel-based halfspaces with the 0-1 loss. *SIAM J. Comput.*, 40(6):1623–1646, 2011.
- [65] Cheng Shao, Jennifer L. Welch, Evelyn Pierce, and Hyunyoung Lee. Multiwriter consistency conditions for shared memory registers. *SIAM J. Comput.*, 40(1):28–62, 2011.
- [66] Micha Sharir and Hayim Shaul. Semialgebraic range reporting and emptiness searching with applications. *SIAM J. Comput.*, 40(4):1045–1074, 2011.
- [67] Alexander A. Sherstov. The pattern matrix method. *SIAM J. Comput.*, 40(6):1969–2000, 2011.
- [68] Daniel A. Spielman and Nikhil Srivastava. Graph sparsification by effective resistances. *SIAM J. Comput.*, 40(6):1913–1926, 2011.
- [69] Daniel A. Spielman and Shang-Hua Teng. Spectral sparsification of graphs. *SIAM J. Comput.*, 40(4):981–1025, 2011.

- [70] Ola Svensson. Hardness of precedence constrained scheduling on identical machines. *SIAM J. Comput.*, 40(5):1258–1274, 2011.
- [71] Zoya Svitkina and Lisa Fleischer. Submodular approximation: Sampling-based algorithms and lower bounds. *SIAM J. Comput.*, 40(6):1715–1737, 2011.
- [72] Amnon Ta-Shma. Short seed extractors against quantum storage. *SIAM J. Comput.*, 40(3):664–677, 2011.
- [73] Alasdair Urquhart. A near-optimal separation of regular and general resolution. *SIAM J. Comput.*, 40(1):107–121, 2011.
- [74] Paul Valiant. Testing symmetric properties of distributions. *SIAM J. Comput.*, 40(6):1927–1968, 2011.