References

[1] W. Alexi, B. Chor, O. Goldreich, and C.P. Schnorr. Rsa and rabin functions: certain parts are as hard as the whole. *SIAM J. Comput.*, 17(2):194–209, 1988, April.

[2] Eric W. Allender and Roy S. Rubinstein. P-printable sets. *SIAM J. Comput.*, 17:1193–1202, 1988.

[3] N. Alon and Y. Azar. The average complexity of deterministic and randomized parallel comparison-sorting algorithms. *SIAM J. Comput.*, 17:1178–1192, 1988.

[4] Mikhail J. Atallah and S. Rao Kosaraju. Efficient solutions to some transportation problems with applications to minimizing robot arm travel. *SIAM J. Comput.*, 17:849–869, 1988.

[5] David Avis and C.W. Lai. The probabilistic analysis of a heuristic for the assignment problem. *SIAM J. Comput.*, 17:732–741, 1988.

[6] E. Bach. How to generate factored random numbers. *SIAM J. Comput.*, 17(2):179–193, 1988, April.

[7] Michael Ben-Or, Ephraim Feig, Dexter Kozen, and Prasoon Tiwari. A fast parallel algorithm for determining all roots of a polynomial with real roots. *SIAM J. Comput.*, 17:1081–1092, 1988.

[8] C.H. Bennett, G. Brassard, and J.-M. Robert. Privacy amplification by public discussion. *SIAM J. Comput.*, 17(2):210–229, 1988, April.

[9] J.A. Bergstra, J.W. Klop, and E.-R. Olderog. Readies and failures in the algebra of communicating processes. *SIAM J. Comput.*, 17:1134–1177, 1988.

[10] D. Bienstock and C.L. Monma. On the complexity of covering vertices by faces in a planar graph. *SIAM J. Comput.*, 17(1):53–76, 1988, February.

[11] Stephen L. Bloom and Zoltan Esik. Varieties of iteration theories. *SIAM J. Comput.*, 17:939–966, 1988.

[12] Béla Bollobás and Graham Brightwell. Transitive orientations of graph. *SIAM J. Comput.*, 17:1119–1133, 1988.

[13] R. Book, P. Orponen, D. Russo, and O. Watanabe. Lowness properties of sets in the exponential-time hierarchy. *SIAM J. Comput.*, 17:504–516, 1988.

[14] Ronald V. Book and Ker-I Ko. On sets truth-table reducible to sparse sets. *SIAM J. Comput.*, 17:903–919, 1988.

[15] Jin-Yi Cai, Thomas Gundermann, Juris Hartmanis, Lane A. Hemachandra, Vivian Sewelson, Klaus Wagner, and Gerd Wechsung. The boolean hierarchy i: Structural properties. *SIAM J. Comput.*, 17:1232–1252, 1988.

[16] Bernard Chazelle. A functional approach to data structures and its use in multidimensional searching. *SIAM J. Comput.*, 17:427–462, 1988.

[17] B. Chor and O. Goldreich. Unbiased bits from sources of weak randomness and probabilistic communication complexity. *SIAM J. Comput.*, 17(2):230–261, 1988, April.

[18] Kenneth L. Clarkson. A randomized algorithm for closest-point queries. *SIAM J. Comput.*, 17:830–847, 1988.

[19] R. Cole and U. Vishkin. Approximate parallel scheduling. i. the basic technique with applications to optimal parallel list ranking in logarithmic time. *SIAM J. Comput.*, 17(1):128–142, 1988, February.

[20] Richard Cole. Parallel merge sort. *SIAM J. Comput.*, 17:770–785, 1988. see Correction in SIAM J. Comput. 22, 1349.

[21] Alessandro d'Atri and Marina Moscarini. Distance-hereditary graphs, steiner trees, and connected domination. *SIAM J. Comput.*, 17:521–538, 1988.

[22] Nachum Dershowitz, Leo Marcus, and Andrzej Tarlecki. Existene, uniqueness, and construction of rewrite systems. *SIAM J. Comput.*, 17:629–639, 1988.

[23] Cynthia Dwork, Paris C. Kanellakis, and Larry Stockmeyer. Parallel algorithms for term matching. *SIAM J. Comput.*, 17:711–731, 1988.

[24] Cynthia Dwork, David Peleg, Nicholas Pippenger, and Eli Upfal. Fault tolerance in networks of bounded degree. *SIAM J. Comput.*, 17:975–988, 1988.

[25] M.E. Dyer and A.M. Frieze. On the complexity of computing the volume of a polyhedron. *SIAM J. Comput.*, 17:967–974, 1988.

[26] Herbert Edelsbrunner and Steven S. Skiena. Probing convex polygons with x-rays. *SIAM J. Comput.*, 17:870–882, 1988.

[27] U. Faigle and G. Turán. Sorting and recognition problems for ordered sets. *SIAM J. Comput.*, 17(1):100–113, 1988, February.

[28] Faith E. Fich, Prabhakar Ragde, and Avi Wigderson. Relations between concurrent-write models of parallel computation. *SIAM J. Comput.*, 17:606–627, 1988.

[29] D.K. Friesen and F.S. Kuhl. Analysis of a hybrid algorithm for packing unequal bins. *SIAM J. Comput.*, 17(1):23–40, 1988, February.

[30] A.M. Frieze, J. Håstad, R. Kannan, J.C. Lagarias, and A. Shamir. Reconstructing truncated integer variables satisfying linear congruences. *SIAM J. Comput.*, 17(2):262–280, 1988, April.

[31] M. Fushimi. Designing a uniform random number generator whose subsequences are k-distributed. *SIAM J. Comput.*, 17(1):89–99, 1988, February.

[32] Harold N. Gabow. Scheduling uet systems on two uniform processors and length two pipelines. *SIAM J. Comput.*, 17:810–829, 1988.

[33] S. Goldwasser, S. Micali, and R.L. Rivest. A digital signature scheme secure against adaptive chosen-message attacks. *SIAM J. Comput.*, 17(2):281–308, 1988, April.

[34] Etienne Grandjean. A natural np-complete problem with a nontrivial lower bound. *SIAM J. Comput.*, 17:786–809, 1988.

[35] J. Grollmann and A.L. Selman. Complexity measures for public-key cryptosystems. *SIAM J. Comput.*, 17(2):309–335, 1988, April.

[36] Dan Gusfield. A graph theoretic approach to statistical data security. *SIAM J. Comput.*, 17:552–571, 1988.

[37] Dan Gusfield. The structure of the stable roommate problem: Efficient representation and enumeration of all stable assignments. *SIAM J. Comput.*, 17:742–769, 1988.

[38] J. Håstad. Solving simultaneous modular equations of low degree. *SIAM J. Comput.*, 17(2):336–341, 1988, April.

[39] Xin He and Yaacov Yesha. A nearly optimal parallel algorithm for constructing depth first spanning trees in planar graphs. *SIAM J. Comput.*, 17:486–491, 1988.

[40] Matthew Hennessy. Axiomatising finite concurrent processes. *SIAM J. Comput.*, 17:997–1017, 1988.

[41] Dorit S. Hochbaum and David B. Shmoys. A polynomial approximation scheme for scheduling on uniform processors: Using the dual approximation approach. *SIAM J. Comput.*, 17:539–551, 1988.

[42] Neil Immerman. Nondeterministic space is closed under complementation. *SIAM J. Comput.*, 17:935–938, 1988.

[43] John Welliaveetil John. A new lower bound for the set-partitioning problem. *SIAM J. Comput.*, 17:640–647, 1988.

[44] Jim Kadin. The polynomial time hierarchy collapses if the boolean hierarchy collapses. *SIAM J. Comput.*, 17:1263–1282, 1988. see Erratum in SIAM J. Comput., Vol. 20, 404.

[45] Richard M. Karp, Rajeev Motwani, and Prabhakar Raghavan. Deferred data structuring. *SIAM J. Comput.*, 17:883–902, 1988.

[46] J. Katajainen, Jan van Leeuwen, and M. Penttonen. Fast simulation of turing machines by random access machines. *SIAM J. Comput.*, 17(1):77–88, 1988, February.

[47] Philip N. Klein and John H. Reif. Parallel time $o(\log n)$ acceptance of deterministic cfls on an exclusive-write p-ram. *SIAM J. Comput.*, 17:463–485, 1988.

[48] William J. Knight. Search in an ordered array having variable probe cost. *SIAM J. Comput.*, 17:1203–1214, 1988.

[49] T.Y. Kong, David M. Mount, and A.W. Roscoe. The decomposition of a rectangle into rectangles of minimal perimeter. *SIAM J. Comput.*, 17:1215–1231, 1988.

[50] Luděk Kučera. Isomorphism testing of unary algebras. *SIAM J. Comput.*, 17:673–686, 1988.

[51] J.C. Lagarias and J.A. Reeds. Unique extrapolation of polynomial recurrences. *SIAM J. Comput.*, 17(2):342–362, 1988, April.

[52] Thomas Lengauer and Egon Wanke. Efficient solution of connectivity problems on hierarchically defined graphs. *SIAM J. Comput.*, 17:1063–1080, 1988.

[53] D.L. Long and A. Wigderson. The discrete logarithm hides $o(\log n)$ bits. *SIAM J. Comput.*, 17(2):363–372, 1988, April.

[54] M. Luby and C. Rackoff. How to construct pseudorandom permutations from pseudorandom functions. *SIAM J. Comput.*, 17(2):373–386, 1988, April.

[55] S. Masuda and K. Nakajima. An optimal algorithm for finding a maximum independent set of a circular-arc graph. *SIAM J. Comput.*, 17(1):41–52, 1988, February.

[56] Colin McDiarmid. Average-case lower bounds for searching. *SIAM J. Comput.*, 17:1044–1060, 1988.

[57] Kurt Mehlhorn, Stefan Näher, and Helmut Alt. A lower bound on the complexity of the union-split-find problem. *SIAM J. Comput.*, 17:1093–1102, 1988.

[58] S. Micali, C. Rackoff, and B. Sloan. The notion of security for probabilistic cryptosystems. *SIAM J. Comput.*, 17(2):412–426, 1988, April.

[59] Gary L. Miller, Vijaya Ramachandran, and Erich Kaltofen. Efficient parallel evaluation of straight-line code and arithmetic circuits. *SIAM J. Comput.*, 17:687–695, 1988.

[60] Zevi Miller. A linear algorithm for topological bandwidth in degree-three trees. *SIAM J. Comput.*, 17:1018–1035, 1988.

[61] Robert J.T. Morris and Wing Swing Wong. A short-term neural network memory. *SIAM J. Comput.*, 17:1103–1118, 1988.

[62] D.M. Nicol. Expected performance of m-solution backtracking. *SIAM J. Comput.*, 17(1):114–127, 1988, February.

[63] Boris Pittel and Jenn-Hwa Yu. On search times for early-insertion coalesced hashing. *SIAM J. Comput.*, 17:492–503, 1988.

[64] C. Pomerance, J.W. Smith, and R. Tuler. A pipeline architecture for factoring large integers with the quadratic sieve algorithm. *SIAM J. Comput.*, 17(2):387–403, 1988, April.

[65] J. Scott Provan. An approximation scheme for finding steiner trees with obstacles. *SIAM J. Comput.*, 17:920–934, 1988.

[66] S.S. Ravi and Errol L. Lloyd. The complexity of near-optimal programmable logic array folding. *SIAM J. Comput.*, 17:696–710, 1988.

[67] J.H. Reif and J.D. Tygar. Efficient parallel pseudorandom number generation. *SIAM J. Comput.*, 17(2):404–411, 1988, April.

[68] Y. Sagiv. On bounded database schemes and bounded horn-clause programs. *SIAM J. Comput.*, 17(1):1–22, 1988, February.

[69] R. Schaback. On the expected sublinearity of the boyer-moore algorithm. *SIAM J. Comput.*, 17:648–658, 1988.

[70] Baruch Schieber and Uzi Vishkin. On finding lowest common ancestors: Simplification and parallelization. *SIAM J. Comput.*, 17:1253–1262, 1988.

[71] Alan L. Selman. Natural self-reducible sets. *SIAM J. Comput.*, 17:989–996, 1988.

[72] Alan Siegel and Danny Dolev. Some geometry for general river routing. *SIAM J. Comput.*, 17:583–605, 1988.

[73] R.E. Tarjan and C.J. van Wyk. An $o(n \log \log n)$-time algorithm for triangulating a simple polygon. *SIAM J. Comput.*, 17(1):143–178, 1988, February. see Erratum in SIAM J. Comput., Vol. 17, 1061.

[74] Pravin M. Vaidya. Minimum spanning trees in k-dimensional space. *SIAM J. Comput.*, 17:572–582, 1988.

[75] Paul M.B. Vitányi. Locality, communication, and interconnect length in multicomputers. *SIAM J. Comput.*, 17:659–672, 1988.

[76] Andrew Chi-Chih Yao. Monotone bipartite graph properties are evasive. *SIAM J. Comput.*, 17:517–520, 1988.

[77] Paolo Zellini. Optimal bounds for solving tridiagonal systems with preconditioning. *SIAM J. Comput.*, 17:1036–1043, 1988.