References

[1] Pankaj K. Agarwal and Hongyan Wang. Approximation algorithms for curvature-constrained shortest paths. *SIAM J. Comput.*, 30(6):1739–1772, 2001.

[2] Manindra Agrawal and Thomas Thierauf. The formula isomorphism problem. *SIAM J. Comput.*, 30(3):990–1009, 2000.

[3] Noga Alon, Michael Krivelevich, Ilan Newman, and Mario Szegedy. Regular languages are testable with a constant number of queries. *SIAM J. Comput.*, 30(6):1842–1862, 2001.

[4] Arne Andersson, Torben Hagerup, Johan Håstad, and Ola Petersson. Tight bounds for searching a sorted array of strings. *SIAM J. Comput.*, 30(5):1552–1578, 2000.

[5] Matthew Andrews, Antonio Fernández, Mor Harchol-Balter, Tom Leighton, and Lisa Zhang. General dynamic routing with per-packet delay guarantees of $o(distance + 1/sessionrate)$. *SIAM J. Comput.*, 30(5):1594–1623, 2000.

[6] Dana Angluin, Jeffery Westbrook, and Wenhong Zhu. Robot navigation with distance queries. *SIAM J. Comput.*, 30(1):110–144, 2000.

[7] V. Arvind, R. Beigel, and A. Lozano. The complexity of modular graph automorphism. *SIAM J. Comput.*, 30(4):1299–1320, 2000.

[8] Amotz Bar-Noy, Sudipto Guha, Joseph (Seffi) Naor, and Baruch Schieber. Message multicasting in heterogeneous networks. *SIAM J. Comput.*, 30(2):347–358, 2000.

[9] Chris Barrett, Riko Jacob, and Madhav Marathe. Formal-language-constrained path problems. *SIAM J. Comput.*, 30(3):809–837, 2000.

[10] Frédérique Bassino, Marie-Pierre Béal, and Dominique Perrin. A finite state version of the kraft-mcmillan theorem. *SIAM J. Comput.*, 30(4):1211–1230, 2000.

[11] Clifford Bergman and Giora Slutzki. Complexity of some problems concerning varieties and quasi-varieties of algebras. *SIAM J. Comput.*, 30(2):359–382, 2000.

[12] Omer Berkman, Michal Parnas, and Jiří Sgall. Efficient dynamic traitor tracing. *SIAM J. Comput.*, 30(6):1802–1828, 2001.

[13] Claudia Bertram-Kretzberg, Thomas Hofmeister, and Hanno Lefmann. An algorithm for heilbronn's problem. *SIAM J. Comput.*, 30(2):383–390, 2000.

[14] Avrim Blum, Howard Karloff, Yuval Rabani, and Michael Saks. A decomposition theorem for task systems and bounds for randomized server problems. *SIAM J. Comput.*, 30(5):1624–1661, 2000.

[15] Jean-Daniel Boissonnat, Olivier Devillers, and Sylvain Lazard. Motion planning of legged robots. *SIAM J. Comput.*, 30(1):218–246, 2000.

[16] Maria Luisa Bonet, Juan Luis Esteban, Nicola Galesi, and Jan Johannsen. On the relative complexity of resolution refinements and cutting planes proof systems. *SIAM J. Comput.*, 30(5):1462–1484, 2000.

[17] Endre Boros, Vladimir Gurvich, Leonid Khachiyan, and Kazuhisa Makino. Dual-bounded generating problems: Partial and multiple transversals of a hypergraph. *SIAM J. Comput.*, 30(6):2036–2050, 2001.

[18] Andreas Brandstädt, Feodor F. Dragan, and Ekkehard Köhler. Linear time algorithms for hamiltonian problems on (claw,net)-free graphs. *SIAM J. Comput.*, 30(5):1662–1677, 2000.

[19] M. Brazil, D.A. Thomas, and J.F. Weng. Minimum networks in uniform orientation metrics. *SIAM J. Comput.*, 30(5):1579–1593, 2000.

[20] Adam L. Buchsbaum, Raffaele Giancarlo, and Jeffery R. Westbrook. On the determinization of weighted finite automata. *SIAM J. Comput.*, 30(5):1502–1531, 2000.

[21] Harry Buhrman, Richard Cleve, and Wim van Dam. Quantum entanglement and communication complexity. *SIAM J. Comput.*, 30(6):1829–1841, 2001.

[22] Harry Buhrman and Leen Torenvliet. Randomness is hard. *SIAM J. Comput.*, 30(5):1485–1501, 2000.

[23] Harry Buhrman, Dieter van Melkebeek, Kenneth W. Regan, D. Sivakumar, and Martin Strauss. A generalization of resource-bounded measure, with application to the bpp vs. exp problem. *SIAM J. Comput.*, 30(2):576–601, 2000.

[24] Peter Bürgisser. The computational complexity of immanants. *SIAM J. Comput.*, 30(3):1023–1040, 2000.

[25] Peter Bürgisser. The computational complexity to evaluate representations of general linear groups. *SIAM J. Comput.*, 30(3):1010–1022, 2000.

[26] Mao-cheng Cai, Xiaotie Deng, and Wenan Zang. An approximation algorithm for feedback vertex sets in tournaments. *SIAM J. Comput.*, 30(6):1993–2007, 2001.

[27] Timothy M. Chan. Random sampling, halfspace range reporting, and construction of $(\leq k)$-levels in three dimensions. *SIAM J. Comput.*, 30(2):561–575, 2000.

[28] Joseph Cheriyan and Ramakrishna Thurimella. Approximating minimum-size k-connected spanning subgraphs via matching. *SIAM J. Comput.*, 30(2):528–560, 2000.

[29] Chengbin Chu and Rémy La. Variable-sized bin packing: Tight absolute worst-case performance ratios for four approximation algorithms. *SIAM J. Comput.*, 30(6):2069–2083, 2001.

[30] Richard Cole. On the dynamic finger conjecture for splay trees. part ii: The proof. *SIAM J. Comput.*, 30(1):44–85, 2000.

[31] Richard Cole, Martin Farach-Colton, Ramesh Hariharan, Teresa Przytycka, and Mikkel Thorup. An $o(n \log n)$ algorithm for the maximum agreement subtree problem for binary trees. *SIAM J. Comput.*, 30(5):1385–1404, 2000.

[32] Richard Cole, Bud Mishra, Jeanette Schmidt, and Alan Siegel. On the dynamic finger conjecture for splay trees. part i: Splay sorting log n-block sequences. *SIAM J. Comput.*, 30(1):1–43, 2000.

[33] Andrzej Czygrinow and Vojtech Rödl. An algorithmic regularity lemma for hypergraphs. *SIAM J. Comput.*, 30(4):1041–1066, 2000.

[34] Xiaotie Deng, Nian Gu, Tim Brecht, and Kaicheng Lu. Preemptive scheduling of parallel jobs on multiprocessors. *SIAM J. Comput.*, 30(1):145–160, 2000.

[35] Luc Devroye, Jean Jabbour, and Carlos Zamora-Cura. Squarish $k-d$ trees. *SIAM J. Comput.*, 30(5):1678–1700, 2000.

[36] Yefim Dinitz and Alek Vainshtein. The general structure of edge-connectivity of a vertex subset in a graph and its incremental maintenance. odd case. *SIAM J. Comput.*, 30(3):753–808, 2000.

[37] Danny Dolev, Cynthia Dwork, and Moni Naor. Nonmalleable cryptography. *SIAM J. Comput.*, 30(2):391–437, 2000.

[38] Martin Dyer, Leslie Ann Goldberg, Catherine Greenhill, Mark Jerrum, and Michael Mitzenmacher. An extension of path coupling and its application to the glauber dynamics for graph colorings. *SIAM J. Comput.*, 30(6):1962–1975, 2001.

[39] Martin E. Dyer and Sandeep Sen. Fast and optimal parallel multidimensional search in prams with applications to linear programming and related problems. *SIAM J. Comput.*, 30(5):1443–1461, 2000.

[40] Guy Even, Joseph (Seffi) Naor, and Leonid Zosin. An 8-approximation algorithm for the subset feedback vertex set problem. *SIAM J. Comput.*, 30(4):1231–1252, 2000.

[41] Uriel Feige and Joe Kilian. Two-prover protocols — low error at affordable rates. *SIAM J. Comput.*, 30(1):324–346, 2000.

[42] Alan M. Frieze. Edge-disjoint paths in expander graphs. *SIAM J. Comput.*, 30(6):1790–1801, 2001. see Erratum in SIAM J. Comp., Vol. 31, 2002, No. 3, 988-988.

[43] Harold N. Gabow and Tibor Jordán. How to make a square grid framework with cables rigid. *SIAM J. Comput.*, 30(2):649–680, 2000.

[44] Giorgio Gambosi, Alberto Postiglione, and Maurizio Talamo. Algorithms for the relaxed online bin-packing model. *SIAM J. Comput.*, 30(5):1532–1551, 2000.

[45] Bruno Gaujal, Alain Jean-Marie, and Jean Mairesse. Computations of uniform recurrence equations using minimal memory size. *SIAM J. Comput.*, 30(5):1701–1738, 2000.

[46] David Greenhalgh and Stephen Marshall. Convergence criteria for genetic algorithms. *SIAM J. Comput.*, 30(1):269–282, 2000.

[47] Michelangelo Grigni, Vincent Mirelli, and Christos H. Papadimitriou. On the difficulty of designing good classifiers. *SIAM J. Comput.*, 30(1):318–323, 2000.

[48] Xiaoxu Han, Suely Oliveira, and David Stewart. Finding sets covering a point with application to mesh-free galerkin methods. *SIAM J. Comput.*, 30(4):1368–1383, 2000.

[49] Xin He, Ming-Yang Kao, and Hsueh-I Lu. A fast general methodology for information-theoretically optimal encodings of graphs. *SIAM J. Comput.*, 30(3):838–846, 2000.

[50] Amir Herzberg and Shay Kutten. Early detection of message forwarding faults. *SIAM J. Comput.*, 30(4):1169–1196, 2000.

[51] Prasad Jayanti, King Tan, and Sam Toueg. Time and space lower bounds for nonblocking implementations. *SIAM J. Comput.*, 30(2):438–456, 2000.

[52] Tao Jiang, Paul Kearney, and Ming Li. A polynomial time approximation scheme for inferring evolutionary trees from quartet topologies and its application. *SIAM J. Comput.*, 30(6):1942–1961, 2001.

[53] Ming-Yang Kao, Tak-Wah Lam, Wing-Kin Sung, and Hing-Fung Ting. Cavity matchings, label compressions, and unrooted evolutionary trees. *SIAM J. Comput.*, 30(2):602–624, 2000.

[54] Haim Kaplan, Chris Okasaki, and Robert E. Tarjan. Simple confluently persistent catenable lists. *SIAM J. Comput.*, 30(3):965–977, 2000.

[55] Sanjiv Kapoor and S.N. Maheshwari. Efficiently constructing the visibility graph of a simple polygon with obstacles. *SIAM J. Comput.*, 30(3):847–871, 2000.

[56] Anna R. Karlin, Steven J. Phillips, and Prabhakar Raghavan. Markov paging. *SIAM J. Comput.*, 30(3):906–922, 2000.

[57] Sanjeev Khanna, Madhu Sudan, Luca Trevisan, and David P. Williamson. The approximability of constraint satisfaction problems. *SIAM J. Comput.*, 30(6):1863–1920, 2001.

[58] Jon Kleinberg, Yuval Rabani, and Éva Tardos. Allocating bandwidth for bursty connections. *SIAM J. Comput.*, 30(1):191–217, 2000.

[59] Charles Knessl and Wojciech Szpankowski. Asymptotic behavior of the height in a digital search tree and the longest phrase of the lempel-ziv scheme. *SIAM J. Comput.*, 30(3):923–964, 2000.

[60] Gilad Koren, Emanuel Dar, and Amihood Amir. The power of migration in multiprocessor scheduling of real-time systems. *SIAM J. Comput.*, 30(2):511–527, 2000.

[61] Elias Koutsoupias and Christos H. Papadimitriou. Beyond competitive analysis. *SIAM J. Comput.*, 30(1):300–317, 2000.

[62] Eyal Kushilevitz, Rafail Ostrovsky, and Yuval Rabani. Efficient search for approximate nearest neighbor in high dimensional spaces. *SIAM J. Comput.*, 30(2):457–474, 2000.

[63] Shay Kutten and David Peleg. Tight fault locality. *SIAM J. Comput.*, 30(1):247–268, 2000.

[64] Håkan Lennerstad and Lars Lundberg. Optimal worst case formulas comparing cache memory associativity. *SIAM J. Comput.*, 30(3):872–905, 2000.

[65] Wai-Kau Lo and Vassos Hadzilacos. All of us are smarter than any of us: Nondeterministic wait-free hierarchies are not robust. *SIAM J. Comput.*, 30(3):689–728, 2000.

[66] Jack H. Lutz and Yong Zhao. The density of weakly complete problems under adaptive reductions. *SIAM J. Comput.*, 30(4):1197–1210, 2000.

[67] Bin Ma, Ming Li, and Louxin Zhang. From gene trees to species trees. *SIAM J. Comput.*, 30(3):729–752, 2000.

[68] Waleed M. Meleis. Dual-issue scheduling for binary trees with spills and pipelined loads. *SIAM J. Comput.*, 30(6):1921–1941, 2001.

[69] Carlo Mereghetti and Giovanni Pighizzini. Optimal simulations between unary automata. *SIAM J. Comput.*, 30(6):1976–1992, 2001.

[70] Silvio Micali. Computationally sound proofs. *SIAM J. Comput.*, 30(4):1253–1298, 2000.

[71] Daniele Micciancio. The shortest vector in a lattice is hard to approximate to within some constant. *SIAM J. Comput.*, 30(6):2008–2035, 2001.

[72] Ruy Luiz Milidiú and Eduardo Sany Laber. The warm-up algorithm: A lagrangian construction of length restricted huffman codes. *SIAM J. Comput.*, 30(5):1405–1426, 2000.

[73] Grażyna Mirkowska, Andrzej Salwicki, Marian Srebrny, and Andrzej Tarlecki. First-order specifications of programmable data types. *SIAM J. Comput.*, 30(6):2084–2096, 2001.

[74] Giri Narasimhan and Michiel Smid. Approximating the stretch factor of euclidean graphs. *SIAM J. Comput.*, 30(3):978–989, 2000.

[75] Assaf Natanzon, Ron Shamir, and Roded Sharan. A polynomial approximation algorithm for the minimum fill-in problem. *SIAM J. Comput.*, 30(4):1067–1079, 2000.

[76] Victor Y. Pan. Parallel complexity of computations with general and toeplitz-like matrices filled with integers and extensions. *SIAM J. Comput.*, 30(4):1080–1125, 2000.

[77] David Peleg and Vitaly Rubinovich. A near-tight lower bound on the time complexity of distributed minimum-weight spanning tree construction. *SIAM J. Comput.*, 30(5):1427–1442, 2000.

[78] Andrea Pietracaprina, Geppino Pucci, and Jop F. Sibeyn. Constructive, deterministic implementation of shared memory on meshes. *SIAM J. Comput.*, 30(2):625–648, 2000.

[79] John H. Reif and Hongyan Wang. Nonuniform discretization for kinodynamic motion planning and its applications. *SIAM J. Comput.*, 30(1):161–190, 2000.

[80] Eric Ruppert. Determining consensus numbers. *SIAM J. Comput.*, 30(4):1156–1168, 2000.

[81] Christian Scheideler and Berthold Vöcking. From static to dynamic routing: Efficient transformations of store-and-forward protocols. *SIAM J. Comput.*, 30(4):1126–1155, 2000.

[82] Farhad Shahrokhi, Ondrej Sýkora, László A. Székely, and Imrich Vrťo. On bipartite drawings and the linear arrangement problem. *SIAM J. Comput.*, 30(6):1773–1789, 2001.

[83] Nah-Oak Song and Demosthenis Teneketzis. On a conjecture by coffman, flatto, and wright on stochastic machine minimization. *SIAM J. Comput.*, 30(2):681–687, 2000.

[84] Aravind Srinivasan and Chung-Piaw Teo. A constant-factor approximation algorithm for packet routing and balancing local vs. global criteria. *SIAM J. Comput.*, 30(6):2051–2068, 2001.

[85] Mikkel Thorup. On ram priority queues. *SIAM J. Comput.*, 30(1):86–109, 2000.

[86] Luca Trevisan. When hamming meets euclid: The approximability of geometric tsp and steiner tree. *SIAM J. Comput.*, 30(2):475–485, 2000.

[87] Kasturi R. Varadarajan and Pankaj K. Agarwal. Approximating shortest paths on a nonconvex polyhedron. *SIAM J. Comput.*, 30(4):1321–1340, 2000.

[88] George Varghese. Self-stabilization by counter flushing. *SIAM J. Computt.*, 30(2):486–510, 2000.

[89] Lusheng Wang, Tao Jiang, and Dan Gusfield. A more efficient approximation scheme for tree alignment. *SIAM J. Comput.*, 30(1):283–299, 2000.