References

[1] Dorit Aharonov, Wim van Dam, Julia Kempe, Zeph Landau, Seth Lloyd, and Oded Regev. Adiabatic quantum computation is equivalent to standard quantum computation. *SIAM Review*, 50(4):755–787, 2008.

[2] Heinz H. Bauschke, Yves Lucet, and Michael Trienis. How to transform one convex function continuously into another. *SIAM Review*, 50(1):115–132, 2008.

[3] Nawaf M. Bou-Rabee, Jerrold E. Marsden, and Louis A. Romero. Dissipation-induced heteroclinic orbits in tippe tops. *SIAM Review*, 50(2):325–344, 2008.

[4] John P. Boyd. The blasius function: Computations before computers, the value of tricks, undergraduate projects, and open research problems. *SIAM Review*, 50(4):791–804, 2008.

[5] Donna A. Calhoun, Christiane Helzel, and Randall J. LeVeque. Logically rectangular grids and finite volume methods for pdes in circular and spherical domains. *SIAM Review*, 50(4):723–752, 2008.

[6] Enrique Castillo, Antonio J. Conejo, and Ernesto Aranda. Sensitivity analysis in calculus of variations: Some applications. *SIAM Review*, 50(2):294–312, 2008.

[7] Anne J. Catllá, David G. Schaeffer, Thomas P. Witelski, Eric E. Monson, and Anna L. Lin. On spiking models for synaptic activity and impulsive differential equations. *SIAM Review*, 50(3):553–569, 2008.

[8] Richard S. Chadwick and Zhijie Liao. High-frequency oscillations of a sphere in a viscous fluid near a rigid plane. *SIAM Review*, 50(2):313–322, 2008.

[9] Mario di Bernardo, Chris J. Budd, Alan R. Champneys, Piotr Kowalczyk, Arne B. Nordmark, Gerard Olivar Tost, and Petri T. Piiroinen. Bifurcations in nonsmooth dynamical systems. *SIAM Review*, 50(4):629–701, 2008.

[10] Charles L. Epstein and John Schotland. The bad truth about laplace's transform. *SIAM Review*, 50(3):504–520, 2008.

[11] Walter Gautschi. Leonhard euler: His life, the man, and his works. *SIAM Review*, 50(1):3–33, 2008.

[12] Arpita Ghosh, Stephen Boyd, and Amin Saberi. Minimizing effective resistance of a graph. *SIAM Review*, 50(1):37–66, 2008.

[13] Desmond J. Higham. Modeling and simulating chemical reactions. *SIAM Review*, 50(2):347–368, 2008.

[14] Krešimir Josić and Robert Rosenbaum. Unstable solutions of nonautonomous linear differential equations. *SIAM Review*, 50(3):570–584, 2008.

[15] Vadim Kaloshin and Mark Levi. Geometry of arnold diffusion. *SIAM Review*, 50(4):702–720, 2008.

[16] J. Liesen and Z. Strakoš. On optimal short recurrences for generating orthogonal krylov subspace bases. *SIAM Review*, 50(3):485–503, 2008.

[17] José L. López. Asymptotic expansions of mellin convolution integrals. *SIAM Review*, 50(2):275–293, 2008.

[18] Yi Ma, Allen Y. Mang, Harm Derksen, and Robert Fossum. Estimation of subspace arrangements with applications in modeling and segmenting mixed data. *SIAM Review*, 50(3):413–458, 2008.

[19] R.O. Moore, G. Biondini, and W.L. Kath. A method to compute statistics of large, noise-induced perturbations of nonlinear schrödinger solitons. *SIAM Review*, 50(3):523–549, 2008.

[20] Jr. O'Malley, Robert E. Singularly perturbed pinear two-point boundary value problems. *SIAM Review*, 50(3):459–482, 2008.

[21] Robin Pemantle and Mark C. Wilson. Twenty combinatorial examples of asymptotics derived from multivariate generating functions. *SIAM Review*, 50(2):199–272, 2008.

[22] Olaf Schenk, Matthias Bollhöfer, and Rudolf A. Römer. On large-scale diagonalization techniques for the anderson model of localization. *SIAM Review*, 50(1):91–112, 2008.

[23] Lloyd N. Trefethen. Is gauss quadrature better than clenshaw-curtis? *SIAM Review*, 50(1):67–87, 2008.

[24] David S. Watkins. The *qr* algorithm revisited. *SIAM Review*, 50(1):133–145, 2008.