

References

- [1] Jorge Almeida. Locally commutative power semigroups and counting factors of words. *Theor. Comput. Sci.*, 108:3–16, 1993.
- [2] Alberto Apostolico. Efficient crew-pram algorithms for universal substring searching. *Theor. Comput. Sci.*, 108:331–344, 1993.
- [3] Reuven Bar Yehuda, Tuvi Etzion, and Shlomo Moran. Rotating-table games and derivatives of words. *Theor. Comput. Sci.*, 108:311–329, 1993.
- [4] Siniša Crvenković and Rozália S. Madarász. On kleene algebras. *Theor. Comput. Sci.*, 108:17–24, 1993.
- [5] Fabrizio d’Amore, Alberto Marchetti-Spaccamela, and Umberto Nanni. The weighted list update problem and the lazy adversary. *Theor. Comput. Sci.*, 108:371–384, 1993.
- [6] Volker Diekert. Möbius functions and confluent semi-commutations. *Theor. Comput. Sci.*, 108:25–43, 1993.
- [7] Martin Dietzfelbinger and Wolfgang Maass. The complexity of matrix transposition on one-tape off-line turing machines with output tape. *Theor. Comput. Sci.*, 108:271–290, 1993.
- [8] Christiane Frougny and Jacques Sakarovitch. Synchronized rational relations of finite and infinite words. *Theor. Comput. Sci.*, 108:45–82, 1993.
- [9] Zoltán Fülöp, Frank Herrmann, Sándor Vágvolgyi, and Heiko Vogler. Tree transducers with external functions. *Theor. Comput. Sci.*, 108:185–236, 1993.
- [10] Max Garzon. Cayley automata. *Theor. Comput. Sci.*, 108:83–102, 1993.
- [11] Roberto Grossi. On finding common subtrees. *Theor. Comput. Sci.*, 108:345–356, 1993.
- [12] Juraj Hromkovič and Katsushi Inoue. A note on realtime one-way synchronized alternating one-counter automata. *Theor. Comput. Sci.*, 108:393–400, 1993.

- [13] J. Karhumäki. Equations over finite sets of words and equivalence problems in automata theory. *Theor. Comput. Sci.*, 108:103–118, 1993.
- [14] Masashi Katsura and Genjiro Tanaka. Groups of finite elementary codes. *Theor. Comput. Sci.*, 108:119–149, 1993.
- [15] Michael Kunze. Standard automata and semidirect products of transformation semigroups. *Theor. Comput. Sci.*, 108:151–171, 1993.
- [16] S. Lehr. Sums and rational multiples of q -automatic sequences are q -automatic. *Theor. Comput. Sci.*, 108:385–391, 1993.
- [17] M. Madonia, S. Salemi, and T. Sportelli. A generalization of sardinas and patterson’s algorithm to z -codes. *Theor. Comput. Sci.*, 108:251–270, 1993.
- [18] M. Middendorf. The shortest common nonsubsequence problem is np-complete. *Theor. Comput. Sci.*, 108:365–369, 1993.
- [19] Ulrich Schmid. The average cri-length of a controlled aloha collision resolution algorithm. *Theor. Comput. Sci.*, 108(2):291–310, 1993.
- [20] Karine Slowinski. Picture words with invisible lines. *Theor. Comput. Sci.*, 108:357–363, 1993.
- [21] Do Long Van, Bertrand Le Saëc, and Igor Litovsky. Stability for the zigzag submonoids. *Theor. Comput. Sci.*, 108:237–249, 1993.
- [22] Liang Zhang and Weide Qiu. Decompositions of recognizable strong maximal codes. *Theor. Comput. Sci.*, 108:173–183, 1993.