

References

- [1] M. Antoniotti, C. Piazza, A. Policriti, M. Simeoni, and B. Mishra. Taming the complexity of biochemical models through bisimulation and collapsing: Theory and practice. *Theor. Comput. Sci.*, 325(1):45–67, 2004.
- [2] Tetsuo Asano, Naoki Katoh, Hisao Tamaki, and Takeshi Tokuyama. The structure and number of global roundings of a graph. *Theor. Comput. Sci.*, 325(3):425–437, 2004.
- [3] A. Barbé and F. von Haeseler. The pascal matroid as a home for generating sets of cellular automata configurations defined by quasigroups. *Theor. Comput. Sci.*, 325(2):171–214, 2004.
- [4] Tim Boykett. Efficient exhaustive listings of reversible one dimensional cellular automata. *Theor. Comput. Sci.*, 325(2):215–247, 2004.
- [5] Gianpiero Cattaneo, Alberto Dennunzio, and Luciano Margara. Solution of some conjectures about topological properties of linear cellular automata. *Theor. Comput. Sci.*, 325(2):249–271, 2004.
- [6] Nathalie Chabrier-Rivier, Marc Chiaverini, Vincent Danos, François Fages, and Vincent Schächter. Modeling and querying biomolecular interaction networks. *Theor. Comput. Sci.*, 325(1):25–44, 2004.
- [7] Zhi-Zhong Chen, Yong Gao, Guohui Lin, Robert Niewiadomski, Yang Wang, and Junfeng Wu. A space-efficient algorithm for sequence alignment with inversions and reversals. *Theor. Comput. Sci.*, 325(3):361–372, 2004.
- [8] Francis Y.L. Chin, Xiaotie Deng, Qizhi Fang, and Shanfeng Zhu. Approximate and dynamic rank aggregation. *Theor. Comput. Sci.*, 325(3):409–424, 2004.
- [9] Francis Y.L. Chin and Stanley P.Y. Fung. Improved competitive algorithms for online scheduling with partial job values. *Theor. Comput. Sci.*, 325(3):467–478, 2004.
- [10] M. Curti, P. Degano, C. Priami, and C.T. Baldari. Modelling biochemical pathways through enhanced π -calculus. *Theor. Comput. Sci.*, 325(1):111–140, 2004.

- [11] Eugen Czeizler. On the size of the inverse neighborhoods for one-dimensional reversible cellular automata. *Theor. Comput. Sci.*, 325(2):273–284, 2004.
- [12] Vincent Danos and Cosimo Laneve. Formal molecular biology. *Theor. Comput. Sci.*, 325(1):69–110, 2004.
- [13] Damien Eveillard, Delphine Ropers, Hidde de Jong, Christiane Brantant, and Alexander Bockmayr. A multi-scale constraint programming model of alternative splicing regulation. *Theor. Comput. Sci.*, 325(1):3–24, 2004.
- [14] Magnús M. Hallórsson, Kazuo Iwama, Shuichi Miyazaki, and Hiroki Yanagisawa. Randomized approximation of the stable marriage problem. *Theor. Comput. Sci.*, 325(3):439–465, 2004.
- [15] Jae-Hoon Kim and Kyung-Yong Chwa. Scheduling broadcasts with deadlines. *Theor. Comput. Sci.*, 325(3):479–488, 2004.
- [16] Martin Kutz. The complexity of boolean matrix root computation. *Theor. Comput. Sci.*, 325(3):373–390, 2004.
- [17] Mark Marron, Krister M. Swenson, and Bernard M.E. Moret. Genomic distances under deletions and insertions. *Theor. Comput. Sci.*, 325(3):347–360, 2004.
- [18] Andrés Moreira, Nino Boccara, and Eric Goles. On conservative and monotone one-dimensional cellular automata and their particle representation. *Theor. Comput. Sci.*, 325(2):285–316, 2004.
- [19] Aviv Regev, Ekaterina M. Panina, William Silverman, Luca Cardelli, and Ehud Shapiro. Bioambients: An abstraction for biological compartments. *Theor. Comput. Sci.*, 325(1):141–167, 2004.
- [20] Eric J. Schwabe and Ian M. Sutherland. Efficient data mappings for parity-declustered data layouts. *Theor. Comput. Sci.*, 325(3):391–407, 2004.
- [21] K. Sutner. The complexity of reversible cellular automata. *Theor. Comput. Sci.*, 325(2):317–328, 2004.

- [22] Tommaso Toffoli, Silvio Capobianco, and Patrizia Mentrasti. How to turn a second-order cellular automaton into a lattice gas: A new inversion scheme. *Theor. Comput. Sci.*, 325(2):329–344, 2004.