

References

- [1] R.E.L. Aldred, M.D. Atkinson, H.P. van Ditmarsch, C.C. Handley, D.A. Holton, and D.J. McCaughan. Permuting machines and priority queues. *Theor. Comput. Sci.*, 349(3):309–317, 2005.
- [2] R.B. Andrist and G.McC. Haworth. Deeper model endgame analysis. *Theor. Comput. Sci.*, 349(2):158–167, 2005.
- [3] Henrik Björklund and Sergei Vorobyov. Combinatorial structure and randomized subexponential algorithms for infinite games. *Theor. Comput. Sci.*, 349(3):347–360, 2005.
- [4] F. Blanchard, J. Cerveille, and E. Formenti. Some results about the chaotic behavior of cellular automata. *Theor. Comput. Sci.*, 349(3):318–336, 2005.
- [5] Hans L. Bodlaender, Andreas Brandstädt, Dieter Kratsch, Michaël Rao, and Jeremy Spinrad. On algorithms for (p_5, gem) -free graphs. *Theor. Comput. Sci.*, 349(1):2–21, 2005.
- [6] Hans L. Bodlaender and Fedor V. Fomin. Equitable colorings of bounded treewidth graphs. *Theor. Comput. Sci.*, 349(1):22–30, 2005.
- [7] Chris Bourke, John M. Hitchcock, and N.V. Vinodchandran. Entropy rates and finite-state dimension. *Theor. Comput. Sci.*, 349(3):392–406, 2005.
- [8] M.S. Bourzutschky, J.A. Tamplin, and G.McC. Haworth. Chess endgames: 6-man data and strategy. *Theor. Comput. Sci.*, 349(2):140–157, 2005.
- [9] Andrei A. Bulatov. h -coloring dichotomy revisited. *Theor. Comput. Sci.*, 349(1):31–39, 2005.
- [10] F. Cazals and C. Karande. An algorithm for reporting maximal c -cliques. *Theor. Comput. Sci.*, 349(3):484–490, 2005.
- [11] Wai-Fong Chuan and Hui-Ling Ho. Locating factors of the infinite fibonacci word. *Theor. Comput. Sci.*, 349(3):429–442, 2005.

- [12] Mark Cieliebak, Stephan Eidenbenz, and Paolo Penna. Partial digest is hard to solve for erroneous input data. *Theor. Comput. Sci.*, 349(3):361–381, 2005.
- [13] Marc Demange, Tinaz Ekim, and Dominique de Werra. (p, k) -coloring problems in line graphs. *Theor. Comput. Sci.*, 349(3):462–474, 2005.
- [14] Josep Díaz, Vishal Sanwalani, Maria Serna, and Paul G. Spirakis. The chromatic and clique numbers of random scaled sector graphs. *Theor. Comput. Sci.*, 349(1):40–51, 2005.
- [15] H.H.L.M. Donkers, H.J. van den Herik, and J.W.H.M. Uiterwijk. Selecting evaluation functions in opponent-model search. *Theor. Comput. Sci.*, 349(2):245–267, 2005.
- [16] Leah Epstein and Asaf Levin. The chord version for sonet adms minimization. *Theor. Comput. Sci.*, 349(3):337–346, 2005.
- [17] Tomás Feder, Pavol Hell, Sulamita Klein, Loana Tito Nogueira, and Fábio Protti. List matrix partitions of chordal graphs. *Theor. Comput. Sci.*, 349(1):52–66, 2005.
- [18] Jiří Fiala and Daniel Paulusma. A complete complexity classification of the role assignment problem. *Theor. Comput. Sci.*, 349(1):67–81, 2005.
- [19] D. Gomboc, M. Buro, and T.A. Marsland. Tuning evaluation functions by maximizing concordance. *Theor. Comput. Sci.*, 349(2):202–229, 2005.
- [20] Ryan Hayward, Yngvi Björnsson, Michael Johanson, Morgan Kan, Nathan Po, and Jack van Rijswijk. Solving 7×7 hex with domination, fill-in, and virtual connections. *Theor. Comput. Sci.*, 349(2):123–139, 2005.
- [21] Edith Hemaspaandra, Holger Spakowski, and Jörg Vogel. The complexity of kemeny elections. *Theor. Comput. Sci.*, 349(3):382–391, 2005.
- [22] Sergey Kitaev. Segmental partially ordered generalized patterns. *Theor. Comput. Sci.*, 349(3):420–428, 2005.
- [23] Anja Kohl, Jens Schreyer, Zsolt Tuza, and Margit Voigt. List version of $l(d, s)$ -labelings. *Theor. Comput. Sci.*, 349(1):92–98, 2005.

- [24] A.V. Kostochka and K. Nakprasit. On equitable δ -coloring of graphs with low average degree. *Theor. Comput. Sci.*, 349(1):82–91, 2005.
- [25] Daniel Král'. Group coloring is π_2^p -complete. *Theor. Comput. Sci.*, 349(1):99–111, 2005.
- [26] Martin Kutz. Conway's angel in three dimensions. *Theor. Comput. Sci.*, 349(3):443–451, 2005.
- [27] Jens Lieberum. An evaluation function for the game of amazons. *Theor. Comput. Sci.*, 349(2):230–244, 2005.
- [28] Edita Máčajová and Martin Škoviera. Fano colourings of cubic graphs and the fulkerson conjecture. *Theor. Comput. Sci.*, 349(1):112–120, 2005.
- [29] Katsuhiko Nakamura. Static analysis based on formal models and incremental computation in go programming. *Theor. Comput. Sci.*, 349(2):184–201, 2005.
- [30] Toshio Nakata. On the expected time for herman's probabilistic self-stabilizing algorithm. *Theor. Comput. Sci.*, 349(3):475–483, 2005.
- [31] Alexander Okhotin. Unresolved systems of language equations: Expressive power and decision problems. *Theor. Comput. Sci.*, 349(3):283–308, 2005.
- [32] A. Sadikov, I. Bratko, and I. Kononenko. Bias and pathology in minimax search. *Theor. Comput. Sci.*, 349(2):268–281, 2005.
- [33] Erik C.D. van der Werf, H. Jaap van den Herik, and Jos W.H.M. Uiterwijk. Learning to score final positions in the game of go. *Theor. Comput. Sci.*, 349(2):168–183, 2005.
- [34] Bang Ye Wu. An analysis of the lpt algorithm for the max-min and the min-ratio partition problems. *Theor. Comput. Sci.*, 349(3):407–419, 2005.
- [35] Weigen Yan, Yeong-Nan Yeh, and Fuji Zhang. Graphical condensation of plane graphs: A combinatorial approach. *Theor. Comput. Sci.*, 349(3):452–461, 2005.