

References

- [1] Beate Bollig, Stephan Waack, and Philipp Woelfel. Parity graph-driven read-once branching programs and an exponential lower bound for integer multiplication. *Theor. Comput. Sci.*, 362(1-3):86–99, 2006.
- [2] Joan Boyar, Leah Epstein, Lene M. Favrholdt, Jens S. Kohrt, Kim S. Larsen, Morten M. Pedersen, and Sanne Wøhlk. The maximum resource bin packing problem. *Theor. Comput. Sci.*, 362(1-3):127–139, 2006.
- [3] Alain Bretto, Alain Faisant, and Thierry Vallée. Compatible topologies on graphs: An application to graph isomorphism problem complexity. *Theor. Comput. Sci.*, 362(1-3):255–272, 2006.
- [4] Chih-Huai Cheng, Kuan-Yu Chen, Wen-Chin Tien, and Kun-Mao Chao. Improved algorithms for the k maximum-sums problems. *Theor. Comput. Sci.*, 362(1-3):162–170, 2006.
- [5] T.C.E. Cheng, C.T. Ng, and J.J. Yuan. Multi-agent scheduling on a single machine to minimize total weighted number of tardy jobs. *Theor. Comput. Sci.*, 362(1-3):273–281, 2006.
- [6] Maxime Crochemore, Costas S. Iliopoulos, Manal Mohamed, and Marie-France Sagot. Longest repeats with a block of k don't cares. *Theor. Comput. Sci.*, 362(1-3):248–254, 2006.
- [7] Aldo de Luca and Alessandro De Luca. Pseudopalindrome closure operators in free monoids. *Theor. Comput. Sci.*, 362(1-3):282–300, 2006.
- [8] Khaled El-Fakih, Nina Yevtushenko, Sergey Buffalov, and Gregor von Bochmann. Progressive solutions to a parallel automata equation. *Theor. Comput. Sci.*, 362(1-3):17–32, 2006.
- [9] Nazim Fatès, Éric Thierry, Michel Morvan, and Nicolas Schabanel. Fully asynchronous behavior of double-quiescent elementary cellular automata. *Theor. Comput. Sci.*, 362(1-3):1–16, 2006.
- [10] Pedro García and Jose Ruiz. Learning in varieties of the form v^*li from positive data. *Theor. Comput. Sci.*, 362(1-3):100–114, 2006.

- [11] Leszek Gąsieniec, Evangelos Kranakis, Andrzej Pelc, and Qin Xin. Deterministic m2m multicast in radio networks. *Theor. Comput. Sci.*, 362(1-3):196–206, 2006.
- [12] Lane A. Hemaspaandra, Kari Pasanen, and Jörg Rothe. If $p \neq np$ then some strongly noninvertible functions are invertible. *Theor. Comput. Sci.*, 362(1-3):54–62, 2006.
- [13] Mohamed Eid Hussein and Uwe Schwiegelshohn. Utilization of nonclairvoyant online schedules. *Theor. Comput. Sci.*, 362(1-3):238–247, 2006.
- [14] Min Ji, Yong He, and T.C.E. Cheng. Scheduling linear deteriorating jobs with an availability constraint on a single machine. *Theor. Comput. Sci.*, 362(1-3):115–126, 2006.
- [15] Mark Kambites. Word problems recognisable by deterministic blind monoid automata. *Theor. Comput. Sci.*, 362(1-3):232–237, 2006.
- [16] Francesco M. Malvestuto, Mauro Mezzini, and Marina Moscarini. Minimal invariant sets in a vertex-weighted graph. *Theor. Comput. Sci.*, 362(1-3):140–161, 2006.
- [17] Turlough Neary and Damien Woods. Small fast universal turing machines. *Theor. Comput. Sci.*, 362(1-3):171–195, 2006.
- [18] Matthieu Picantin. Finite transducers for divisibility monoids. *Theor. Comput. Sci.*, 362(1-3):207–221, 2006.
- [19] Francesc Rosselló and Gabriel Valiente. An algebraic view of the relation between largest common subtrees and smallest common supertrees. *Theor. Comput. Sci.*, 362(1-3):33–53, 2006.
- [20] Arto Salomaa. Independence of certain quantities indicating subword occurrences. *Theor. Comput. Sci.*, 362(1-3):222–231, 2006.
- [21] Guizhen Yang. Computational aspects of mining maximal frequent patterns. *Theor. Comput. Sci.*, 362(1-3):63–85, 2006.