

References

- [1] J. Balogh, S.L. Bezrukov, L.H. Harper, and A. Seress. On the bandwidth of 3-dimensional hamming graphs. *Theor. Comput. Sci.*, 407(1-3):488–495, 2008.
- [2] Katherine P. Benedetto and Nicholas A. Loehr. Tiling problems, automata, and tiling graphs. *Theor. Comput. Sci.*, 407(1-3):400–411, 2008.
- [3] Andrew Beveridge, Tom Bohman, Alan Frieze, and Oleg Pikhurko. Game chromatic index of graphs with given restrictions on degrees. *Theor. Comput. Sci.*, 407(1-3):242–249, 2008.
- [4] Mieczysław Borowiecki and Katarzyna Jesse-Józefczyk. Matching cutsets in graphs of diameter 2. *Theor. Comput. Sci.*, 407(1-3):574–582, 2008.
- [5] Alin Bostan, Claude-Pierre Jeannerod, and Éric Schost. Solving structured linear systems with large displacement rank. *Theor. Comput. Sci.*, 407(1-3):155–181, 2008.
- [6] Tian-Ming Bu, Xiaotie Deng, and Qi Qi. Arbitrage opportunities across sponsored search markets. *Theor. Comput. Sci.*, 407(1-3):182–191, 2008.
- [7] A.L. Buchsbaum, R. Giancarlo, and B. Racz. New results for finding common neighborhoods in massive graphs in the data stream model. *Theor. Comput. Sci.*, 407(1-3):302–309, 2008.
- [8] F. Cazals and C. Karande. A note on the problem of reporting maximal cliques. *Theor. Comput. Sci.*, 407(1-3):564–568, 2008.
- [9] Jiang Chen and Ke Yi. A dynamic data structure for top- k queries on uncertain data. *Theor. Comput. Sci.*, 407(1-3):310–317, 2008.
- [10] Rongjun Chen, Wanzhen Huang, and Guochun Tang. Dense open-shop schedules with release times. *Theor. Comput. Sci.*, 407(1-3):389–399, 2008.
- [11] M. Chiarandini, I.S. Kotsireas, C. Koukouvinos, and L. Paquete. Heuristic algorithms for hadamard matrices with two circulant cores. *Theor. Comput. Sci.*, 407(1-3):274–277, 2008.

- [12] Aldo de Luca, Amy Glen, and Luca Q. Zamboni. Rich, sturmian, and trapezoidal words. *Theor. Comput. Sci.*, 407(1-3):569–573, 2008.
- [13] Alfredo De Santis, Anna Lisa Ferrara, and Barbara Masucci. New constructions for provably-secure time-bound hierarchical key assignment schemes. *Theor. Comput. Sci.*, 407(1-3):213–230, 2008.
- [14] Ye Du. On the complexity of deciding bimatrix games similarity. *Theor. Comput. Sci.*, 407(1-3):583–586, 2008.
- [15] Stefan Eckhardt, Sven Kosub, Moritz G. Maaß, Hanjo Täubig, and Sebastian Wernicke. Combinatorial network abstraction by trees and distances. *Theor. Comput. Sci.*, 407(1-3):1–20, 2008.
- [16] Charilaos Efthymiou and Paul G. Spirakis. Random sampling of colourings of sparse random graphs with a constant number of colours. *Theor. Comput. Sci.*, 407(1-3):134–154, 2008.
- [17] Leah Epstein, Asaf Levin, and Rob van Stee. Online unit clustering: Variations on a theme. *Theor. Comput. Sci.*, 407(1-3):85–96, 2008.
- [18] Leah Epstein and Meital Levy. Online interval coloring with packing constraints. *Theor. Comput. Sci.*, 407(1-3):203–212, 2008.
- [19] Paola Flocchini, Giuseppe Prencipe, Nicola Santoro, and Peter Widmayer. Arbitrary pattern formation by asynchronous, anonymous, oblivious robots. *Theor. Comput. Sci.*, 407(1-3):412–447, 2008.
- [20] Hervé Fournier and Guillaume Malod. Universal relations and #p-completeness. *Theor. Comput. Sci.*, 407(1-3):97–109, 2008.
- [21] Jung-Sheng Fu. Fault-free hamiltonian cycles in twisted cubes with conditional link faults. *Theor. Comput. Sci.*, 407(1-3):318–329, 2008.
- [22] Pedro García, Manuel Vázquez de Parga, Gloria I. Álvarez, and José Ruiz. Universal automata and nfa learning. *Theor. Comput. Sci.*, 407(1-3):192–202, 2008.
- [23] Jin-Ju Hong and Gen-Huey Chen. Efficient on-line repetition detection. *Theor. Comput. Sci.*, 407(1-3):554–563, 2008.

- [24] Gábor Horváth, Chrystopher L. Nehaniv, and Csaba Szabó. An assertion concerning functionally complete algebras and np -completeness. *Theor. Comput. Sci.*, 407(1-3):591–595, 2008.
- [25] Scott C.-H. Huang, Frances Yao, Minming Li, and Weili Wu. Lower bounds and new constructions on secure group communication schemes. *Theor. Comput. Sci.*, 407(1-3):511–523, 2008.
- [26] Hans Kleine Büning and Xishun Zhao. Computational complexity of quantified boolean formulas with fixed maximal deficiency. *Theor. Comput. Sci.*, 407(1-3):448–457, 2008.
- [27] Ondřej Klíma and Libor Polák. On varieties of meet automata. *Theor. Comput. Sci.*, 407(1-3):278–289, 2008.
- [28] Marcin Kozik. A finite set of functions with an exptime-complete composition problem. *Theor. Comput. Sci.*, 407(1-3):330–341, 2008.
- [29] Sven O. Krumke, Willem E. de Paepe, Jörg Rambau, and Leen Stougie. Bincoloring. *Theor. Comput. Sci.*, 407(1-3):231–241, 2008.
- [30] Matthieu Latapy. Main-memory triangle computations for very large (sparse (power-law)) graphs. *Theor. Comput. Sci.*, 407(1-3):458–473, 2008.
- [31] Marion Le Gonidec. On complexity functions of infinite words associated with generalized dyck languages. *Theor. Comput. Sci.*, 407(1-3):117–133, 2008.
- [32] Jonathan K. Lee, Jens Palsberg, and Fernando Magno Quintão Pereira. Aliased register allocation for straight-line programs is np -complete. *Theor. Comput. Sci.*, 407(1-3):258–273, 2008.
- [33] Eero Lehtonen. Two undecidable variants of collatz’s problems. *Theor. Comput. Sci.*, 407(1-3):596–600, 2008.
- [34] Hong-Yiu Lin, Yuh-Dauh Lyuu, Tak-Man Ma, and Yen-Wu Ti. Testing whether a digraph contains h -free k -induced subgraphs. *Theor. Comput. Sci.*, 407(1-3):545–553, 2008.

- [35] Hsiao-Fei Liu and Kun-Mao Chao. Algorithms for finding the weight-constrained k longest paths in a tree and the length-constrained k maximum-sum segments of a sequence. *Theor. Comput. Sci.*, 407(1-3):349–358, 2008.
- [36] Meijie Ma, Guizhen Liu, and Jun-Ming Xu. Fault-tolerant embedding of paths in crossed cubes. *Theor. Comput. Sci.*, 407(1-3):110–116, 2008.
- [37] Elitza Maneva and Alistair Sinclair. On the satisfiability threshold and clustering of solutions of random 3-sat formulas. *Theor. Comput. Sci.*, 407(1-3):359–369, 2008.
- [38] Maurice Margenstern. The domino problem of the hyperbolic plane is undecidable. *Theor. Comput. Sci.*, 407(1-3):29–84, 2008.
- [39] Benny Porat, Ely Porat, and Asaf Zur. Pattern matching with pair correlation distance. *Theor. Comput. Sci.*, 407(1-3):587–590, 2008.
- [40] Élise Prieur and Thierry Lecroq. On-line construction of compact suffix vectors and maximal repeats. *Theor. Comput. Sci.*, 407(1-3):290–301, 2008.
- [41] Arto Salomaa. Subword histories and associated matrices. *Theor. Comput. Sci.*, 407(1-3):250–257, 2008.
- [42] C.A.A. Sanches, N.Y. Soma, and H.H. Yanasse. Parallel time and space upper-bounds for the subset-sum problem. *Theor. Comput. Sci.*, 407(1-3):342–348, 2008.
- [43] Kei Uchizawa and Eiji Takimoto. Exponential lower bounds on the size of constant-depth threshold circuits with small energy complexity. *Theor. Comput. Sci.*, 407(1-3):474–487, 2008.
- [44] Hung-Lung Wang and Kun-Mao Chao. The 2-radius and 2-radiian problems on trees. *Theor. Comput. Sci.*, 407(1-3):524–531, 2008.
- [45] Boting Yang and Yi Cao. Monotonicity in digraph search problems. *Theor. Comput. Sci.*, 407(1-3):532–544, 2008.

- [46] Guomin Yang, Jing Chen, Duncan S. Wong, Xiaotie Deng, and Dongsheng Wang. A new framework for the design and analysis of identity-based identification schemes. *Theor. Comput. Sci.*, 407(1-3):370–388, 2008.
- [47] Qianchuan Zhao, Jianfeng Mao, and Ye Tao. Time separations of cyclic event rule systems with min-max timing constraints. *Theor. Comput. Sci.*, 407(1-3):496–510, 2008.
- [48] Junlei Zhu and Yuehua Bu. Equitable list colorings of planar graphs without short cycles. *Theor. Comput. Sci.*, 407(1-3):21–28, 2008.